Index to Volumes 35, 36 and 37

(1951, 1952 and 1953)

Note: The volume year is in *italic* type. Page numbers of symposium and clinic titles are in **boldface** type.

SYMPOSIA

1951

January (Chicago) March (Nationwide) May (New York) July (Mayo Clinic) September (Boston) November (Philadelphia)

CLINICAL ADVANCES IN MEDICINE
DISEASES OF THE SKIN
OBSTETRICS AND GYNECOLOGY
DISEASES OF THE KIDNEY
SPECIFIC METHODS OF TREATMENT
DIAGNOSIS IN GENERAL MEDICINE

1952

January (Chicago)

March (Toronto)

(Tulane) May (New York)

July (Los Angeles) September (Boston) November (Philadelphia) RECENT ADVANCES IN CARDIOVAS-CULAR DISEASES
1. PSYCHOLOGIC ASPECTS OF MEDI-

1. PSYCHOLOGIC ASPECTS OF M. CINE
2. SYMPTOMS

ENDOCRINE AND METABOLIC DIS-ORDERS RECENT ADVANCES IN MEDICINE

RECENT ADVANCES IN MEDICINE
SPECIFIC METHODS OF TREATMENT
PEDIATRICS

1953

January (Chicago) March (Nationwide) May (New York) July (Nationwide) September (Boston) November (Philadelphia)

GASTROINTESTINAL DISEASES NERVOUS AND MENTAL DISEASES PROLONGED ILLEESS BEDSIDE MANAGEMENT SPECIFIC METHODS OF TREATMENT CLINICAL MEDICINE

Abdomen, pain in, as manifestation of rheumatic fever, 1952: Nov., 1650 Abortion, therapeutic, in tuberculosis, 1951: May, 653

in urologic complications of pregnancy, 1951: May, 730

Abruptio placentae, induction of labor in, 1952: Sept., 1475 Abscess. See also under names of

organs. perianal, incision, 1952: Sept., 1455 Office treatment, 1953: Jan., 269 perirectal, incision, 1952: Sept., 1455 pilonidal, incision, 1952: Sept., 1457 Acetabulum, dysplasia or obliquity of,

1953: Sept., 1430 Acetanilid in rheumatoid arthritis, 1953: July, 1238 Acetone, plasma, test, 1953: Sept., 1540 Acetonuria, office tests, 1953: Sept., 1532

Acetylsalicylic acid, in arthritis, rheumatoid, 1953: July, 1237

in rheumatic fever, 1952: Nov., 1654; 1953: July, 1221 Acetylureas in epilepsy, 1952: Sept.,

1386, 1389 Ac-globulin deficiency, 1951: Sept., 1419 Achlorhydria, cancer of stomach and, 1953: Jan., 69

Acid, burns of eye, emergency treatment, 1952; Sept., 1219 phosphatase. See under Phosphatase.

Acid-base balance, disturbances, 1951: July, 1123 in renal disease, 1951: Nov., 1718 Acidity, gastric, determination without intubation by use of quininium exchange indicator compound, 1951: March, 593-602

carcinoma of stomach, 1953: in Jan., 73

Acidosis, diabetic, 1953: July, 1108 treatment, 1952: May, 767-782 in heart failure, 1952: Jan., 112 tetany following, 1952: May, 891

Acne vulgaris, hormones and, 1951: March, 373-390

treatment, 1953: July, 1188 Acrocyanosis, 1951: March, 365 ACTH, action, mode of, 1951: Sept., 1231

lministration, 1951: Sept., 1952: Jan., 233, May, 801, 818 administration. dosage, criteria of, 1951: Sept., 1246 effects on gastric secretion and peptic

ulcer, 1952: July, 1079 eosinophil response to, in Addison's

disease, 1952: May, 724, 744 in adrenogenital syndrome, Jan., 243

in allergy and allergic states, 1951: Sept., 1556; 1952; May, 811-827 in amenorrhea, 1953: July, 1090

in anemia, hemolytic, 1951: March, 580

acquired, 1951: Sept., 1432 in angioedema, 1952: May, 824 in angioneurotic edema, 1952: Jan.,

in arthritis, rheumatoid, 1951: Jan., **3–22,** Sept., 1239; 1952; Jan., 238; 1953; May, 818, July, 1246

in asthma, 1952: Sept., 1274, 1277; 1953: July, 1020

bronchial, 1951: Sept., 1239; 1952: Jan., 239, 241, May, 819, 823, July, 1137; 1953: May, 781

in atherosclerosis, 1952: Jan., 190, 193 in burns, 1951: Sept., 1241; 1953: July, 1125

in colitis, ulcerative, 1951: Sept., 1240; 1952: Jan., 241, July, 1069; 1953: Jan., 254, July, 1171

in collagen diseases, 1951: Sept., 1236, 1237, 1280; 1952: Jan., 238, May, 824; 1953: Nov., 1710

in dermatitis, atopic, 1952: Jan., 241, May, 823, July, 1137 chronic, 1951: Sept., 1242

exfoliative, 1951: Sept., 1238; 1952: Jan., 241

in dermatomyositis, 1951: Sept., 1239; 1952: Jan., 239

in digestive diseases, 1952: July, 1069-1081

in drug sensitivity, 1952: Jan., 240; 1953: Sept., 1417

in eczema, infantile, 1952: May, 823 in enteritis, regional, 1951: Sept., 1255-1265; 1952: July, 1078

ACTH, in erythroblastosis fetalis, 1951: Sept., 1238

in eye diseases, 1951: Sept., 1237, 1238; 1952: Jan., 240

in glomerulonephritis, chronic, ne-phrotic stage, 1952: Jan., 243

in gout, 1952: Jan., 243 in hay fever, 1952: Jan., 240

in headache, *1953*: July, 1263 in hepatitis, *1952*: July, 1078

in Hodgkin's disease, 1952: Jan., 242; 1953: May, 861

in hypersensitivities, 1951: 1237, 1238; 1952: Jan., 239

in hypoglycemia, spontaneous, 1952: Jan., 243

ileitis, regional, chronic, 1951; Sept., 1255-1265

in infections, severe, 1951: Sept., 1520 in inflammatory conditions, acute,

1951: Sept., 1420 a jaundice, hemolytic, acquired, 1951: Sept., 1238

in Landry-Guillain-Barré syndrome, 1952: Sept., 1367 in leukemia, 1951: Jan., 102, Sept.

1242, 1397; 1962; Jan., 242; 1963; May, 861, Nov., 1761 in liver disease, 1951; Sept., 1453; 1952; July, 1078, Sept., 1352; 1963; Jan., 116, July, 1145

in lung fibrosis, chronic, 1951: Sept.,

in lupus erythematosus, 1951: March, 396, 408, Sept., 1238; 1952: Jan., 238, 240, July, 1116; 1953: Nov., 1710

in lymphomas, 1953: May, 861 in lymphosarcoma, 1953: May, 861 Marie-Strümpell disease, 1951: m Sept., 1239

in metabolic disorders, 1952: Jan., 243 in multiple myeloma, 1951: Jan., myeloblastic, 1951: Sept., 1241

in myasthenia gravis, 1953: March, 540

in mycosis fungoides, 1953: May, 862 in nephrosis, 1952: Jan., 243

in nephrotic syndrome, 1951: Sept., 1241; 1952: July, 933; 1953: May, 692, July, 1135, 1222 in neurodermatitis, 1952: May, 823

in ophthalmia, sympathetic, 1951: Sept., 1238

in pemphigus, 1951: Sept., 1242; 1952: Jan., 241

in peptic ulcer, 1952: July, 1079 in periarteritis nodosa, 1951: Sept., 1238, 1239, 1434; 1952: Jan., 239 with hemolytic anemia, 1951:

Sept., 1434 in polyposis, 1952: May, 824 in psoriasis, 1951: Sept., 1240; 1952:

Jan., 241 in psychotic episodes, acute, 1953: March, 591

ACTH, in purpura, thrombocytopenic, 1953: Sept., 1403

in rheumatic fever, 1951: Sept., 1236; 1952: Jan., 219, 238, Nov., 1657; 1953: July, 1222

in rhinitis, vasomotor, 1952: May, 824 in rickettsial infections, 1953: March, 411

in sarcoidosis, 1951: Sept., 1241 in scleroderma, 1951: Sept., 1242;

1952: Jan., 239 in sclerosis, multiple, 1951: Sept., 1242

in serum sickness, 1951: Sept., 1238; 1952: Jan., 240

in skin disorders, 1953: July, 1180

in surgery, 1952: Jan., 242 in typhoid fever, 1951: Sept., 1517

in urticaria, 1952: Jan., 240, May, 824; 1953: May, 793

indications for use, 1951: Sept., 1235 nature of, 1951: Sept., 1230 physiologic and clinical considera-

tions, 1952: Jan., **229-246,** May, **791-809** sensitization to, 1952: May, 819

sensitization to, 1952: May, 819 side and toxic effects, 1953: May, 818, 819, July, 1228 prevention, 1951: Sept., 1247

prevention, 1951: Sept., 1247 studies, recent, 1952: Jan., 229-246 test, 48 hour, in Addison's disease, 1952: May, 724

therapeutic uses, 1952: Jan., 237, May, 802

therapy, complications, 1952: Jan., 244, May, 803 contraindications, 1952: May, 805

contraindications, 1952: May, 805, 819

magnesium levels in, 1952: July, 1166

management of clinical state, 1952: Jan., 236 present status, 1951: Sept., 1229-

1253 tests in, 1952: Jan., 234

toxicity, 1951: Jan., 14

Actinomycosis of lungs, 1951: Sept., 1323

Adams-Stokes syndrome, treatment, 1953: July, 956, Sept., 1315

Adanon in rheumatoid arthritis, 1953: July, 1238 Addison's disease, 1951: Sept., 1287;

1952: May, 721-737 treatment, 1951: Sept., 1289; 1952:

May, 725 Adenine antagonists in leukemia, 1953: Nov., 1763

Adenitis, tuberculous, with nodular goiter, jaundice and terminal coma, clinicopathologic conference, 1953: Nov., 1675

Adenocarcinoma of thyroid gland. See Thyroid gland. Adenohypophysis, disorders of, 1951: Nov., 1727

functional tests, 1952: May, 751 Adenoma, diagnosis, 1951: Nov., 1728, 1730

Adrenal cortex, corticoids of, 1951: Nov., 1588

functional tests, 1952: May, 743 tumors, nonsecreting, 1951: Sept., 1298

Adrenal cortical hyperplasia with adreno-genital syndrome, 1951: March, 502

Adrenal crisis, treatment, 1951: Sept., 1289; 1952: May, 734

Adrenal disorders, 1951: Nov., 1739 diagnosis, pathology and treatment, 1951: Sept., 1283-1303

Adrenal dysfunction in etiology of chronic nonspecific ulcerative colitis, 1953: Nov., 1779

Adrenal extracts in Addison's disease, 1952: May, 733 Adrenal insufficiency, 1951: Sept., 1286,

1287 Adrenal medulla, disorders, 1951: Sept.,

1299 functional tests, 1952: May, 754

Adrenal steroids, 1952: Jan., 231 effect on capillary permeability, 1952: Jan., 210

in atherogenesis, 1952: Jan., 190 Adrenal stimulation tests in Addison's disease, 1952: May, 725

Adrenalectomy, for arterial hypertension, 1953: Nov., 1653 in carcinoma of prostate, 1952: May.

in carcinoma of prostate, 1952: May, 699

Adrenalin. See Epinephrine. Adrenocortical hyperfunction, 1952: Nov., 1715

androgenic, congenital, 1952: Nov., 1717 diagnosis, 1952: Nov., 1718

treatment, 1952: Nov., 1718 Adrenocortical hyperplasia, diagnosis, 1951: Nov., 1740

in childhood, 1952: Nov., 1724 androgen-producing, 1952: Nov., 1723

associated with salt hormone deficiency, 1952: Nov., 1725 Adrenocortical insufficiency, diagnosis,

1951: Nov., 1739 Adrenocortical tumors, 1952: Nov., 1723 Adrenocorticotropic hormone. See

ACTH. Adrenogenital syndrome, 1951: March, 502, Sept., 1294

treatment, 1951: Sept., 1296 Afibrinogenopenia, 1952: July, 1065 Age, sedimentation rate and, relation-

ship, 1951: July, 1209-1211 Aged, care of, 1951: Jan., 289-293; 1952:

March, 569-583 Agenesis, ovarian, 1951: March, 514 Aging processes, normal, 1952: March, 571, 572 Air embolism, treatment, 1953: July,

961

Air-hammer disease, 1952: Jan., 156 Airsickness, treatment, 1952: Sept.,

1373-1380 Albright's syndrome. See Osteitis fibrosa cystica.

Albumin, salt-poor, in liver disease, 1953: July, 1146 in nephrotic syndrome, 1953: July,

1136

serum, in liver disease, 1951: Sept., 1452

in liver injury, 1951: Nov., 1668 salt-poor, in nephrotic syndrome, 1952: July, 932

Albuminuria, office tests, 1953: Sept., 1534

Alcohol in myocardial ischemia, 1953: Sept., 1288

Alcoholic deterioration, 1951: Nov., 1789

Alcoholies Anonymous, 1953: March, 604 Alcoholism, chronic, treatment, 1953:

March, 595-607 Aldinamide in tuberculosis, 1952: Sept.,

1260 Alkali burns of eye, emergency treat-

ment, 1952: Sept., 1219 Alkalosis, hypochloremie, 1952: July,

964 in congestive failure, 1953: July, 982

in peptic ulcer, 1953: Jan., 40 tetany due to, 1952: May, 891

Allergens, thrombocytopenia secondary to, 1952: Nov., 1699 Allergic. See also Allergy.

reactions, hypertension in, treatment, 1963: Sept., 1334

states, cardiovascular system and, 1953: Nov., 1625–1638 diagnosis in, 1951: Nov., 1593–1606, See also *Diagnosis*.

Allergy, bacterial, 1953: Nov., 1626 dermatologic, 1953: May, 768, 794 treatment, 1951: Sept., 1557 drug, 1953: Nov., 1626

prevention and treatment, 1953: Sept., 1409-1418

food, 1953: Jan., 12

gastrointestinal, treatment, 1951: Sept., 1559

immunologic mechanisms, 1952: May, 815

in cardiovascular system, clinical manifestations, 1953: Nov., 1628 in children, long-range care, 1953: Sept., 1419–1425

in etiology of chronic nonspecific ulcerative colitis, 1953: Nov., 1780 management, drugs used in, evaluation of, 1951: Sept., 1543-1560 Allergy, mechanisms, 1953: Nov., 1625 peripheral, 1953: Nov., 1633 prolonged illness and, 1953: May, 767-784

reaction, 1953: Nov., 1626

Aluminum hydroxide in peptic ulcer, 1952: Sept., 1324

Ambulation, early, for postoperative patients, 1951: March, 554

Amebiasis, colonic, diagnostic aspects, 1952: March, 405-409 treatment, 1953: May, 903

drugs used in, 1953; Nov., 1805
 dosage, 1953; Nov., 1806
 present day, 1953; Nov., 1803–1809
 principles, 1953; Nov., 1804

Amenorrhea, 1953: July, 1077-1095 due to endocrine dysfunction, 1952: May, 706

treatment, 1952: May, 709 due to hypometabolism, 1952: Nov., 1734

psychotherapeutic methods in, 1953: July, 1092

secondary, 1952; Nov., 1734 surgical therapy, 1953; July, 1091 A-methopterin in leukemia, 1951; Sept., 1396; 1953; May, 859, Nov., 1763

Amidopyrine in rheumatic fever, 1952: Nov., 1655

Amino acids, hepatic function and, 1953: Jan., 117

in liver disease, 1953: July, 1142 Amino-an-fol in acute leukemia, 1953: May, 859

Aminophylline in asthma, 1952: Sept., 1271

Aminopterin in leukemia, 1952: Sept., 1396; 1953: May, 859, Nov., 1763 Amithiazone in tuberculosis, 1952:

Sept., 1260 Ammonium chloride in congestive heart disease, 1951: Sept., 1343; 1952: March, 430; 1953: May, 650, July,

982 Ammonium salts in chemical burns of eye, 1952: Sept., 1219

Amnesia, production in obstetrics, 1951: May, 808

Amphetamine in parkinsonism, 1953: March, 531 Amputation in chronic arterial occlu-

sions, 1952: Jan., 153 Amylase, blood and urine, in acute

pancreatitis, 1953: Jan., 201 Amyl nitrite inhalations in headache, 1953: July, 1263

Amyloidosis, generalized, in nontropical sprue, 1952: July, 1173-1185 in multiple myeloma, 1951: Jan., 214 of kidney, 1951: July, 963, 978 of liver, 1953: Jan., 102

primary, rupture of spleen in, 1951: Nov., **1841–1847**

Amytal test in hypertension, 1952: Jan., 120 Analgesics, in cancer, inoperable, 1951: Sept., 1377

in dysmenorrhea, 1951: May, 862 in functional disorders, 1953: Nov., 1799

in lymphomas, 1951: Jan., in obstetrics, 1951: May, 805-818

Androgen therapy. See Testosterone. Androgen-producing adrenocortical hyperplasia. See Adrenocortical hyperplasia.

Androgenic hyperfunction in childhood, 1952: Nov., 1718 diagnosis, 1952: Nov., 1719 treatment, 1952: Nov., 1720

Anemia(s), hemolytic, acquired, diagnosis, 1951: Sept., 1425 etiology, 1951: Sept., 1423 periarteritis nodosa and, 1951: Sept., 1434

splenectomy for, 1951: Sept., 1426; 1953: Jan., 193

treatment, 1951; Sept., 1423-1440 congenital, and acquired, newer concepts, 1951: March, 571-585 splenectomy for, 1953: Jan., 188 familial, in differential diagnosis of

infectious hepatitis, 1952: Nov., 1644 splenectomy for, Lederer type,

1953: Jan., 191 high cardiac output failure in, 1953:

July, 975 hypochromic microcytic, 1953: July,

in multiple myeloma, 1951: Jan., 199

iron deficiency, 1953: July, 1195 due to inadequate nutrition, 1952: Nov., 1686 role of infection in, 1952: Nov.,

1688 macrocytic, 1953: July, 1197

normocytic, 1953: July, 1195 of azotemia, 1951: July, 1081

pernicious, 1953: July, 1197 cancer of stomach and, 1953: Jan., 69

pre- and postoperative care in, 1953: May, 759

treatment, 1953: July, 1191-1202 Anesthesia, in obstetrics, 1951: May, 805-818

testing pain with, 1952: March, 497 Anesthetics, liver toxicity from, 1953: Sept., 1385

Aneurysm, aortic, asthma and, 1952: March, 363

intracranial, congenital, ruptured, headache due to, 1951: Sept., 1485 rupture of, 1952; Jan., 171

types, 1952: Jan., 145, 146 Anger, physical manifestations, 1952: March, 469

Angina pectoris, 1952: Jan., 85, 88, July, 991; 1953: Sept., 1284, Nov., 1633 Angina pectoris, mercurial diuretic (with theophylline) in, 1951: Jan.,

Angiocardiography, 1952: Nov., 1677, dangers, 1952: Nov., 1679 in congenital heart disease, value,

1952: Jan., 57

indications for use, 1952: Nov., 1679 reactions to injections of dye, 1952: Nov., 1678

technique, 1952: Nov., 1678

Angio-elephantiasis, 1951: March, 307 Angioma, 1951: March, 306

cavernous, 1951: March, 307 senile, 1951: March, 309 serpiginosum, 1951: March, 457

Angiospasm, cerebral, 1953: March, 426 Anions, undetermined, serum concen-tration, 1951: Nov., 1826

Anorectum, constricted, in children, 1953: Jan., 274

surgery of, Sept., 1451 instruments for, 1952:

Anoscopy, 1952: Sept., 1448; 1953: Jan., 263 Anoxemia, effect on capillary perme-

ability, 1952: Jan., 208 fetal, a cause of death, 1951: May, 739 Anoxia, hepatic, 1953: Jan., 111

syncope in, 1953: Sept., 1337 Antabuse in alcoholism, 1953: March,

602 Antacids in peptic ulcer, 1952: Sept.,

1324; 1953: Jan., 34 Anti-anemic factors, interrelationship,

1952: Sept., 1228 Antibiotics. See also Penicillin, Strep-

tomycin, etc. administration, 1952: Jan., 258 combinations, synergistic actions and

potential applications, 1951: March, 535-544 dosages, 1952: Jan., 259

in accessible infections, 1952: Nov., in children, 1951: Sept., 1511

effect on normal fecal flora, 1952: July, 1083

pustular, cystic, in March, 351

in actinomycosis of face, 1951: March, 352

in amebiasis, 1952: Jan., 254, 255, July, 1089; 1953: Nov., 1806

in anthrax, 1951: March, 352 in appendicitis, 1953: Jan., 224

in bronchiectasis, 1951: Sept., 1519 in bronchiolitis, 1951: Sept., 1519

in brucellosis, 1952: Jan., 251, 253 in burns, 1953: July, 1124

in cat-scratch disease, 1952: Sept., 1252

in chickenpox, 1952: Sept., 1250 in Chlamydozoaceae infections, 1952: Sept., 1241

Antibiotics, in colitis, ulcerative, 1951: Jan., 251, 259; 1952: July, 1097; 1953: Jan., 252, July, 1170 in common cold, 1952: Sept., 1246 in conjunctivitis, inclusion, 1952: Sept., 1243 in dermatitis, acute, 1952: Sept., 1439 seborrheic, 1951: March, 349 in dermatitis herpetiformis, 1952: Sept., 1249 in dermatology, 1951: March, 341-354 in ecthyma, 1951: March, 348 in folliculitis of beard, 1951: March, 349 in gas gangrene, 1952: Jan., 251, 253 gastrointestinal disease, 1952: July, 1083-1097 in granuloma inguinale, 1951: March, 350 in herpetic and other skin diseases. 1952: Sept., 1248 in ileitis, regional, 1953: July, 1097 in impetigo, 1951: March, 348 in infections, 1951: Sept., 1508; 1952: Jan., 247 accessible, 1952: Nov., 1615 bacillary, 1952: Jan., 250, 251 enterococcal, 1952: Jan., 248, 250 gonococcal, 1952: Jan., 249, 250 hemophilus, 1952: Jan., 251, 252 inaccessible, 1952: Nov., 1616 Klebsiella, 1952: Jan., 250, 251 pneumococcal, 1952: Jan., 248, 250 proteus, 1952: Jan., 250, 251 pseudomonas, 1952: Jan., 250, 251 rickettsial, 1952: Jan., 254; 1953: March, 407 salmonella, 1952: Jan., 250, 261, July, 1092 shigella, 1952: Jan., 250, 251, July, 1095 staphylococcal, 1952: Jan., 249, 250: 1953: Sept., 1467 in children, 1951: Sept., 1519 local or topical, 1953: Sept., 1475 streptococcal, 1952: Jan., 247, 248 viral, 1952: Jan., 254, Sept., 1239-1252 in influenza, 1952: Sept., 1247 laryngotracheobronchitis, Jan., 255, 256 in leptospirosis, 1952: Jan., 255 in liver disease, 1951: Sept., 1453; 1952: Sept., 1351 in lymphogranuloma venereum, 1951: March, 350; 1952: Sept., 1242 in lymphomas, 1951: Jan., 108 in measles, 1952: Sept., 1252 in meningitis, 1952: Jan., 249, 255;

1953: March, 338

Sept., 1251

aseptic, 1952: Sept., 1252

influenzal, 1953: March, 339

intrathecal, 1953: Sept., 1363-1378 streptoeoccal, 1953: March, 339

in mononucleosis, infectious, 1952:

Antibiotics, in mumps, 1952: Sept., 1250 in muscoviscidosis, 1951: Sept., 1519 in nephrotic syndrome, 1953: July, 1134 in otitis media, 1952: Jan., 255, 256 in pediatrics, 1951: Sept., 1504-1522; 1952: Nov., 1607-1618 in pemphigus vulgaris, 1951: March, in pneumonia, 1953: July, 1055 atypical, 1952: Sept., 1244 in poliomyelitis, 1952: Sept., in psittacosis, 1952: Sept., 1244 pyuria, abacterial, 1952: Sept., 1251 in rheumatic fever, 1952: Nov., 1655 in Rocky Mountain spotted fever, 1951: May, 921 in skin infections, pyogenic, 1951: March, 348, 349 in sycosis vulgaris, 1951: March, 349 in syphilis, 1952: Jan., 254, 255 in tetanus, 1952: Jan., 251, 253 in tonsillitis, 1952: Jan., 255, 256 in trachoma, 1952: Sept., 1243 in tuberculosis, 1952: Jan., 251, 253 in tularemia, 1952: Jan., 251, 253 in typhoid fever, 1952: July, 1092 in urethritis, nonspecific, 1952: Sept., 1251 in urinary tract infections, 1952: Sept., 1430 in viral diseases, 1952: Sept., 1239-1252 in whooping cough, 1951: Sept., 1519; 1952: Jan., 251, 252 in wounds, open, 1953: Sept., 1475 ointment bases, 1951: March, 346 sensitivity of microorganisms method of determining, 1951: Jan., 24 synergism and antagonism, 1952: Nov., 1613 topical use, 1951: March, 343 toxicity, 1952: Jan., 261 use, laboratory in, 1952: Jan., 256 practical problems, 1952: Jan., 247-Anticoagulant therapy, hemorrhage from, treatment, 1953: July, 959, Sept., 1296 in arterial occlusion, acute, 1952: Jan., 143, 144 in cerebral hemorrhage and thrombosis, 1952: Jan., 170 in congestive heart failure, 1953: May, 661 in coronary thrombosis, prevention, 1952: July, 998 in myocardial infarction, acute, 1953: Sept., 1293 prevention, 1952: Jan., 83 myocardial ischemia, 1953: Sept., 1290

Anticoagulant therapy, in thromboembolism, 1952: Sept., 1318 long-term, 1953: May, 659-666

maintenance of constant prothrombin level in, 1952: Jan., 113 Anticoagulants, circulating, bleeding

due to, 1952: July, 1066 Anticonvulsants, liver damage from,

1953: Sept., 1386 Antiepileptic drugs, 1952: Sept., 1381-

1392 Antihistaminic drugs, commercially available, 1951: Sept., 1548

in allergy, evaluation, 1951: Sept., 1546

in asthma, 1952: Sept., 1272; 1953: July, 1020

in dermatitis, acute, 1952: Sept.,

atopic, 1951: March, 337, 338 contact, 1951: March, 339

in dermatology, 1951: March, 333-340

in eczema, atopic, generalized, 1951: March, 338 localized, 1951: March, 337

in motion sickness, 1952: Sept., 1378 in parkinsonism, 1953: March, 531 in peptic ulcer, 1952: Sept., 1330 in pruritus, anogenital, 1951:

March, 336 in urticaria, 1951: March, 339; 1953:

May, 793 side effects, 1951: March, 335

Antihyaluronidase titer in rheumatic fever, 1952: Nov., 1650

Antimetabolites in leukemia and allied disorders, 1953: Nov., 1762 Antimierobial agents, cost, 1951: Jan.,

Antimerobiai agents, cost, 1991: Jan., 35 Antimony in multiple myeloma, 1951:

Jan., 218 Antipyretics in lymphomas, 1951: Jan.,

Antipyreties in lymphomas, 1861: Jan., 108 Antisecretory drugs in peptic ulcer,

1952: Sept., 1328 Antiseptics, urinary, choice of, 1952:

Sept., 1430 Antisera in meningitis, 1953: March,

340 Antispasmodics, in dysmenorrhea, 1951:

May, 862 in peptic ulcer, 1953: Jan., 35 Antistreptolysin titer in rheumatic fe-

ver, 1952: Nov., 1650 Antithyroid drugs, 1951: Sept., 1309

in congestive heart failure, 1953: July, 986

in hyperthyroidism, 1952: May, 603-621; 1953: May, 701, 705, July, 1065

mechanism of action, 1953: July, 1061

Anus, abscesses, incision of, 1952: Sept. 1455

Anus, fissure in, office treatment, 1953: Jan., 268

in children, 1953: Jan., 274 fistula, office treatment, 1953: Jan., 269

papillae, hypertrophied, excision of, 1952: Sept., 1455

skin tags, excision, 1952: Sept., 1451 spasm, 1953: Jan., 270

Anxiety, attacks of, 1952: March, 566 fatigue due to, 1952: March, 313 in structural disease, 1952: March, 471-483

neurosis, 1951: Nov., 1795

physical manifestations, 1952: March, 458, 464

Aorta, arch of, anomalies, 1952: Jan., 43, 64

coarctation of, 1952: Jan., 40, 63, Nov., 1664 overriding of, diagnosis, 1952: July,

1046 roentgenographic changes in silicosis,

1953: Nov., 1732 stenosis, 1952: Nov., 1665

syncope and dizziness in, 1953: Sept., 1318

Aortography, thoracic, 1952: Nov., 1679 dangers, 1952: Nov., 1682 indications for use, 1952: Nov., 1681 technique, 1952: Nov., 1681

Aphasia in differential diagnosis of deafness in children, 1952: Nov., 1793

Apoplexy, 1952: Jan., 159-175 diagnosis and management, 1953:

March, 423-435 Appendectomy, 1953: Jan., 222 Appendicitis, pathogenesis, clinical

Appendicitis, pathogenesis, clinical manifestations, differential diagnosis, treatment, 1953: Jan., 207-226 Appendix, anatomy, 1953: Jan., 208

Appetite, emotions and, 1951: March, 485

role in obesity, 1951: Sept., 1355 versus hunger, 1951: March, 484 Apresoline, hypotension due to, 1953:

Sept., 1304 in hypertension, 1953: Sept., 1304 arterial, 1953: Nov., 1651

Arch supports, 1953: Sept., 1438 Arfonade in acute pulmonary edema, 1953: July, 960

Arrhythmias, cardiac, 1952: Jan., 3-20 auscultation in, 1953: Sept., 1557 congestive failure in, 1953: July, 978 disability in, causes, 1953: May, 680 electrocardiography in, 1952: Jan., 94

embolism in, anticoagulant theraapy, long-term, 1953: May, 660 in acute myocardial infarction, treatment, 1953: Sept., 1299

Arsenic, in discoid lupus erythematosus, 1951: March, 394 in leukemia, 1951: Jan., 99

radioactive, in lymphomas Arsenic, radioactive, in lymphorand leukemias, 1953: May, 852 Arsenicals, hepatitis due to, 1953:

Sept., 1385

in amebiasis, 1953: Nov., 1806

in leukemia, granulocytic, chronic, 1953: Nov., 1761

Artane in parkinsonism, 1953: March, 530, Sept., 1514

Arterioles, diseases, skin manifesta-tions, 1951: March, 364

Arteriosclerosis, pulmonary, anatomic and pathologic features, 1951: Nov., 1696

symptoms and physical signs, 1951: Nov., 1698

Arteriosclerosis obliterans, 1952: Jan.,

skin changes in. 1951: March, 358 Arteritis, cranial (temporal), headache due to, 1951: Sept., 1487

Artery(ies), basilar, stenosis of, 1951: Sept., 1466

coronary, diabetic complications involving, 1951: Nov., 1616 disease of, diagnosis and treat-

ment, 1952: Jan., 69-91 disability in causes, 1953: May,

673 electrocardiogram in, 1952: Jan.,

96; 1953: Sept., 1346 syncope in treatment, 1953: Sept., 1319

treatment, 1953; Sept., 1283-1301 insufficiency, chronic, anticoagulant therapy in, 1953: May, 662

left, anomalous origin from pul-monary artery, 1952: Nov., 1667 diseases of, skin changes due to, 1951: March, 357

occlusions, 1952: Jan., 142, 143, 146, 148; 1953: July, 957

peripheral, diabetic complications involving, 1951: Nov., 1617 pulmonary, idiopathic hypertrophy,

1952: Nov., 1667

Arthritic spurring vs. disk as cause of root compression, 1953: March, 466 Arthritides, classification, 1951: Nov., 1750

diagnosis in, 1951: Nov., 1749-1763 Arthritis, as manifestation of rheumatic fever, 1952: Nov., 1652

diagnostic work-up, 1951: Nov., 1751 differential diagnosis, 1951: Nov., 1756

emotional manifestations, March, 478

gouty, diagnosis, 1951: Nov., 1761 hypertrophic, physical medicine in, 1952: Sept., 1487

psoriatic, diagnosis, 1951: Nov., 1758 rheumatoid, atypical, diagnosis, 1951: Nov., 1758

diagnosis, 1951: Nov., 1756

Arthritis, rheumatoid, juvenile, diagnosis, 1951: Nov., 1758 physical medicine in, 1952: Sept.,

1489 rehabilitation techniques.

May, 815 steroids in, therapeutic effective-

ness, 1951: Jan., 16 treatment, 1953: N May, 815-827, July, 1235-1250

placental serum in, 1953: May, 805-814

Arthrodysplasia, hereditary, with dystrophy of nails, 1952: July, 915 Artisone in rheumatoid arthritis, ef-

fects, 1951: Jan., 18 Ascariasis, treatment, 1953: May, 908 Ascites, formation in cirrhosis, mech-

anism, 1953: Jan, 96 in hepatitis, 1953: Jan., 131

origin, liver in, 1953: Jan., 113 Ascorbic acid, effect on capillary permeability, 1952: Jan., 211 in infant nutrition, 1952: Jan., 283

Aspirin. See Acetylsalicylic acid.

Asthma, 1952: March, 347-365 bronchial, 1952; March, 350; 1953; May, 770 bedside management, 1953; July,

1009-1022

bronchoscopy in, 1953: July, 1021 drugs used in evaluation, 195 Sept., 1552; 1953: July, 1016

in children, long-range care, 1953: Sept., 1419-1425 treatment, 1952: Sept., 1269; 1953:

May, 779, July, 1009-1022 emergency cases, 1952: Sept., 1273

long-term, 1952: Sept., 1276 nonemergency cases, 1952: Sept., 1270

eardiae, 1952: March, 350; 1953: July, 959, Nov., 1633 pathologic physiology, 1953: July,

1011

treatment, 1953: July, 1012 principles of, 1953: Nov., 1636 conditions simulating, 1952: March, 348

powders, 1953: July, 1018

Astrocytoma in childhood, 1952: Nov., 1802 Atabrine, in giardiasis, 1953: May, 907

in malaria, 1953: May, 907 Atherosclerosis, coronary, obesity and, 1951: Sept., 1353

treatment, 1953: Sept., 1283-1301 low-cholesterol-low fat diets in, 1952: Jan., 189, 193, 195-199, May, 869,

872 pathogenesis, and treatment, 1952: Jan., 177-194

prevention, 1952: July, 1001-1012 Atomic attack, physician in, 1952: Jan., 263-272

Atomic injuries, 1952: Jan., 263-272 Atrial septum, defects, 1952: Nov., 1665 cardiac catheterization in, 1952: July, 1043

Atrophy, muscular, arthritic, diagnosis, 1951: Nov., 1773

Atropine, in cardíac standstill, 1952: * in parkinsonism, 1953: Sept., 1512

in peptic ulcer, 1952: Sept., 1329

Aureomycin, combination with other antibiotics, results, 1951: March, 535-544

dosages, 1952: Jan., 259

in children, 1951; Sept., 1511 effect on normal fecal flora, 1952: July, 1087

general characteristics, 1951: March, 342

in amebiasis, 1952: July, 1091; 1953: Nov., 1806

in chancroid, 1951: March, 351

in colitis, ulcerative, 1951: Jan., 260, 262, 263 in dermatitis herpetiformis, 1951:

March, 351

in dermatology, 1951: March, 341-354 erythema multiforme, March, 351

in infectious hepatitis in children, 1952: Nov., 1645

in Kaposi's varicelliform eruption, 1951: March, 351

in pediatric practice, 1952: Nov., 1612 in rickettsial infections, 1953: March, 407

prophylactic, 1953: March, 420 in Rocky Mountain spotted fever,

1951: May, 922

in salmonellosis, 1952: July, 1095 in staphylococcal infections, 1953: Sept., 1470 in syphilis, 1951: March, 351

in urinary infections, 1952: Sept., 1432, 1433

in vaginitis, nonspecific, 1952: Nov.,

liver damage by, 1953: Sept., 1386 topical use, 1951: March, 346

Auricular fibrillation, 1952: Jan., 7, 16 emotional manifestations, 1952: March, 478

in acute coronary thrombosis treatment, 1953: July, 957

paroxysmal, 1953: July, 965 Auricular flutter, 1952: Jan., 8, 15 paroxysmal, 1953: July, 966

Auricular tachycardia, paroxysmal, 1953: July, 962

Autism, 1952: Nov., 1545

Autohemotherapy in urticaria, 1953: May, 794

Autonomic control, disturbances, in emotional disorders, 1952: March, Aversion therapy in alcoholism, 1953: March, 600

Azotemia, anemia of, 1951: July, 1081 in renal disease, 1951: Nov., 1717

BABY. See Infant.

Bacitracin, dosage, 1952: Jan., 259 general characteristics, 1951: March, 341

in amebiasis, 1952: July, 1091 in dermatology, 1951: March, 341-354 in staphylococcal infections, 1953:

Sept., 1471

topical use, 1951: March, 345 Back, lower, anatomy, 1953: Sept., 1449 pain, low, 1953: Sept., 1457, 1458 herniated disk, and, 1953: March, 484, 508

postural, 1953: Sept., 1455

syndromes, 1953: Sept., 1449-1460 Backache, diagnosis, 1953: July, 1207 management, 1953: July, 1203-1213

Bacteria, in urine, 1951: Nov., 1711 sensitivity testing, use and abuse, 1953: Sept., 1465

Bacteriology in liver disease, 1951: Nov., 1676

BAL, in hepatitis, toxic, 1953: Sept.,

in lewisite burns of eye, 1952: Sept.,

in polyneuritis, 1952: Sept., 1365 Balanitis xerotica obliterans, 1951: March, 416, 417

Balarsen in amebiasis, 1953: Nov., 1806 Ball-valve thrombus, 1953: Sept., 1319 Banthine in peptic ulcer, 1952: Sept., 1329; 1953: Jan., 35

Barbiturates, in epilepsy, 1952: Sept., 1386, 1389

in menopause, 1951: May, 888 in obstetries, 1951: May, 809

intravenous, 1951: May, 813 Basal metabolic rate. See Metabolism, basal.

Basophilism, pituitary, 1951; Sept., 1290

Baths, in acute dermatitis, 1952: Sept.,

in dermatoses, 1953: May, 799 Bauer-Aub diet, 1952: May, 755

Bed rest, effects, management, 1951: March, 545-562

in arthritis, rheumatoid, 1953: July, 1241

in hepatitis, viral, 1953: Sept., 1388 in liver disease, 1953: July, 1150 in rheumatic fever, 1952: Nov., 1653 prolonged, hypotension after, 1953:

Sept., 1326 Bedside management, symposium on, 1953: July, 953-1268

Behavior, inventory, preliminary, of children, 1952; Nov., 1528

problems in children, management, 1953: March, 565-577

Behavior, problems in children, psychotherapy in, 1951: Sept., Behcet's disease, 1951: March, 324 Belching, 1953: Jan., 3

Bellabulgara in parkinsonism, 1953:

Sept., 1513 Belladonna, in parkinsonism, 1953: March, 529, Sept., 1512

in peptic ulcer, 1952: Sept., 1329 Benadryl, in motion sickness, 1952: Sept., 1378, 1379

in parkinsonism, 1953: Sept., 1515 structural formula, 1951: March, 334

Bence-Jones protein, in multiple myeloma, 1951: Jan., 210, Nov., 1834 in urine, 1953: Sept., 1535

Benedict's test for sugar, 1953: Sept., 1532 Benemid, in pediatric practice, 1952:

Nov., 1611

with penicillin, 1951: Jan., 32

Benzodioxane test, in paroxysmal hy-pertension, 1951: Sept., 1300 in pheochromocytoma, 1952: Jan., 123, May, 754 Bernheim's syndrome, 1952: July, 912

Beta-naphthyldi-2-chloroethylamine in leukemia and allied disorders, 1953: Nov., 1760

Bicarbonates in blood, office tests, 1953: Sept., 1539

Bile, ducts, carcinoma of, 1951: Nov., 1687; 1953: Jan., 166 common, abscess, 1951: Nov., 1686 injury to, 1951: Nov., 1686

obstruction. congenital, Nov., 1686 examination in diagnosis of liver dis-

ease, 1951: Nov., 1676 in urine, office test, 1953: Sept., 1535 salts in chronic cholecystitis and cholelithiasis, 1953: Jan., 163

Bilharziasis of liver, 1953: Jan., 103 Biliary cirrhosis, obstructive, 1953: Jan., 97

Biliary disease, cardiac disease and, 1951: Nov., 1687

diabetes mellitus and, 1951: Nov., 1688

pancreatitis and, 1951: Nov., 1689 pregnancy and, 1951: Nov., 1689 renal disease and, 1951: Nov., 1690

Biliary dyskinesia, 1953: Jan., 156, 176 Biliary obstruction, congenital, 1953: Jan., 156

Biliary system, diseases of, 1951: Nov., 1679-1693

> extrahepatic, normal physiology, 1953: Jan., 170 syndromes and their treatment, 1953: Jan., 155-167

Bilirubin, serum, in jaundice, 1952: March, 400

Biopsy, coning, in cancer of cervix, 1951: May, 858

Biopsy, endometrial, 1951: May, 828; 1952: May, 750

in carcinoma of prostate, 1952: May, 603

of liver. See under Liver.

punch, in cancer of cervix, 1951: May, 857

rotary, in dermatologic diagnosis, 1951: Nov., 1635 testicular, 1952: May, 749

Birth trauma as cause of death, 1951:

May, 739 Bismuth, hepatitis due to, 1953; Sept.,

1385 in chronic discoid lupus erythematosus, 1951: March, 395

Bladder, care in aged, 1952: March, 577 during pregnancy, 1951: May, 721 management in paraplegia, 1953: May, 926

postpartum, 1951: May, 722, 724 rupture during delivery, 1951: May,

723Blastomas with eosinophilia, 1951: March, 465

Bleeding. See Hemorrhage.

Blood, chemistry, in diagnosis of liver disease, 1951: Nov., 1676

circuit, extracorporeal, 1953: Nov., 1607

coagulation, physiology of, 1951: Sept., 1403

collecting, without using syringe, 1953: Jan., 288

count in arthritis, 1951: Nov., 1754 in clinical diagnosis of congenital heart disease, 1952: Nov., 1662 red cell, 1953: Sept., 1537

white cell, 1953: Sept., 1538 culture in clinical diagnosis of congenital heart disease, 1952: Nov.,

examination, office procedures, 1953: Sept., 1535

findings in multiple myeloma, 1961: Jan., 199

in newborn infants, 1952: Nov., 1568

in sputum, 1952: March, 337

kinetic energy, circulatory conse-quences with special reference to kidney, 1952: July, 967-980

lead concentration in lead poisoning, 1952: Nov., 1592, 1595

peripheral, in diagnosis of liver disease, 1951: Nov., 1674

pressure, determination, 1952: Nov., 1521

high. See Hypertension.

screening tests, 1952: Nov., 1521 sedimentation rate, relationship to age, 1951: July, 1209-1211

smear examination, 1952: Nov., 1522; 1953: Sept., 1538

Blood, sugar, tests for, 1953: July, 1099, Sept., 1540

significance and limitations, 1953: Jan., 286

transfusions. See *Transfusions*. urea nitrogen, 1951: Nov., 1712

uric acid in arthritis, 1951: Nov., 1755 venous, cardiac, disposition of, 1953: Nov., 1614

volume, measurement of, 1951: Nov., 1586

Body, fluids, functional divisions, 1951: Nov., 1808

temperatures, basal, in study of fertility, 1952: May, 751

in study of sterility, 1951: May, 829

water measurements, 1952: May, 829 Bone, cysts, in infants and children, 1952: Nov., 1754

treatment, 1952: Nov., 1756 marrow, in diagnosis of liver disease, 1951: Nov., 1675

studies in multiple myeloma, 1951: Jan., 202

matrix and ossification, 1952: May, 847

Paget's disease, familial incidence, 1951: July, 1203-1208

tumors in childhood, 1952: Nov., 1803 Bowels, care, in aged, 1952: March, 577 Brachial plexus pressure, neck and shoulder pain due to, 1952: Sept., 1298

Bradycardia, sinus, 1952: Jan., 6 Brain, circulation, physiology of, 1952: Jan., 161

lesions, early, in essential hypertension, psychiatric manifestations, 1951: Jan., 133-142

organic, precocious puberty resulting from, 1952: Nov., 1713

vascular, acute, diagnosis and management, 1953: March, 424-435 softening of, 1952: Jan., 165, 166

stem, glioma of, in childhood, 1952: Nov., 1802

tumor in differential diagnosis of hydrocephalus, 1952: Nov., 1744 Breast, carcinoma, advanced, hormone

therapy, 1952: May, 681-688 endocrine therapy, 1951: Jan., 51-61

Breast feeding, 1952: Nov., 1556 maternal desire, 1952: Nov., 1557 maternal inability, 1952: Nov., 1558

maternal reluctance, 1952: Nov., 1557

vs. artificial feeding, 1952: Jan., 273 Breathing, pressure, positive, intermittent, 1951: Nov., 1703 Bright's disease. See Nephritis.

Bromides in epilepsy, 1953: March, 324 Bromsulphalein excretion in liver injury, 1951: Nov., 1660 Bronchial obstruction, recurrent, chronic, clinicopathologic conference, 1953: Nov., 1691

Bronchiectasis, anatomic and pathologic features, 1951: Nov., 1696 diagnosis and treatment, 1953: July,

1023-1034 in older people, 1953; Sept., 1351-1361 in silicosis, 1953; Nov., 1734

Bronchiolitis, acute, 1952: Sept., 1284 treatment, 1952: Sept., 1286

Bronchiolitis fibrosa obliterans, anatomic and pathologic features, 1951: Nov., 1696

symptoms and physical signs, 1951: Nov., 1698

Bronchography in bronchiectasis, 1953: July, 1028, Sept., 1353

Bronchoscopy, in asthma, 1953: July, 1021 in bronchiectasis, 1953: July, 1027

Brown-Sequard syndrome, 1952: July, 911

Buerger's disease. See Thromboangiitis obliterans. Bürger-Grütz xanthomatosis, 1951:

March, 451

Burns, acute, treatment, 1953: July, 1119-1128 chemical, of eye, emergency treat-

chemical, of eye, emergency treatment, 1952: Sept., 1215-1222 pulmonary, 1953: July, 1125 treatment, annotated outline, 1952:

treatment, annotated outline, 1952. Sept., 1201-1214

Bursitis of shoulder, physical medicine in, 1952: Sept., 1490 Butanephrine in asthma, 1953: July,

1017 Butazolidin in rheumatoid arthritis, 1953: July, 1239

CAFERGOT in headache, 1953: July, 1265 Calcinosis, interstitial, in tendinitis of shoulder, 1952: Sept., 1304

Calcinosis universalis and calcinosis circumscripta, 1951: Sept., 1279

Calcium, deficiency, tetany due to, 1952: May, 880

in urine, office test, 1953: Sept., 1534 metabolism in renal disease, 1951: Nov., 1719

serum, in acute pancreatitis, 1953: Jan., 202

in parathyroid disease, 1952: May, 755

Calcium carbonate in peptic ulcer, 1952: Sept., 1325

Calcium pantothenate in chronic discoid lupus erythematosus, 1951: March, 395

Calcium versenate in lead poisoning, 1952: Nov., 1593

Calculi, common duct, 1953: Jan., 153 gallbladder. See Gallstones.

Cancer. See Carcinoma. 1

lary(ies), circulation, clinical Cardiovascular physiology, 1952: Jan., 201-215 cardiae Capillary(ies),

diseases, skin changes in, 1951: March, 367

fragility in hypertension, 1952: Jan.,

permeability, 1952: Jan., 205 tourniquet test, 1953: Nov., 1847 topography and vasomotion, 1952: Jan., 211

Carbarsone, in amebiasis, 1953: Nov.,

in amebic dysentery, 1953: May, 904.

suppositories in Trichomonas vaginalis vaginitis, 1952: Sept., 1467 bohydrate(s), in infant feeding,

Carbohydrate(s), 1952: Jan., 276

restriction in diabetes mellitus, 1953: May, 716

Carbomycin in staphylococcal infections, 1953; Sept., 1472

Carbon dioxide, inhalations, in amenorrhea, 1953: July, 1092 in headache, 1953: July, 1263

narcosis complicating oxygen therapy, 1953: July, 960

serum concentration, 1951: Nov., relation to volume of body wa-

ter, 1951: Nov., 1817 liver damage Carbon tetrachloride,

from, 1953: Sept., 1386

Carcinoma, bronchogenic, bronchiectasis and, 1953: Sept., 1360 manifestations, 1952 emotional

March, 480 hormonal treatment, 1951: Sept.,

in childhood, 1952: Nov., 1797-1806

inoperable, treatment, 1951: Sept., 1361-1380

management, medical problems in, 1953: May, 869-884

nonmalignant disease in, management, 1953: May, 880

pain in, control of, 1953: May, 875 palliative treatment, 1953: May,

radiation therapy, 1951: Sept., 1366 study methods, 1951: Nov., 1829 tests, 1951: Nov., 1590, 1835

Cardiac. See also Heart.

emergencies, management, 1953: July, 955-970

patient, work capacity of, 1953: May, 667-684

Cardiorenal disease, treatment, salt depletion syndrome as complication, 1951: July, 1139-1156

Cardiospasm, 1953: Jan., 15 treatment, 1952: March, 384 wrongly blamed on heart, 1952: March, 507

defects, congenital, catheterization and contrast study of heart and great vessels in, 1952: Nov., 1673-1682

diagnosis in reference to surgical intervention, 1952: Jan., 37-51

Cardiovascular disease, in aged, 1952: March, 580 recent advances. symposium on,

1952: Jan., 1-228

Cardiovascular system, allergic states and, 1953: Nov., 1625-1638. See also Allergy in cardiovascular sustem.

in kidney disease, 1953: Nov., 1657-1668

Carditis as manifestation of rheumatic fever, 1952: Nov., 1651

Caronamide with penicillin, 1951: Jan.,

Carotid occlusion, chronic, syndrome of, 1951: Sept., 1459

Carotid sinus pressure, as tests for arrhythmias, 1952: Jan., 10 in treatment of supraventricular tachycardia, 1952: Jan., 12

Carotid sinus syndrome, syncope in, treatment, 1952: Sept., 1313, 1329 Carter-Robbin's test of posterior pitu-

itary function, 1952: May, 753 Castration, male, effect on sexual behavior, 1951: Jan., 280

Cataplexy, 1952: March, 541

Catheterization, cardiac. See under Heart

Cation exchange resins. See under Resins

Causalgia, 1952: Jan., 156, March, 492 of neck and shoulder, 1952: Sept., 1306

Ceepryn in intermittent positive pressure breathing, 1951: Nov., 1704 Cellulitis, indurated, chronic, 1951:

March, 363

Cephalin-cholesterol flocculation, abnormal, incidence in infectious hepatitis, 1952: Nov., 1642

test, of Hanger, 1952: March, 398 of liver injury, 1951: Nov., 1656 Cephalopelvic disproportion, induction of labor in, 1952: Sept., 1478

quantitative estimation, May, 783, 784

Cerebral attacks, psychic aspects, 1952: March, 557-568

Cerebral circulation, 1953: March, 424 Cerebral damage, early in essential hypertension, psychiatric manifestations, 1951: Jan., 133-142

Cerebral vascular accidents, diagnoand management, March, 423-435

Cerebral vascular disorders, syncope in, 1953: Sept., 1327

Cerebrospinal fluid examination, in diagnosis of liver disease, 1951: Nov., 1676

office procedures, 1953: Sept., 1541

Cerebrovascular accidents, in aged, 1952: March, 581

spontaneous, diagnosis and treat-ment, 1952: Jan., 159-175

Cerebrovascular symptoms, recurrent, treatment, and question of "vasospasm," 1951: Sept., 1457-1474

Cervical conditions, leukorrhea due to, treatment, 1952: Sept., 1463, 1465

Cervical root compression, syndromes of, neurologic and roentgenologic aspects, 1953: March, 451-478

treatment, 1953: March, 462, 467, 468

Cervical scraping in cancer diagnosis, 1951: May, 857

lead poisoning in, 1952: Nov., 1587-

medical care, psychotherapy in, 1951: Sept., 1495–1506

meningitis in, March, 345-362 tuberculous, 1953:

nephritis in, types and treatment, 1951: July, 1069-1080

noninfectious osseous lesions of, 1952:

Nov., 1751-1765 of diabetic mothers, course and man-

agement, 1953: Sept., 1481-1496 orthopedic problems in, 1953: Sept., 1427-1448

physically handicapped, New York plan for, 1953: May, 935

proctologic problems in, 1953: Jan.,

rheumatic fever in, recognition and management, 1952: Nov., 1649-1658 tuberculosis in, treatment of, 1952: Nov., 1619-1626

Cervix uteri, carcinoma, early stages, clinical recognition, 1951: May, 841-859

Cesarean section, anesthesia for, 1951: May, 813

Chair treatment of congestive heart failure, 1953: July, 966

Chancroid of penis, 1951: March, 412, 413

Character neurosis, 1951: Nov., 1795 Charcot-Marie-Tooth disease, March, 553

Charts, scatter, use of, 1951: Nov., 1585 Chemical equivalence, basic concepts, 1951: Nov., 1808

Chemotherapy, in colitis, ulcerative, 1951: Jan., 251, 257-266

in leukemia, 1951: Sept., 1389 and allied disorders, 1953: Nov., 1755-1767

in lymphomas, malignant, 1951: Sept. 1389

Chemotherapy, in meningitis in chil-

dren, 1952: Nov., 1617 intrathecal, 1953: Sept., 1363-1378 in parkinsonism, 1953: Sept., 1511

in tuberculosis, 1952: Sept., 1257 Chest. See Thorax.

Child(ren), allergic, long-range care, 1953; Sept., **1419–1425** appraisal if, 1952. Nov., 1516

developmental, by general practitioner, 1952: Nov., 1525-1532

frequency of examination, 1952: Nov., 1517 avior inventory, preliminary,

behavior 1952: Nov., 1528 behavior problems in, 1953: March, 565-577

cancer in, 1952: Nov., 1797-1806 deaf, 1952: Nov., 1787-1795

developmental norms and observa-tions, 1952: Nov., 1527

growing, posture changes in, 1952: Nov., 1533-1540

hemorrhagic disease in, 1952: Nov., 1693-1710

hernias in, management of, 1952; Nov., 1767-1777

hospitalization of, problems resulting from, 1952: Nov., 1552 infectious hepatitis in, 1952: Nov.,

1637-1647 iron deficiency in, 1952: Nov., 1683-1691

Childbirth. See Labor.

Chinifon in amebiasis, 1953: Nov., 1806 Chlamydozoaceae infections, antibiotics in, 1952: Sept., 1241

Chloramphenicol. See Chloromycetin. Chloride(s), balance, renal aspects in patients with water-electrolyte problems, 1951: July, 1129-1143

technique, clinical use of, 1951: July, 1113-1127

in blood, office tests, 1953: Sept., 1539 serum concentration, 1951: Nov., 1825 relation to volume of body water,

1951: Nov., 1817 Chloroform anesthesia in obstetrics, 1951: May, 812

Chloromycetin, combination with other antibiotics, results, 1951: March, 535-544

dosages, 1952: Jan., 259 in children, 1951: Sept., 1512

effect on normal fecal flora, 1952: July, 1087

general characteristics, 1951: March, 342

in amebiasis, 1952: July, 1091 in colitis, ulcerative, 1951: Jan., 260 in dermatology, 1951: March, 341-354 in meningitis in children, 1951: Sept.,

in pediatric practice, 1952: Nov., 1612 in rickettsial infections, 1953: March, Chloromycetin, in rickettsial infec-± tions, prophylactic, 1953: March, 420

in Rocky Mountain spotted fever, 1951: May, 923

in salmonellosis, 1952: July, 1095 in staphylococcal infections, 1953: Sept., 1470

in typhoid fever, 1951: Sept., 1517; 1952: July, 1092

in urinary infections, 1952: Sept., 1432, 1433

Chloroquine, in amebiasis, 1952: July, 1091

Chloroquin diphosphate, in amebiasis, 1953: Nov., 1807

in malaria, 1953: May, 906 Cholangiohepatitis, 1951: Nov., 1683 Cholangitis, 1953: Jan., 173

Cholecystectomy, prophylactic, 1953: Jan., 153 syndrome following, 1953: Jan., 169-

179 Cholecystitis, acute, 1951: Nov., 1681;

1953: Jan., 145-154, 158, 172 epigastrie pain in, 1952: March, 369 chronic, 1953: Jan., 145-154, 160, 174 with cholelithiasis, 1951: Nov., 1680 Choleeystolithiasis, chronic, 1953: Jan., 172

Choledocholithiasis, 1951: Nov., 1683 Cholelithiasis, 1953: Jan., 145-154, 160 with chronic cholecystitis, 1951: Nov., 1680

Cholesterol, concept of atherogenesis, 1952: Jan., 177

esters in liver injury, 1951: Nov., 1668 excess, in blood, clinical significance and management, 1952: May, 865

metabolism, liver in, 1953; Jan., 117 restriction, in atherosclerosis, 1952; Jan., 189, 193, 195-199, May, 872 in coronary disease, 1953; May, 674 in obesity with heart disease, 1951; Sept., 1357

serum, in hyperthyroidism, 1951: Sept., 1306

in thyroid disease, 1952: May, 742 total and esterified, in liver injury, 1951, Nov., 1659

Cholesterosis, extracellular, 1951. March, 452

Choline esterase, serum, in liver disease, 1953: Jan., 120

Cholinergic blocking agents in peptic ulcer, 1952: Sept., 1329 Chondrosarcoma in infants and chil-

dren, 1952: Nov., 1759 Chorea, as manifestation of rheumatic

fever, 1952: Nov., 1653 Huntington's, hereditary aspects, 1951: March, 522

Chorionepithelioma, hormone assay, 1951: Nov., 1833

Choroid plexus coagulation or extirpation, 1952: Nov., 1746 Chronic illness, symposium on, 1953: May, 629-941

Cinchophen, hepatitis due to, 1953: Sept., 1385

Circulation, lesser, physiology, as altered by congenital and acquired heart disease, 1952: July, 1035-1049 time, in congenital heart disease, 1952: Nov., 1662

in thyroid disease, 1952: May, 742 Circulatory consequences of blood

kinetic energy, particularly in kidney, 1952: July, 967-980 Cirrhosis, biliary, obstructive, 1953:

Jan., 97 xanthomatous, 1951: March, 442 cardiac, 1953: Jan., 102

cardiac, 1953: Jan., 102 clinical aspects, 1953: Jan., 103 infiltrative, 1953: Jan., 100

Laennec's, 1953: Jan., 89, 92 diet in, low sodium and high protein, 1951: Jan., 73-91 splenectomy in, 1953: Jan., 194

spienectomy in, 1993: Jan., 194 of liver in hepatitis, 1952: Sept., 1348 natural history of, 1953: Jan., 87-

treatment, 1953: July, 1139-1156 pigmentary, 1953: Jan., 100 portal, 1953: Jan., 89, 92 postnecrotic, 1953: Jan., 89, 90 xanthomatous, 1953: Jan., 98 zooparasitie, 1953: Jan., 103 Citrate tetany, 1952: May, 892

Cleidocranial dysostosis in differential diagnosis of hydrocephalus, 1952: Nov., 1744

Climaeteric. See also Menopause. male, concept of, 1951: Jan., 279-288 Climatotherapy in rheumatoid arthri-

tis, 1953: May, 817 Clinicopathologic conference, 1952: March, 435-444; 1953: Nov., 1675-1696

Clinitest for sugar, 1953: Sept., 1532 Clubfoot, 1953: Sept., 1431

Coagulation, disturbance, bleeding disorders associated with, 1952: July,

mechanism, clinical concept, 1953: Nov., 1843

 physiology of, 1951: Sept., 1405
 Coagulogram, clinical use, 1953: Nov., 1843-1853

Coarctation of aorta. See under Aorta. Coecidioidomycosis of lungs, 1951: Sept., 1328

Cold pressor test in hypertension, 1952: Jan., 121

Cold sores, 1951: March, 563
Colectomy for ulcerative colitis

Colectomy for ulcerative colitis, 1953: Jan., 255

Colic, biliary, 1953: Jan., 149, 160 postoperative, 1953: Jan., 164 mucous, 1953: Jan., 7 Colitis, spastic, 1953: Jan., 7

ulcerative, chronic, 1951: Jan., 243-255

carcinomatous degeneration, 1951: Jan., 247

chemotherapy in, 1951: Jan., 257-266

kidney in, 1951: July, 982 treatment, 1951: Jan., 249; 1953:

Jan., 247-259, July, 1157-1174
 nonspecific, chronic, etiologic factors, 1953: Nov., 1778

local deficiency factors, 1953: Nov., 1780

management of patients with, 1953: Nov., 1777-1784

Collagen disorders, diffuse, clinical expressions, 1953: Nov., 1697-

diagnosis, 1951: Nov., 1759 manifestations, 1953: Nov., 1701 treatment, 1953: Nov., 1710 pathology and clinical course, 1951: Sept., 1267–1281

Collapse therapy in tuberculosis, 1952: Sept., 1260

Collar, use, in cervical root compression, 1953: March, 463

Colon, amebiasis, diagnostic aspects, 1952: March, 405-409

carcinoma, in ulcerative colitis, 1953: Jan., 258, July, 1164

functional diseases, 1953: Jan., 3-16 sore, 1953: Jan., 7

Sore, 1993: Jan., 7 Colorado tick fever, 1951: March, 587-592

Coma, diabetic, 1953: Jan., 280 diagnosis, 1951: Nov., 1614 magnesium metabolism in, 1952: July, 1161

treatment, 1952: May, 767-782 hepatic, 1953: Jan., 112

patient in, examination, 1953: March, 310

neurologic, 1952: Sept., 1401 terminal, in nodular goiter, tuberculous adenitis and jaundice, clinicopathologic conference, 1953: Nov., 1675

Comedos, perianal, excision of, 1952: Sept., 1457

Commissurotomy for mitral stenosis, evaluation of patients for, by cardiac catheterization, 1952: July, 1040

Common duct, stone in, 1953: Jan., 153 missed at operation, 1953: Jan., 177

stricture, postoperative, 1953: Jan.,

Communications, privileged, 1953: Sept., 1573

Compensation neurosis, headache due to, 1951: Sept., 1491 Complement fixation test in Rocky Mountain spotted fever, 1951: May, 915

Complex, Eisenmenger's. See Eisenmenger's complex.

Compound E. See Cortisone.

Compound 08958 in parkinsonism, 1953: Sept., 1516

Conduction disturbances, electrocardiogram in, 1952: Jan., 94

Condyloma acuminata, office treatment, 1953: Jan., 271 removal, 1952: Sept., 1454

Conflict situation, treatment, 1953: Nov., 1796

Coning biopsy in cancer of cervix, 1951: May, 868

Constipation, 1953: Jan., 9 treatment, 1953: Jan., 10

Constitutional factors determining reactions to morbid influences, 1952: March, 467

Contact dermatitis. See under Dermatitis.

Conteben in tuberculosis, 1951: Jan., 165; 1952: Sept., 1260

Contractions, premature, 1952: Jan., 7, 11

Convulsions, blood sugar in, significance, 1953: Jan., 286

Convulsive disorders, 1953: March, 315-328

Coombs antiglobulin test, 1951: March, 575

Coordination, disturbances, testing for, 1953: March, 307 Cor pulmonale, chronic, 1953: July,

Cor pulmonale, enronic, 1995: July, 1013 Corticoids, glycogenic, in adrenal cor-

Corticoids, glycogenic, in adrenal cortex disease, 1952: May, 744 of adrenal cortex, 1951: Nov., 1588 Corticotropin. See ACTH.

Cortisone, administration, 1951: Sept., 1242; 1952: Jan., 233, May, 801, 818 dosage, criteria of, 1951: Sept., 1246 effects on gastric secretion and peptic

ulcer, 1952: July, 1079 in Addison's disease, 1951: Sept., 1289; 1952: Jan., 243, May, 727

in adrenal androgenic hyperplasia, Sept., 1236

in adrenal cortical insufficiency, 1951: Sept., 1236 in adrenogenital syndrome, 1951:

Sept., 1296; 1952; Jan., 243 in allergy, 1951; Sept., 1556; 1952;

May, 811-827 in amenorrhea, 1953: July, 1090

in androgenic adrenocortical hyperfunction, 1952: Nov., 1717

in anemia, hemolytic, acquired, 1951: Sept., 1432

in angioedema, 1952: May, 824 in angioneurotic edema, 1952: Jan., 240

Cortisone, in lupus erythematosus, 1951: March, 396, 408, Sept., 1238; 1952: Jan., 238, 240, July, 1116; 1953: Nov., 1710

in lymphosarcoma, 1953: May, 861

in metabolic disorders, 1952: Jan., 243

in lymphomas, 1953: May, 861

Cortisone, in arthritis, psoriatic, 1951: Jan., 9 rheumatoid, 1951; Sept., 1239; 1952; Jan., 238; 1953: May, 818, July. 1246 summary of experiences at a large clinic, 1951: Jan., 3-22 in asthma, 1952: Sept., 1274, 1277; 1953: May, 781, July, 1020 bronchial, 1951: Sept., 1239; 1952: Jan., 239, May, 819, Sept., 1274, 1277; 1953: May, 781, July, 1020 in atheroselerosis, 1952: Jan., 190, 193 in burns, 1951: Sept., 1241; 1953: July, 1125 chemical, of eye, 1952: Sept., 1220 in colitis, ulcerative, 1951: Sept., 1240; 1952: Jan., 241, July, 1069; 1953: Jan., 254, July, 1171 in collagen diseases, 1951: Sept., 1236, 1237, 1280; 1952: Jan., 238, May, 824; 1953: Nov., 1710 in conjunctivitis, vernal, 1951: Sept., 1238 in dermatitis, atopic, 1952: Jan., 241, May, 823, July, 1137 chronic, 1951: Sept., 1242 exfoliative, 1951: Sept., 1238 in dermatomyositis, 1951; Sept., 1239; 1952: Jan., 239 in digestive diseases, 1952: July, 1069-1081 in drug sensitivity, 1952: Jan., 240; 1953: Sept., 1417 in eczema, infantile, 1952: May, 823 endocrine dysfunctions, Sept., 1236, 1237 in enteritis, regional, 1952: July, 1078 erythroblastosis fetalis, Sept., 1238 in eye diseases, 1951: Sept., 1237, 1238: 1952: Jan., 240 in glomerulonephritis, chronic, nephrotic stage, 1952: Jan., 243 in hay fever, 1952: Jan., 240 in hepatitis, 1952: July, 1078 in Hodgkin's disease, 1953: May, 861 hypersensitivities, 1951: Sept., 1237, 1238; 1952: Jan., 239 in hyperthyroidism, 1953: May, 700 in hypoglycemia, spontaneous, 1952: Jan., 243 in inflammatory conditions, acute,

1241

myeloblastic, 1951: Sept., 1241 in multiple myeloma, 1951: Jan., 102, in mycosis fungoides, 1953: May, 862 in nephrosis, 1952: Jan., 243 in nephrotic syndrome, 1951: Sept., 1241; 1952: July, 933; 1953: May, 692, July, 1135 in neurodermatitis, 1952: May, 823 in ophthalmia, sympathetic, 1951: Sept., 1238 in pemphigus, 1951: Sept., 1242; 1952: Jan., 241 periarteritis nodosa, 1951: Sept., 1238, 1239; 1952; Jan., 239 with hemolytic anemia, 1951: Sept., 1434 in polyposis, nasal, 1952: May, 824 in psoriasis, 1951: Sept., 1240 in psychotic episodes, acute, 1953: March, 591 in purpura, thrombocytopenic, 1953: Sept., 1403 idiopathic, 1952: Nov., 1702 in rheumatic fever, 1952: Jan., 219, 238, Nov., 1657; 1953: July, 1222 in rhinitis, vasomotor, 1952: May, 824 in rickettsial infections, 1953: March, 1951: 411 in sarcoidosis, 1951: Sept., 1241 in scleroderma, 1951: Sept., 1242; 1952: Jan., 239 in sclerosis, multiple, 1951: Sept., 1242 in serum sickness, 1951: Sept., 1238; 1952: Jan., 240 in skin disorders, 1953: July, 1180 in spondylitis, rheumatoid, 1951: Jan., 9 in Still's disease, 1951: Jan., 9 in surgery, 1952: Jan., 242 in urticaria, 1952: Jan., 240, May 824; 1953: May, 793 in Waterhouse-Friderichsen disease, 1951: Sept., 1286 indications for use, 1951: Sept., 1951: Sept., 1240 in jaundice, hemolytic, acquired, 1951: Sept., 1238 mode of action, 1951: Sept., 1231 nature of, 1951: Sept., 1230 physiologic and clinical considerations, 1952: Jan., 229-246, May, in Landry-Guillain-Barré syndrome, 791-809 1952: Sept., 1367 in leukemia, 1951: Jan., 102, Sept., 1242, 1397; 1952: Jan., 242; 1953: reactions to, untoward, 1952: May, 732 May, 816, Nov., 1761 side and toxic effects, 1953: May, 818, in liver disease, 1951: Sept., 1453; 819, July, 1228 1952: July, 1078, Sept., 1352; 1953: Jan., 116, July, 1145 prevention of, 1951: Sept., 1247 studies, recent, 1952: Jan., 229-246 therapeutic uses, 1952: Jan., 237, in lung fibrosis, chronic, 1951: Sept., May, 802

therapy, Cortisone complications. 1952: Jan., 244, May, 803 contraindications, 1952: May, 805, management of clinical state, 1952: Jan., 236 present status, 1951: Sept., 1229-1253 tests in, 1952: Jan., 234 toxicity, 1951: Jan., 9 Costen's syndrome, 1952: March, 323 Cough, 1951: Nov., 1699 chronie, 1952: March, 333-337 syncope due to, 1953: Sept., 1321: Craniopharyngiomas, diagnosis, 1951: Nov., 1729 Crepitation in arthritis, 1951: Nov., 1754 Cry of baby, 1952: Nov., 1560 Cryptitis, anal, 1953: Jan., 270 Cryptococcosis, 1953: Nov., 1738 Cumopyran as anticoagulant, 1953: May, 665 Curare in parkinsonism, 1953: March, 531 Cushing's disease, 1951: Sept., 1290 Cushing's syndrome, 1951; Sept., 1290 as response to excess of ACTH or cortisone, 1951: Sept., 1234, 1235 in corticosteroid therapy, 1953: May, 818, 819 tests for, 1952: May, 744 Cyanosis, arterial oxygen saturation, relationship, 1951: July, 1185-1202 heart anomalies associated with, 1952: Jan., 44 Cyclopropane anesthesia in obstetrics, 1951: May, 812 Cysts, bone. See under Bone. Cystic duct, remnant, resulting in "reformed gallbladder," 1953: Jan., 177 Cystitis, 1952: Sept., 1427 postpartum, 1951: May, 721 Cytodiagnosis in carcinoma of stomach, 1953: Jan., 74 Cytosiderosis, liver in, 1953: Jan., 101 Danilone as anticoagulant, 1953: May, Deafness in children, 1952: Nov., 1787-1795 Death, fear of, in patient, 1952: March, 473 sudden, overdistention of veins fol-

lowing, 1953: Nov., 1669-1673 Decapryn, structural formula, 1951: Defibrillation of heart in ventricular fibrillation, 1952: Jan., 19 Deficiency, iron. See Iron. Deformity in arthritis, 1951: Nov., 1754 Dehydration, 1951: May, 896 causes, 1951: July, 1120 in chronic disease, pre- and postoperative management, 1953: May, 758

1871 Dehydration, water-chloride balance studies in, 1951: July, 1135 Delirium tremens, 1951: Nov., Demerol, in obstetrics, 1951: May, 809 in rheumatoid arthritis, 1953: July, Denis-Browne splint, 1953: Sept., 1428 Deportments, physicians', 1952: March, 586 Depressed patients, fatigue in, 1952: March, 314 Depression, mild, 1952: March, 527-537 reactive, 1951: Nov., 1795 Dermatitis, acute, treatment, guiding principles, 1952: Sept., 1435-1443 allergic, 1953: May, 768, 794 treatment, 1951: Sept., 1557 treatment, 1951: Sept., 1557 atopic, 1953: May, 768, 794 treatment, 1953: May, 797 current concepts, 1952: July, 1127-1139 atrophicans maculosa lipoides diabetica, 1951: March, 452 contact, treatment, 1951; Sept., 1559 pigmented purpuric lichenoid, 1951: March, 457 stasis, 1951: March, 362, 363 treatment, 1953: July, 1182 Dermatologic diagnosis, 1951: Nov., 1621-1636; 1953: July, 1176. See also under Diagnosis. Dermatology, antibiotics in, 1951: March, 341-354 antihistaminies in, 1951: March, 333-Dermatomyositis, 1951: Sept., 1278; 1953: Nov., 1704 in childhood, 1953: March, 555 Dermatoses, of feet, office test, 1953: Sept., 1543 producing chronic illness, 1953: May, 785-803 treatment, 1953: July, 1175-1190 Desensitization in atopic dermatitis, 1952: July, 1136 Desoxycorticosterone, in Addison's disease, 1951: Sept., 1289; 1952: May, in Waterhouse-Friderichsen disease, 1951: Sept., 1286 Dexedrine in parkinsonism, 1953: March, 531 Dextrocardia, 1952: Nov., 1666 Dextrose therapy in liver disease, 1953: July, 1140 Diabetes, bronze, 1953: Jan., 100

mellitus, biliary disease and, 1951: Nov., 1688 chronic complications, diagnosis, 1951: Nov., 1614 diagnosis, 1951: Nov., 1607; 1953: July, 1098 laboratory studies in, 1951: Nov ... in childhood, 1953: July, 1109

Diabetes mellitus, insulin allergy and resistance in, management, 1952: May, 783-790

management, 1951: Sept., 1523-1531; 1952: May, 715-731, July, 1097-1112

pre- and postoperative care in, 1953: May, 754

predisposition to, in women who give birth to large babies, 1952: July, 1151-1155

pregnancy and, 1951: May, 659-665; 1953: July, 1110

induction of labor in, 1952: Sept.,

management, 1953: Sept., 1481-1496

Diabetic mothers, children of, course and management, 1953: Sept., 1481-

Diagnosis, clinical, of congenital heart disease, 1952: Nov., 1659-1676 dermatologic, 1951: Nov., 1621-1636;

1953: July, 1176 in allergic states, 1951: Nov., 1593-

in arthritides, 1951: Nov., 1749-1763 in endocrine disorders, 1951: Nov.,

1727-1748 in general medicine, symposium on, 1951: Nov., 1577-1847

in heart diseases, 1951: Nov., 1721-1725

in medical out-patient clinic, 1951: Nov., 1799-1805

laboratory aids in, 1951: Nov., 1579-1592

neurologic, 1952: Sept., 1393-1408 of chronic pulmonary diseases, 1951: Nov., 1695-1706

of diabetes mellitus, diabetic coma, and chronic complications, 1951: Nov., 1607-1619

of diseases of mouth, 1951: Nov., 1637-1647

of liver disease, 1951: Nov., 1649-1678 of malignancy, biochemical methods, 1951: Nov., 1829-1840

of spinal cord disease, 1951: Nov., 1765-1779

proctologie, 1952: Sept., 1445-1450 psychiatric, 1951: Nov., 1781-1797. See also Psychiatric diagnosis.

renal, principles of, 1951: Nov., 1707-1720

tentative, in medical out-patient clinic, 1951: Nov., 1803

Diagnostic procedures for general survey, 1951: Nov., 1581

Diagnostic tests on sick patients, 1951: Nov., 1582 Diaphragm, dome of, roentgenographic

changes in silicosis, 1953: Nov.,

Diarrhea, functional, 1953: Jan., 15

Dibenamine, hypotension due to, 1953: Sept., 1332

pheochromocytoma, diagnostic, 1952: May, 754

Dichloro-aminopterin in leukemia, 1951: Sept., 1396

Dicumarol, dosage and administration, 1953: May, 663

hemorrhage from, treatment, 1953: July, 959, Sept., 1296

hypoprothrombinemia due to, 1952: July, 1063

hypothrombinemia due to, 1951: Sept., 1419

in arterial embolism, 1952: Jan., 144 in myocardial infarction, acute, 1953: Sept., 1294

in prevention of coronary thrombosis, 1952: July, 998

in thromboembolism, 1952: Sept.,

Diet, Bauer-Aub, 1952: May, 755

cholesterol-poor, in coronary disease, 1953: May, 674

low fat, in prevention and treatment of atherosclerosis, 1952: Jan., 189, 193, 195-199, May, 872 in arthritis, rheumatoid, 1953: July,

asthma, 1953: July, 1015

in atherosclerosis, role, 1952: May, 860

in burns, 1953: July, 1125

in cardiovascular renal disease, importance, 1951: July, 1101-1111 in cholecystitis, 1953: Jan., 163

in cholelithiasis, chronic, 1953: Jan., 163

colitis, ulcerative, 1951: Jan., 252; 1953: July, 1169

in dermatitis, atopic, 1952: July, 1136 in diabetes mellitus, 1951: Sept., 1525; 1953: July, 1100

insulin-treated patient, 1953: May,

without insulin, 1953: May, 716 in functional disorders, 1953: Nov., 1799

in glomerulonephritis, acute, 1963: July, 1131

in heart failure, congestive, 1951: Sept., 1347; 1952; March, 429; 1953; May, 648, 655

in hypercholesteremia, role, 1952: May, 869

in hypertension, 1951: July, 1107; 1952: July, 1022 arterial, 1953: Nov., 1650

malignant, 1951: Jan., 124 in hyperthyroidism, 1953: May, 699

in kidney failure, chronic, Sept., 1417

in liver disease, 1951: Sept., 1442; 1953: July, 1150, Sept., 1389

in lymphomas, 1951: Jan., 106

Diet, in myocardial ischemia, 1953: Sept., 1285

in nephrotic syndrome, 1952: July, 927; 1953: May, 690, July, 1134

in obesity with heart disease, 1951: Sept., 1356

in peptic ulcer, 1952: Sept., 1332;

1953: Jan., 34 in rheumatic fever, 1952: Jan., 225, Nov., 1655

in Rocky Mountain spotted fever, 1951: May, 917

in tuberculosis in children, 1952: Nov., 1620

low sodium, and high protein, in Laennec's cirrhosis, 1951: Jan., 73-91

for toxemia of pregnancy, 1951: May, 687

in hypertension, 1952: Jan., 127 handicaps of, 1953: May, 671

in liver disease, 1951: Sept., 1448; 1953: July, 1147

reducing, in obesity, performance index as measure of, 1953: May, 733-746

rice, in hypertension, 1951: July 1107; 1952: Jan., 127, 135

tube, in liver disease, 1951: Sept., 1447

Diethylstilbestrol, in abnormal uterine bleeding, 1952: May, 715

in amenorrhea, 1952: May, 709 in carcinoma of breast, 1952: May, 682 of prostate, 1952: May, 697

in dysmenorrhea, 1951: May, 863; 1952: Nov., 1736

in gonorrheal vaginitis, acute, 1952: Nov., 1731

in menopause, 1951: May, 889, 890 in pregnancy with diabetes, 1953:

Sept., 1485 Digestive tract, hypersensitive, 1953: Jan., 5

Digitalis, electrocardiographic check on use, 1952: Jan., 97

atrioventricular heart block.

1952: Jan., 19 in auricular fibrillation, 1952: Jan., 16 in auricular flutter, 1952: Jan., 15

in heart failure, 1951: Sept., 1334 congestive, 1951: Sept., 1334; 1952: March, 426; 1953: May,

in paroxysmal supraventricular tachycardia, 1952: Jan., 13

in rheumatic fever, 1952: Nov., 1656 toxic rhythms from, 1953: July, 966

Digitoxin in congestive heart failure, 1951: Sept., 1336

Digoxin in congestive heart failure, 1951: Sept., 1336; 1953: May, 647 Dihydroergocornine, hypotension due

to, 1953: Sept., 1332

Dihydrostreptomycin, in tuberculosis, 1951: Jan., 159; 1952: Sept., 1259 topical use, 1951: March, 346

Dilantin sodium in epilepsy, Sept., 1385, 1388; 1953; March, 323

Diodoquine in amebiasis, 1953: Nov., 1807

Diparcol in parkinsonism, 1953: Sept., 1514

Diphenan in enterobiasis, 1953: May, 910

Diphenylhydantoin sodium. See Dilantin sodium.

Diphtheria, antibiotics in, 1952: Jan., 251, 253

immunization, active, 1952: Nov., 1599 dosage schedule, 1952: Nov., 1600

passive, 1952: Nov., 1602 toxoid, booster or recall injections,

1952: Nov., 1602 Disease(s), associated with liver dis-

ease, 1951: Nov., 1650 chronic, pre- and postoperative care in, 1953: May, 747-765

rehabilitation in management of, 1953: May, 915-932

symposium on, 1953: May, 629-941 combined systems, physical medicine

in, 1952: Sept., 1492 contagious. See Infectious diseases, acute. functional vs. organic, concept of,

1952: March, 305-310 hereditary aspects, 1951: March, 519-

internal, cutaneous signs, 1951: Nov., 1630

of biliary system, 1951: Nov., 1679-1693

organic, in diagnosis of fatigue, 1953: Nov., 1788 patient's conception of, 1952: March,

structural, emotional manifestations, 1952: March, 471-483

the physician, the patient and, 1953: Nov., 1833-1841

Disk syndrome, cervical, 1953: March, 451-478

lumbar, 1953: March, 479-502, 503-510

Disulfiram. See Antabuse

Diucardyn as diuretic, 1952: July, 954 Diuresis in nephrotic syndrome, 1953: May, 691, July, 1136

Diuretics, acidifying, in congestive heart disease, 1951: Sept., 1343

in edema, 1952: July, 953 in liver disease, 1951: Sept., 1452 in nephrotic syndrome, 1952: July,

932 in premenstrual tension, 1952: May,

mercurial, 1952: July, 932, 953

in angina pectoris, 1951: Jan., 63-71

Diuretics, mercurial, in congestive heart failure, 1951: Sept., 1338; 1952: March 429; 1953: May, 649 in liver disease, 1951: Sept., 1452 in rheumatic fever, 1952: Nov., 1656 poisoning due to, 1952: Jan., 111 potentiating agents with, 1953: July, 985

osmotic, in congestive heart failure. 1951: Sept., 1344

urea as, 1953: May, 691, July, 985, 1136

xanthine, in congestive heart failure, 1951: Sept., 1343 Diverticulum, Meckel's, 1953: Jan.,

227-235

Doctor-patient relationship, 1952: Jan. 289-296, March, 308, 469, 585-592 in peptic ulcer, 1952: Sept., 1334

Douche, vaginal, in leukorrhea, 1952: Sept., 1463

Drainage, mechanical, in edema of nephrotic syndrome, 1952: July, 931 postural, in bronchiectasis, 1953: Sept., 1354

Dramamine in motion sickness, 1952: Sept., 1378, 1379

Dressings, wet, in acute dermatitis, 1952: Sept., 1441

Drug(s), allergies, 1953; Nov., 1626 eruptions, treatment, 1953: July, 1185 hypotension due to, 1953: Sept., 1330

modern, hemocytopenic reactions to, 1953: Nov., 1811-1820 suspect, 1953: Nov., 1815, 1816 sensitivity, prevention and treat-

ment, 1953: Sept., 1409-1418 sympathomimetic, in treatment of functional disorders, 1953: Nov.,

therapy in hypertension, arterial, 1953: Nov., 1651

thrombocytopenia secondary to.

1952: Nov., 1699 Ductus arteriosus, patent, 1952: Jan., 38, 63, Nov., 1663 cardiac catheterization in, 1952:

July, 1045 Duodenitis, treatment, 1952: March,

Duodenum, ulcer, hemorrhages from,

recurrent, 1953; Jan., 24 Dwarfism, pituitary, 1951; Nov., 1731 renal, 1951; July, 1077

Dye, injections in angiocardiography, reactions to, 1952: Nov., 1678 studies, special, in hydrocephalus, 1952: Nov., 1743

Dysentery, amebic, acute, treatment, 1953: May, 904

Dyskinesia, biliary, 1953: Jan., 156,

Dysmenorrhea, 1952: May, 717, Nov., 1735

primary, 1951: May, 862 refractory, 1951: May, 863 Dysmenorrhea, secondary, 1951: May,

treatment, 1951: May, 861-870 Dyspepsia, 1952: March, 367-384 Dyspeptic, 1953: Jan., 15

Dysplasia, fibrous, in infants and children, 1952: Nov., 1752 in differential diagnosis of bone cysts, 1952: Nov., 1755 treatment, 1952: Nov., 1753

retinal, in differential diagnosis of retrolental fibroplasia, 1952: Nov.,

Dyspnea, 1952: March, 341-344 in congestive heart failure, 1952: Jan., 32, 34

orthostatic, 1951: Nov., 1723 simulated, 1952: Jan., 113

Dystrophy, muscular, progressive, differential diagnosis, 1953 March, 545-563 in children, 1953: March, 547

Ebstein's disease, 1952: Nov., 1669 Eclampsia, 1951: May, 681 kidney function in, 1951: May, 699-714, July, 964

treatment, 1951: May, 693 Ectodermosis erosiva pluriorificialis, 1951: March, 323

Eczema, allergic, 1952: July, 1127 in children, long-range care, 1953: Sept., 1419-1425

infantile, 1953: May, 768, 794 Eczema, stasis, 1951: March, 362-363 Eczema vaccinatum, antibiotics in, 1952: Sept., 1249

Eddowes' syndrome, 1952: July, 913 Edema, 1952: May, 836 angioneurotic, 1953: May, 790

hormonal disturbance in, 1952: May, 838 in congestive heart failure, 1952:

Jan., 31, 33 in hepatitis, 1953: Jan., 131

in renal diagnosis, 1951: Nov., 1714 pulmonary, acute, treatment, 1953: July, 959

in renal disease, 1951: July, 1089 treatment, in nephrotic syndrome, 1952: July, 928 recent developments, 1952: July,

953-966 EDTA in lead poisoning, 1952: Nov., 1593

Effort syndrome, wrongly attributed to heart, 1952: March, 510 Ego, 1952: Nov., 1544

Ehlers-Danlos syndrome, 1952: July, 913

Eisenmenger complex, 1952: Nov., 1670 roentgenology in, 1952: Jan., 61 Elastic stockings in prevention

thromboembolism, 1952: Sept., 1313 Electrical stimulation to induce labor, 1952: Sept., 1480

Electrocardiogram, aV limb leads, 1952: 103

in arrhythmias, 1952: Jan., 11, 94 in clinical diagnosis of congenital heart disease, 1952: Nov., 1661 in conduction disturbances. 1952:

in conduction disturbances, 1952. Jan., 94

in coronary artery disease, 1952: Jan., 72, 96 evaluation of role, 1953: May,

674 in digitalis therapy, 1952: Jan., 97 in myocardial infarction, 1952: Jan.,

in myocardial infarction, 1952: Jan., 75 in valvular deformities, 1952: Jan., 96

patterns, 1952: Jan., 95 V chest leads, 1952: Jan., 105

Electrocardiography, as office procedure, 1953: Sept., 1542

pitfalls in, 1953: Sept., 1341-1350 recent advances, 1952: Jan., 93-108

Electroencephalogram, as hearing test in children, 1952: Nov., 1792 in chronic subdural hematoma, 1953: March, 445

in epilepsy, 1952: Sept., 1390; 1953: March, 319

in rickettsial diseases, 1953: March, 404, 414

Electrolyte(s), balance, in nephrotic syndrome, 1952: July, 929

in pregnancy, 1951: May, 893-906 disturbances, as cardiac emergencies,

1953: July, 967 elassification, 1951: July, 1113-1127 in congestive heart failure, 1953:

May, 654, July, 981 prevention, 1951: July, 1139

measurements, 1951: May, 904 metabolism, physiologic considerations, 1952: May, 829-846

serum concentrations, clinical interpretation, 1951: Nov., 1807-1828

Electrophoresis, 1951: Nov., 1589 Electroshock therapy, amenorrhea and, 1953: July, 1093

in acute psychotic episodes, 1953: March, 591 massive gastric hemorrhage dur-

ing, 1953: Jan., 26 Embolectomy, 1952: Jan., 144 Embolism, air, treatment, 1953: July

Embolism, air, treatment, 1953: July, 961 arterial, 1952: Jan., 142

in acute coronary thrombosis, treatment, 1953: July, 957 cerebral, 1952: Jan., 173; 1953: March,

in cardiac arrhythmias, anticoagulant therapy, long-term, 1953: May, 660

pulmonary, diagnosis, 1952: Sept., 1317

massive, hypotension in, treatment, 1953: Sept., 1321 prevention, 1952: Sept., 1313 Embolism, pulmonary, sites of origin, 1952: Sept., 1309

treatment, 1953: July, 961 Emesis, 1952: March, 374

Emetine hydrochloride in amebiasis, 1953: Nov., 1807

Emotional disorders, in differential diagnosis of deafness in children, 1952: Nov., 1794

physical manifestations, 195. March, 457-470

Emotional manifestations of structural disease, 1952: March, 471-483

Emotional reactions, role, in pain, 1952: March, 494

Emotions, role, in ulcerative colitis, 1953: July, 1158, Nov., 1781

Emphysema, 1952: March, 354 in cardiac asthma, 1953: Nov., 1634 in silicosis, 1953: Nov., 1734

pulmonary, anatomic and pathologic features, 1951: Nov., 1695 bronchiectasis with, 1953: Sept.

1356 symptoms and physical signs, 1951:

Nov., 1697 Encephalitis, associated with exanthems, numps and vaccination procedures, 1962: Nov., 1627-1635

procedures, 1952: Nov., 1627-1635 due to herpes simplex virus, 1951: March, 566

encephalitie, 1952: Nov., 1630 encephalomyelitie, 1952: Nov., 1630 meningoencephalitie, 1952: Nov. 1629 Encephalogram in hydrocephalus,

1952: Nov., 1743 Encephalomalacia, 1952: Jan., 165, 166, 169

Encephalomyelitides, virus, 1953: March, 373-393 arthropod-borne, 1953: March, 376,

380, 387 treatment, 1953: March, 391 secondary, 1953: March, 379, 382

treatment, 1953: March, 391 Encephalomyelitis, vaccinal, 1953: March, 383

Encephalopathy, hypertensive, 1951: Sept., 1469

in hepatitis, 1953: Jan., 132

Endocarditis, bacterial, subacute, 1952: Jan., 225 in pregnancy, 1951: May, 673

in pregnancy, 1951: May, 673 kidney in, 1951: July, 983 treatment, 1953: July, 977

Endochondromas, in differential diagnosis of bone cysts, 1952: Nov., 1756 multiple, in children, 1952: Nov., 1752 Endocrine disorders, diagnosis in, 1951:

Nov., 1727-1748 leukorrhea due to, 1952: Sept., 1464 menstrual disorders due to, 1952:

May, 705-720 symposium on, 1952: May, 601-895 Endocrine factors in acne, 1951: March, 373-390 Endocrine function, tests, 1952: May, 739-756

Endocrine therapy, in abnormal uterine bleeding, 1952: May, 713 in alcoholism, 1953: March, 601

in amenorrhea, 1952: May, 709; 1953: July, 1086

in carcinoma of breast, 1951: Jan.,

advanced, 1952: May, 681-688 in chronic discoid lupus erythematosus, 1951: March, 396 in infertility in women, 1951: May,

836

in inoperable carcinoma, 1951: Sept., 1367

in menopause, 1951: May, 889 in peptic uleer, 1952: Sept., 1330 in pregnancy with diabetes, 1953: Sept., 1485

Endometrium, anatomy and physiology, 1951: May, 871

biopsy of, 1951: May, 828; 1952: May, 750

Energy, kinetic, of blood, circulatory consequences, in kidney, 1952: July, 967-980

Enteritis, regional, 1951: Jan., 227-241 chronic, extensive and nonresectable, course of, 1953: Jan., 237-345

Enterobiasis, treatment, 1953: May, 909 Enterogastrone in peptic ulcer, 1952: Sept., 1330

Enzymatic débridement in staphylococcal infections, 1953: Sept., 1474 Eosinophil(s), reduction test, 1951:

Nov., 1590 response, to ACTH and cortisone, 1951: Sept., 1233, 1246

in Addison's disease, 1952: May, 724, 744 to epinephrine, in Addison's dis-

ease, 1952: May, 724, 752 test in ACTH and cortisone therapy,

1952: Jan., 235 Ephedrine in asthma, 1952: Sept., 1270; 1953: July, 1016

Epididymitis, 1952: Sept., 1426 Epiglottitis, acute, 1952: Sept., 1279 Epilepsy, 1953: March, 315-328

drug therapy, 1952: Sept., 1381-1392; 1953: March, 321 electroencephalogram in, 1952: Sept.,

1390 neurosyphilitic, 1952: July, 1146

reflex, 1952: March, 561

seizures with psychic symptoms, 1952: March, 557

Epinephrine, effect on liver, 1953: Jan., 115 emergency, in urticaria, 1953: May,

in asthma, 1952: Sept., 1271; 1953: July, 1016 Epinephrine, in atrioventricular heart block, 1952; Jan., 19 in cardiac standstill, 1952; Jan., 19

in cardiac standstill, 1952: Jan., 19 oral, in massive gastric hemorrhage, 1953: Jan., 18

response of eosinophils to, in Addison's disease, 1952: May, 724, 752
Epiphysis, femoral, capital, slipped,

1953: Sept., 1435 Equipment for office laboratory, 1953:

Sept., 1529 Ergotamine tartrate in headache, 1953:

July, 1263 Ergotoxin derivatives in arterial hyper-

tension, 1953: Nov., 1651 Eruption, varricelliform, of Kaposi,

1951: March, 656 Erythema annulare as manifestation of rheumatic fever, 1952: Nov., 1653

Erythema multiforme, 1951: March 320, Nov., 1631

exudativum, 1951: March, 315-331 Erythema nodosum, 1951: Nov., 1631 Erythema palmare hereditarium, 1951: March, 304

Erythroblastosis fetalis, 1951: May, 749-770; 1953: March, 609-620 in differential diagnosis of infectious hepatitis, 1952: Nov., 1644 premature induction of labor in, 1951: May, 762

Erythrocyte(s), sedimentation rate, 1953: Sept., 1539

in arthritis, 1951: Nov., 1754 in urine, 1951: Nov., 1710

Erythroleukemia, 1953: Nov., 1750 Erythromelalgia, 1951: March, 366; 1952: Jan., 157 Erythromysis, in

Erythromycin in staphylococcal infections, 1953: Sept., 1472 Erythroplasia of Queyrat, 1951: March,

413, 414 Eschatin in alcoholism, 1953: March,

602 Esophagoscopy in carcinoma of stom-

ach, 1953: Jan., 77 Estinyl estradiol in carcinoma of

breast, 1952: May, 682 Estradiol in amenorrhea, 1953: July 1087

Estradiol dipropionate in carcinoma of breast, 1952: May, 682

Estrogen(s), determination in urine, 1951: Nov., 1587

hepatic function and, 1953: Jan., 114 therapy, in abnormal uterine bleeding, 1952: May, 715

in acne, 1951: March, 386, 387 in amenorrhea, 1952: May, 709; 1953: July, 1086

in carcinoma of breast, 1951: Jan., 56; 1952: May, 681 complications, 1951: Jan., 57 of prostate, 1952: May, 695

in hyperthyroidism, 1953: May, 700

Estrogen(s), therapy, in infertility in women, 1951: May, 837 in leukorrhea, 1952: Sept., 1465

in menopause, 1951: May, 888, 890; 1952: March, 523

preovulatory, in dysmenorrhea, 1951: May, 863

to induce labor, 1952: Sept., 1480 Estrone sulfate in carcinoma of breast, 1952: May, 682

Ether anesthesia in obstetrics, 1951: May, 813

Ethyl carbamate. See Urethane.

Ethylenediamine tetra-acetic acid in chemical burns of eye, 1952: Sept., 1220, 1222

in lead poisoning, 1952: Nov., 1593

Ethylstibamine in multiple myeloma, 1951: Jan., 218

Eunuchoidism, 1951: March, 507

Ewing's tumor in infants and children, 1952: Nov., 1760, 1803

treatment, 1952: Nov., 1761 Examination, proctologic, 1953: Jan., 262

Exanthems, encephalitis associated with, 1952: Nov., 1627-1635

Exchange resins. See under Resins. Exchange transfusions. See under Transfusions.

Exercise(s), in flatfoot, 1953: Sept., 1441 in functional disorders, 1953: Nov.,

1800 in orthopedic practice, 1953: Sept.,

1446 in postural low back, 1953: Sept., 1455 in rheumatoid arthritis, 1953: July, 1241

test in arrhythmias, 1952: Jan., 10 in electrocardiographic diagnosis, 1952: Jan., 95

Exertion, syncope following, 1953: Sept., 1336

Exhaustion in emotional disorders, 1952: March, 461

Exophthalmos, radioiodine therapy and, 1951: Sept., 1317 treatment, 1953: July, 1071

Exposure treatment of burns, 1953: July, 1124

Extrahepatic system, congenital anomalies of, in differential diagnosis of infectious hepatitis, 1952: Nov., 1844

Extrasystoles, 1953: Nov., 1632 wrongly attributed to heart disease,

1952: March, 509 Extremity, lower, pigmentary purpuric diseases of, 1951: March, 457-462 neurovascular lesions, 1952: Jan., 155

Eye(s), burns, chemical, emergency treatment, 1952: Sept., 1215-1222 diabetic complications involving,

1951: Nov., 1615

Eye(s), lesions, in erythema multiforme, 1951: March, 320

Eyeground examination in hypertension, 1952: Jan., 119

FACIES in parkinsonism, 1953: March, 524

Facioscapulohumeral muscular dystrophy, 1953: March, 550 Fainting. See Syncope.

Fainting. See Syncope.
Fallopian tubes, diagnostic tests, in infertility, 1951: May, 827

Fallot, tetralogy of See Tetralogy of Fallot.

Family, relation to hospital, 1952: Nov., 1551-1554

Fat, in infant feeding, 1952: Jan., 276
 restriction in atherosclerosis, 1952:
 Jan., 189, 193, 195-199, May, 872

Jan., 189, 193, 195-199, May, 872 Fatigue, 1952: March, 311-317 acute, 1953: Nov., 1785

and nervousness, clinical evaluation, 1953: Nov., 1785-1802 chronic, 1953: Nov., 1786

diagnosis, 1953: Nov., 1788 and treatment, 1953: Nov., 1785– 1802

differential, 1953: Nov., 1791 hysterical, 1952: March, 315 psychogenic, 1952: March, 313 recurring, 1953: Nov., 1785

wrongly attributed to heart, 1952: March, 511

Fear, distorted symptoms resulting from, 1952: March, 460, 465 in structural disease, 1952: March, 471–483

Feces, flora, normal, effect of antibiotics on, 1952: July, 1083 urobilinogen in liver injury, 1951:

Nov., 1655 Feeding, breast. See Breast feeding. of infant. See Infant feeding. Feeling tone and pain, 1952; March, 493

Felty's syndrome, 1952: July, 912 diagnosis, 1951: Nov., 1759

Fetus, deaths, prevention, 1951: May, 739-747
Fever, as manifestation of rheumatic

Fever, as manifestation of rheumatic fever, 1952: Nov., 1650 blisters, 1951: March, 563 therapy in hypertension, 1952: July

therapy in hypertension, 1952: July, 1022 Fibrillation, auricular, paroxysmal,

1953: Nov., 1632 Fibrin and thrombin activation test, 1953: Nov., 1846

Fibrinogen, absence of, bleeding due to, 1951: Jan., 274

Fibrinogenopenias, 1951: Sept., 1420; 1952: July, 1065

Fibrinolysis, blood alterations in, 1951: Jan., 274

Fibroids of uterus, bleeding in, 1953; Sept., 1502, 1503 Fibroplasia, retrolental. See Retrolental fibroplasia.

Fibrosarcoma in infants and children, 1952: Nov., 1760

Fibrosis, in cardiac asthma, 1953: Nov., 1634 pulmonary, anatomic and pathologic

features, 1951: Nov., 1695 chronic progressive, 1951: Jan.,

169-173 symptoms and physical signs, 1951:

Nov., 1697 Fibrositis, diagnosis, 1951: Nov., 1762 of shoulder, physical medicine in, 1952: Sept., 1491

Filariasis, treatment, 1953: May, 913

Fissure, anal. See under Anus. Fistula, anal, office treatment, 1953: Jan., 269

arteriovenous, 1952: Jan., 145 of common bile duct, 1951: Nov., 1686 vesicovaginal pregnancy and, 1951: May, 723

Fits. See also Convulsions. hysterical, 1952: March, 565 Flame photometry, 1951: Nov., 1589 Flatfoot, 1953: Sept., 1438 Flatuence, 1953: Jan., 6

Fluid(s), administration, in burns, 1953: July, 1120 in nephrotic syndrome, 1952: July,

926 in pregnancy, 1951: May, **893-906** in renal failure, 1952: Sept., 1410,

1416 requirements of premature infants,

1952: Nov., 1574 Fluoroscopy in congenital heart disease, 1952: Nov., 1660 values, 1952: Jan., 56

Focal seizures, 1963: March, 317, 322 Folic acid, antagonists, in leukemia, 1961: Sept., 1395; 1963: May, 859,

Nov., 1762 in infant nutrition, 1952: Jan., 282 uses, in anemias, 1953: July, 1199 Follow-up visits in medical out-patient

elinie, 1951: Nov., 1805 Food, addiction to, 1951: March, 491 allergy, 1953: Jan., 12

soft, for infants, 1952: Nov., 1559 Foot, dermatosis, office test, 1953: Sept., 1543

functional deformities, 1953: Sept., 1430

pronated, 1953: Sept., 1438 Foreign body, aspiration, bronchiectasis due to, 1953: Sept., 1358

in vagina, leukorrhea due to, 1952: Sept., 1468

vaginitis caused by, 1952: Nov., 1732

Formula, selection of, for artificial feeding, 1952: Nov., 1559

Fowler's solution in leukemia, 1951; Sept., 1389; 1953; May, 858; Nov., 1761

in lymphomas, 1953: May, 858 Friction rub, pericardial, 1953: Nov., 1640

Friedlander's pneumonia, 1953: July, 1047

Frostbite, 1952: Jan., 156

Fuadin in schistosomiasis, 1953: May, 912

Fumagillin, in amebiasis, 1953: Nov., 1806

Function, disorders of, causes, 1953: Nov., 1786

emotional, 1953: Nov., 1787 emotional release, 1953: Nov., 1790 explanation to patient, 1953: Nov., 1794

hysterical, 1953: Nov., 1787 improving patient's attitude, 1953: Nov., 1797

laboratory examination, 1953: Nov., 1791

prevention of recurrences, 1953: Nov., 1800

roentgenologic examination, 1953: Nov., 1791 social situation in, 1953: Nov., 1800

sources, 1953: Nov., 1787 symptomatic evidence, 1953: Nov., 1788

treatment, 1953: Nov., 1793 planning, 1953: Nov., 1793 somatic, 1953: Nov., 1798 specific, 1953: Nov., 1795

Fundus changes in hypertension, 1952: Jan., 119

Fungi, demonstration of, 1951: Nov., 1633

Fungus infections, of lungs, 1951: Sept., 1323-1331 of vagina, treatment, 1952: Sept.,

1468 Furunculosis, topical antibiotics in, 1953: Sept., 1475

Gait in parkinsonism, 1953: March, 524 Galatest for sugar, 1953: Sept., 1532 Gallbladder, carcinoma, 1951: Nov.,

1686; 1953: Jan., 166 inflammation. See Cholecystitis. noncalculous, 1951: Nov., 1681 perforation, 1951: Nov., 1683

Gallstones, 1953: Jan., 151, 160 formation of, 1953: Jan., 171

Ganglioma, 1951: Sept., 1302 Ganglionic blocking agents, hypotension due to, 1953: Sept., 1330

Gangrene in occlusive disease of arteries, 1951: March, 359 Gantrisin in meningitis, 1953: March,

336 Gastric. See also Stomach.

analysis, in gastritis syndrome, 1953: Nov., 1774 Gastric analysis, office, 1953: Sept., 1541

Gastritis, antral, 1953: Jan., 54 atrophie, 1953: Jan., 43, Nov., 1772 cancer and, 1953: Jan., 69 clinical significance, emphasizing

tumor-simulating variety, 1953: Jan., 41-61

hypertrophic, 1953: Jan., 44, Nov., 1770

superficial, 1953: Jan., 42, Nov., 1769 treatment, 1952: March, 384; 1953: Jan., 58

tumor-simulating, 1953: Jan., 45 Gastritis syndrome, clinical manifestations, 1953: Nov., 1769-1776 gastric analysis, 1953: Nov., 1774 gastroscopy, 1953: Nov., 1775 roentgen examination, 1953: Nov., 1774

Gastrointestinal diseases, symposium on, 1953: Jan., 1-290

Gastrointestinal manifestations of allergic disorders, 1951: Nov., 1596

Gastrointestinal tract disease, antibacterial agents in, 1952: July, 1083-1097

tetany due to, 1952: May, 890 seleroderma of, 1951: Sept., 1271 Gastrojejunal ulcer, 1953: Jan., 40 Gastroscopy, in carcinoma of stomach,

1953: Jan., 76 in diagnosis of gastric ulcer not demonstrable by x-ray, 1952: July,

in gastritis, 1953: Jan., 42, Nov., 1775 Gaucher's disease, 1951: March, 451 liver in, 1953: Jan., 101

splenectomy in, 1953: Jan., 195 Genetic syndromes, 1952: July, 912 Genetics, principles, applications medicine, 1951: March, 519-533

Genitalia, female, congenital anoma-lies, 1952; Nov., 1732 trauma to, 1952; Nov., 1732

lesions, due to herpes simplex virus, 1951: March, 565

erythema multiforme, 1951: in March, 321

Geriatric care, 1952: March, 569-583 German measles, immunization, 1952: Nov., 1604

Gerstmann's syndrome, 1952: July, 911 Giardiasis, treatment, 1953: May, 907 Gierke's disease, von, 1953: Jan., 101 Gingivitis, 1951: Nov., 1638

Gingivostomatitis, Vincent's, diagnosis, 1951: Nov., 1638

Gitalin in congestive heart failure, 1953: May, 647

Glans penis, atrophic lesions, 1951: March, 411-418

carcinoma, 1951: March, 413, 414 Gliomas of brain stem in childhood, 1952: Nov., 1802

Globin insulin with zinc in diabetes, 1953: May, 722

Glomerulonephritis, 1951: July, 960 acute, 1951: July, 1157-1160; 1953: Nov., 1659

bedside management, 1953: July, 1129-1133

cardiac manifestations, 1951: July, 1083, 1084

chronic, 1953: Nov., 1661

in children, 1951: July, 1072 report of case followed from onset to termination for period of nine years, 1951: July, 1167-1183

therapeutic dilemmas, 1952: March, 411-417

in pregnancy, 1951: May, 684, 696, July, 1051-1068

retinal manifestations, 1951: July, Glomerulosclerosis, capillary, 1951:

July, 982 retinal manifestations, 1951: July,

1034 Glossitis, rhomboid, median, diagnosis, 1951: Nov., 1639

Glossodynis, diagnosis, 1951: Nov., 1640 Glossopyrosis, diagnosis, 1951: Nov., 1640

Glucose, in diabetic acidosis and coma, 1952: May, 778

tolerance tests, 1953: July, 1099 intravenous, in diagnosis diabetes, 1951: Nov., 1614 oral, of pituitary function, 1952: May, 752

standard, in diagnosis of diabetes, 1951: Nov., 1610 Glucose-insulin tolerance test of pitui-

tary function, 1952: May, 753 Glycogen storage disease, 1953: Jan.,

Glycosides, cardiac, in congestive heart failure, 1953: May, 647

Glycosuria, in diagnosis of diabetes, 1951: Nov., 1608 in insulin-treated diabetic patient,

significance, 1953: May, 728 antithyroid

Goiter, exophthalmic, antit drugs in, 1952: May, 606, 614 nodular, with tuberculous adenitis, jaundice and terminal coma, clinicopathologie conference, Nov., 1675

toxic. See Hyperthyroidism.

Gold, hepatitis due to, 1953: Sept., 1385 in rheumatoid arthritis, 1953: May, 817, July, 1245

Gonadotropins, determination in urine, 1951: Nov., 1587 in abnormal uterine bleeding, 1952:

May, 715 in amenorrhea, 1952: May, 710: 1953:

July, 1088, 1089 urinary, excretion, as test, 1952: May, 748 Gonadotropins, urinary, of ovarian function, 1952: May, 751 of testicular function, 1952: May, 749

Gonads, disorders of, 1951: Nov., 1742 functional tests, 1952: May, 748 Gout, kidney of, as clinical entity,

1952: July, 941-951

nephritis, 1951: July, 982 Gradenigo's syndrome, 1952: March, 323

Grand mal seizures, 1953: March, 316, 322

Granuloma, eosinophilie, 1951: March, 450, 463-479

in infants and children, 1952: Nov., 1762

Granuloma faciale, 1951: March, 472 Gratification and tension, 1952: Nov., 1542

Graves' disease. See Goiter, exophthalmic.

Ground substance, 1953: Nov., 1698 histologic alterations, 1953: Nov., 1700

Growth, rapid, influence on normal posture development, 1952: Nov., 1537

screening test, 1952: Nov., 1518 sex hormones and, 1951: March 501-518

G. T., 41 in leukemia, granulocytic, 1953; Nov., 1760

Gynecologic examination in young girls, 1952: Nov., 1729

Gynecologic problems in preadolescent and adolescent years, 1952: Nov., 1729-1737

Gynecology, symposium on, 1951: May, 629-906

Gynecomastia, diagnosis, 1951: Nov., 1744

Hallucinosis, alcoholic, acute, 1951: Nov., 1789

Handicapped, rehabilitation of, place of official agency in, 1953: May, 933-941

Hand-Schüller-Christian disease, 1951: March, 449

Hands, burns, dressings in, 1953: July, 1124

Hanger's cephalin-cholesterol flocculation test, 1952: March, 398

Hay fever, drugs used in, evaluation, 1951: Sept., 1547 Head, circumference in first five years

of life, 1952: Nov., 1740 Headache, 1951: Sept., 1485-1493; 1952:

March, 319-326 allergic, treatment, 1951; Sept., 1559 classification, 1953; July, 1251

due to compensation neurosis, 1951: Sept., 1491 Headache, due to cranial (temporal) arteritis, 1951: Sept, 1487

due to lesions of teeth, ears, eyes, nose or neck, 1952: March, 323

due to psychological stress, 1951: Sept., 1491

due to ruptured congenital intracranial ancurysm, 1951: Sept., 1485 due to subdural hematoma, 1951: Sept., 1487

due to sustained muscular contraction, 1953; July, 1261, 1267 from nervous tension, 1952; March,

325

in cervical disk syndromes, 1953: March, 458

in diagnosis, 1953: March, 299

migrainous, 1951: Sept., 1489; 1953: July, 1254

post-traumatic, 1952: March, 324
 sick, paroxysmal, 1951: Sept., 1489
 treatment, 1951: Sept., 1485-1493; 1953: July, 1251-1268

vascular, 1952: March, 321; 1953: July, 1254

with hypertension, 1951: Sept., 1490 Health examination, pediatric, 1952: Nov., 1515-1523

Hearing, normal development, 1952: Nov., 1790 tests in children, 1952: Nov., 1521,

1792 Heart, action, rapid, paroxysmal, treatment, 1953: July, 962

adaptation, physiology, 1952: Jan.,

and great vessels, cardiac catheterization and contrast study in congenital cardiovascular defects, 1952: Nov., 1673-1682

congenital malformations of, classification, 1952: Nov., 1663 transposition, roentgenology in, 1952: Jan., 62

and lung apparatus, mechanical, improved, 1953: Nov., 1603-1624 anomalies, diagnosis, 1952: Jan., 37-

51 roentgenology in, 1952: Jan.,

53-68 arrhythmias, 1952: Jan., 3-20; 1953:

arrnythmias, 1952: Jan., 3-20; 1953: Nov., 1630 auscultation of, 1953: Sept., 1552

block, atrioventricular, 1952: Jan., 7, 19

complete, 1952: Nov., 1666 catheterization, in study of normal and diseased heart, 1952: July,

1035-1049 defibrillation, in ventricular fibrillation, 1952: Jan., 19

disease, arteriosclerotic, disability in, causes, 1953: May, 673 in pregnancy, 1951: May, 674

biliary disease and, 1951: Nov., 1687 Heart, disease, complicating scleroderma. 1951: Sept., 1274 congenital, acyanotic, 1952: Nov.,

1663 modified, 1952: Nov., 1666 eyanotic, 1952: Nov., 1667

modified, 1952: Nov., 1669 diagnosis, clinical, 1952: Nov.,

1659-1671 in reference to surgical inter-

vention, 1952: Jan., 37-51 roentgenology in, 1952: Jan., 53-68

disability in, causes, 1953: May, 680

in pregnancy, 1951: May, 674 coronary, diagnosis and treatment, 1952: Jan., 69-91

diagnosis in, 1951: Nov., 1721-1725 diet in, importance, 1951: July, 1102 electrocardiogram in, 1952: Jan., 93-108

emergencies in, management, 1953: July, 955-970

high cardiac output, 1953: July, 974 hypertensive, in pregnancy, 1951: May, 674

in pregnancy, management, 1951: May, 667-676

neck and shoulder pain in, 1952: Sept., 1304

obesity and, 1951: Sept., 1351-1359 physiology of lesser circulation as altered by, 1952: July, 1035-1049 pre- and postoperative care in.

pre- and postoperative care in, 1953: May, 750 rheumatic, development, 1953:

July, 1215 disability in, causes, 1953: May,

salt restriction in, salt depletion syndrome as complication, 1951: July, 1139-1156

syphilitic, treatment, 1953: July, 977

treatment, pitfalls in, 1952: Jan.,

valvular, syncope and dizziness in, 1953: Sept., 1318 work capacity of patient with,

1953: May, 667-684 failure, acidosis in, 1952: Jan., 112

failure, acidosis in, 1952: Jan., 112 congestive, 1953: Nov., 1657 chair treatment, 1953: July, 966 diet in, 1951: Sept., 1347; 1953:

May, 648, 655 disability in, causes, 1953: May, 680

diuresis in, 1961: Sept., 1338-1344; 1963: May, 649

electrolyte abnormalities in, 1953: May, 654

in acute myocardial infarction, treatment, 1953; Sept., 1298 in pregnancy, 1951; May, 672 Heart, failure, congestive, magnesium levels in, 1952: July, 1163

pathogenesis, 1953: May, 643 pathologic physiology, 1952: Jan., 21-36

physical activity in, 1951: Sept., 1346

physical measures, 1951: Sept. 1348

resistant cases, treatment, 1953: July, 971-989

syndrome of, 1952: Jan., 30 thromboembolic complications, 1951: Sept., 1346; 1953: July, 986

treatment, 1952: March, 419-434; 1953: May, 643-658, July, 971-989

physiologic considerations, 1952: Jan., 33

pulmonary hemodynamics in, 1952: July, 1039

treatment, 1951: Sept., 1333-1350 in renal disease, 1951: July, 1083-1093 infarction, acute, and differentiation from acute nonspecific pericarditis, 1953: Nov., 1639

inspection, 1953: Sept., 1549 massage, in auricular fibrillation, 1952: Jan., 18

murmurs, 1953: Sept., 1558 heart disease and, 1952: March, 511 in rheumatic fever, 1952: Nov., 1651 myxoma, pedunculated, 1953: Sept., 1319

pain wrongfully attributed to, 1952: March, 501-513

palpation, 1953: Sept., 1549 percussion, 1953: Sept., 1550 physical examination, 1953: Sept.,

physical examination, 1963; Sept., 1547-1564 right, dynamics in hypertrophy,

1952: July, 1037 roentgenographic changes in silicosis, 1953: Nov., 1732

1953: Nov., 1732 sounds, 1951: Nov., 1724; 1953: Sept., 1554

friction, 1953: Sept., 1563 standstill, treatment, 1952: Jan., 19 surgery, advances in, 1953: July, 977 tamponade, treatment, 1953: Sept.,

1317 Heartburn, 1952: Jan., 371; 1953: Jan.,

wrongly attributed to heart, 1952; March, 507

Heart-lung apparatus, 1953: Nov., 1605 operative technique, 1953: Nov., 1610

preparation, 1953: Nov., 1610 Heat, application, in rheumatoid arthritis, 1953: July, 1242

Heel, Thomas, 1953; Sept., 1438 Hemachromatosis, liver in, 1953; Jan., 100 Hemagglutination test in tuberculosis, 1951: March, 603-614 Hemangiomas, 1951: March, 306 Hematocrit, in congenital heart disease, 1952: Nov., 1662 office use, 1953: Sept., 1537

Hematologic methods, routine, errors in, 1953: July, 1192

Hematoma, subdural, chronic, diagnostic considerations, 1953:
March, 437-449

headache due to, 1951: Sept., 1487 in differential diagnosis of hydrocephalus, 1952: Nov., 1744 Hematomyelia, diagnosis, 1951: Nov.,

1773

Hematuria, during pregnancy, 1951: May, 724

in renal diagnosis, 1951: Nov., 1710 significance, 1951: July, 1011-1016 Hemiplegia, physical medicine in, 1952:

Sept., 1491 Hemocytopenia, pathogenesis, 1953:

Hemocytopenia, pathogenesis, 1953: Nov., 1812 prevention, 1953: Nov., 1813

treatment, 1953: Nov., 1814 Hemocytopenic reactions to modern

drugs, 1953: Nov., 1811-1820 Hemoglobin determination, 1952: Nov.,

1521 office, 1953: Sept., 1536

Hemolytic disease, chronic, with erythrocyte-bound antibody, 1951: March, 575

Hemolytic syndrome, 1952: July, 911 Hemophilia, 1951: Sept., 1410; 1952: July, 1066, Nov., 1705

in children, management, 1952: Nov., 1706

psychiatric and social aspects, 1951: Sept., 1415

treatment, 1951: Jan., 267, Sept., 1413 Hemophilia-like disease in women, 1952: July, 1062

Hemoptysis, 1952: March, 337-339 Hemorrhage, cerebral, 1952: Jan., 163,

169: 1953: March, 428 classification of causes of, 1952: Nov., 1694

clinical evaluation, tests for, 1953: Nov., 1845 from anticoagulants, treatment,

1953: July, 959 from peptic ulcer, treatment, 1953:

Jan., 36 gastric, massive, treatment, 1953; Jan., 17-32

Jan., 17-32 patient with, treatment of, 1951: Jan., 267-278

subarachnoid, spontaneous, primary, 1952: Jan., 171, 173

uterine, course and management, 1953; Sept., 1497-1509

Hemorrhagic diseases, classification, 1951: Sept., 1404; 1952: July, 1052 Hemorrhagic diseases, diagnosis, 1951: Sept., 1409; 1952: July, 1051-1068 in children, 1952: Nov., 1693-1710 tests in, results, 1953: Nov., 1848, 1849

treatment, 1951: Jan., 267-278, Sept., 1403; 1952: July, 1051-1068; 1953: Nov., 1850

Hemorrhoids, office management, 1953: Jan., 266

treatment, 1952: Sept., 1452

Hemosiderosis of liver, 1953: Jan., 100 Hemostatic agents in hemophilia, 1951: Sept., 1414

Heparin, in acute arterial occlusions, 1952: Jan., 143

in atherosclerosis, 1952: Jan., 189, July, 1008 in myocardial infarction, acute, 1953:

Sept., 1295 in myocardial ischemia, 1953: Sept.,

in myocardial ischemia, 1953: Sept., 1290 in prevention of coronary throm-

bosis, 1952: July, 998 in thromboembolism, 1952: Sept.,

obviation of anticoagulant effect,

1951: Sept., 1421 overdosage, hemorrhage due to, treatment, 1951: Jan., 272

Heparinoid states, treatment, 1951: Jan., 273

Hepatitis, 1953: Jan., 125-143, July, 1139-1156

amebic, 1953: Sept., 1383 treatment, 1953: May, 906

chronic, 1952: Sept., 1341-1355 splenectomy in, 1953: Jan., 194 epidemic. See Hepatitis, infectious. infectious, immunization, 1952: Nov.,

1604 in infancy and childhood, 1952: Nov., 1637-1647

leptospiral, 1953: Sept., 1383 malarial, 1953: Sept., 1384

serum, in differential diagnosis of infectious hepatitis, 1952: Nov., 1664

subacute, 1952: Sept., 1341-1355

toxic, 1953: Sept., 1384 treatment, 1953: Jan., 136, July, 1139-1156, Sept., 1387

viral, acute, 1953: Sept., 1379

with jaundice, attack rates in children of school age, 1952: Nov., 1638

incidence in children, 1952: Nov., 1639

Heredity in carcinoma of stomach, 1953: Jan., 65

Hernia, diaphragmatic, 1952: Nov., 1774

epigastric, 1952: Nov., 1774 femoral, 1952: Nov., 1772

hiatal, treatment, 1952: March, 384

Hernia, in infants and children, management of, 1952: Nov., 1761-1777 in umbilical area, 1952: Nov., 1772 inguinal, 1952: Nov., 1767 umbilical, 1952: Nov., 1773

Herniation of intervertebral disks cervical, 1953: March, 451-478 lumbar, 1953: March, 479-502, 503-510

simplex, virus, Hernes infections caused by, clinical ramifica-tions, 1951: March, 563-569 oral manifestations, 1951: Nov.,

1642

Herpes zoster, neck and shoulder pain due to, 1952: Sept., 1306

Hesperidin, effect on capillary permeability, 1952: Jan., 211

Hetrazan in filariasis, 1953: May, 913 Hexamethonium, and l-hydrazinoph-thalazine in hypertension, 1953: July, 991-1008

hypotension due to, treatment, 1953: Sept., 1330, 1331

in arterial hypertension, 1953: Nov., 1651

Hexamethonium iodide in peptic ulcer, 1952: Sept., 1329

Hiccup in acute myocardial infarction, treatment, 1953; Sept., 1299

Hip, dislocation, Sept., 1429 "toxic," 1953: Sept., 1433 "losis, 1953: Sept., dislocation, congenital, 1953:

windblown, 1953: Sept., 1427

Histadyl, structural formula, March, 334

Histamine, antagonists. See Antihistaminic drugs.

effect on capillary permeability, 1952: Jan., 209

test for pheochromocytoma, 1952: Jan., 124

in paroxysmal hypertension, 1951: Sept., 1300 of adrenal medulla function, 1952:

May, 754 Histologic examination in diagnosis of liver disease, 1951: Nov., 1677 History, health, 1952: Nov.,

in arthritis, 1951: Nov., 1751 in congenital heart disease, 1952:

Nov., 1660 dermatologic diagnosis, 1951: Nov., 1628

in liver disease, 1951: Nov., 1649 personal and family in diagnosis of

allergic states, 1951: Nov., 1599 taking, accurate, in medical out-patient clinic, 1951: Nov., 1800 in diagnosis of deafness in children,

1952: Nov., 1791 in neurology, 1952: Sept., 1395 in proctology, 1952; Sept., 1446

Hives. See Urticaria. HN2. See Nitrogen mustard. Hodgkin's disease, granulomatous, of with skin eosinophilia, 1951: March, 465

treatment, 1951: Jan., 99, Sept., 1381-1401; 1953: May, 843-867 Homicidal psychotic patient, manage-

ment, 1953: March, 582 Hookworm disease, treatment, 1953: May, 908

Hormonal deficiencies, pre- and postoperative management, 1953: May, 762

Hormone(s), analyses, 1951: Nov., 1586 and acne vulgaris, 1951: March, 373-

and hepatic function, 1953: Jan., 114 assay in diagnosis of malignancy, 1951: Nov., 1832

gonadotropic, in malignancy, 1951: Nov., 1832

in functional disorders, 1953: Nov., 1799

in leukemia and allied disorders, 1953: Nov., 1761

in treatment of undescended testicle, 1952: Nov., 1783 mechanism of onset of puberty, 1952:

Nov., 1711 sex, female. See Estrogen.

therapy. See Endocrine therapy. thyrotropic, effect on function of thyroid cancer, 1952: May, 656

Horner's syndrome, 1952: July, 911 Horseshoe kidneys, 1951: July, 994 Hospital, liability, 1953: Sept., 1569 relation of family to, 1952: Nov.,

1551-1554 Hospitalization of children, problems resulting from, 1952: Nov., 1552

Huhner test, 1951: May, 821 Humidity, relative, for premature infant, 1952: Nov., 1572 Huntington's chorea, hereditary as-

pects, 1951: March, 522 Hürthle cell adenocarcinoma of thyroid

gland, 1952: May, 648 Hyaluronidase, effect on capillary

permeability, 1952: Jan., Hydantoins in epilepsy, 1952: Sept.,

1385, 1388 Hydrarthrosis, intermittent, diagnosis,

1951: Nov., 1759 Hydrazine poisoning, hypoglycemia in,

1953: Jan., 283 Hydrazinophthalazine, and hexamethonium, in hypertension, 1953:

July, 991-1008, Sept., 1304 hypotension due to, 1953: Sept., 1332 in arterial hypertension, 1953: Nov.,

Hydrocephalus, communicating, internal, 1952: Nov., 1740

contraindications to operation, 1952: Nov., 1746

diagnosis and treatment, 1952: Nov., 1739-1750

Hydrocephalus, evaluation of apparent mentality as index of severity of, 1952: Nov., 1741

indications for surgical intervention, 1952: Nov., 1746

intracranial diagnostic 1952: Nov., 1742

noncommunicating, internal, 1952: Nov., 1739

operative procedures, 1952: Nov.,

treatment, 1952: Nov., 1622, 1744 Hydrocortisone in rheumatoid ar-

thritis, 1953: July, 1248 Hydroma, subdural, 1952: Nov., 1744

Hydronephrosis, bilateral, pathologic aspects, 1951: July, 971

in pregnancy, 1951: May, 725 Hydrops tubae profluens, 1952: Sept., 1470

Hygroma, subdural, in differential diagnosis of hydrocephalus, 1952: Nov., 1744

Hymen, imperforate, 1952: Nov., 1732 Hyoscine, See Scopolamine

Hyoseyamine in motion sickness, 1952: Sept., 1379

Hypercalcemia in thyrotoxicosis, 1953:

Nov., 1715-1724 Hypercholesteremia, and atherosclerosis, relationship, 1952: Jan., 178

clinical significance and manage-ment, 1952: May, 865-874 Ivperchylomicronemia, alimentary,

1952: Jan., 179 Hypercortico-adrenalism, 1951: Sept., 1290

Hyperemia, venous, intermittent, 1952: Jan., 149

Hyperglycemia, control, Underhill's studies, 1953: Jan., 283 in diagnosis of diabetes, 1951: Nov.,

1608

in insulin-treated diabetic patient, significance, 1953: May, 728

Hyperlipemia, idiopathic, 1951: March,

Hypermetropia, test for, 1952: Nov., 1520

Hyperorexia nervosa, 1951: Sept., 1355 Hyperostosis, cortical, infantile, 1952: Nov., 1764

Hyperparathyroidism. complicating polycystic kidney, clinicopathologic conference, 1952: March, 435-444

diagnosis, 1951: Nov., 1737 kidney in, 1951: July, 980

Hyperphosphatemia, tetany due to, 1952: May, 890

Hyperplasia, basal cell, of cervix, 1951: May, 852

Hypersonnia, 1952: March, 545 Hypersplenism, 1953: Jan., 185 Hypertension, arterial, etiology, 1953: Nov., 1647

management, 1953: Nov., 1647-1655 prevention, 1953: Nov., 1648 treatment, medical, 1953: Nov., 1649

surgical, 1953: Nov., 1652 atherogenesis and, 1952: Jan., 191

eapillary fragility in, 1952: Jan., 124 diagnosis and treatment, study plan for general practitioner, 1952: Jan., 117-128

diet in, 1951: July, 1107; 1952: July 1022

disability in, causes, 1953: May, 671 drug therapy, 1952: July, 1020

emotional manifestations, March, 476

essential, 1952: Jan., 129-139; 1953: Nov., 1637, 1662

early cerebral damage in, psychiatric manifestations, 1951: Jan., 133-142

renal changes in, 1951: July, 966,

treatment, 1952: Jan., 134: 1953: Sept., 1303-1312

eveground or fundus examination. 1952: Jan., 119

headache in, 1951: Sept., 1490; 1952: March, 322 hyphex therapy (hexamethonium and

I-hydrazinophthalazine), July, 991-1008

in kidney disease, 1952: July, 1015 in pheochromocytoma, 1952: July, 1016

in renal diagnosis, 1951: Nov., 1715 intravenous pyelogram in, 1952: Jan.,

liver and, 1953: Jan., 111 malignant, 1951: Jan., 111-131 obesity and, 1951: Sept., 1354 paroxysmal, benzodioxane test, 1951:

Sept., 1300 histamine test, 1951: Sept., 1300 pituitary therapy, 1952: Jan., 136

portal, in cirrhosis, mechanism, 1953: Jan., 96 operative treatment, 1953: July,

1149 psychotherapy in, 1952: July, 1019;

1953: July, 1003

pulmonary, primary, syncope in, treatment, 1953: Sept., 1329 Rauwolfia in, 1953: Sept., 1303 renin-antirenin therapy in, 1952:

Jan., 135 rice diet in, 1951: July, 1107; 1952:

Jan., 127, 135 salt restriction in, 1952: Jan., 127, 136; 1953: July, 1007

sympathectomy for, 1952: Jan., 127, 137, July, 1023; 1953: July, 1005 tests in, 1952: Jan., 120, 121, 123,

May, 754

Hypertension, treatment, 1952: Jan., 134, July, 1013-1024; 1953: Sept., 1303-1312

pitfalls in, 1952: Jan., 110

unilateral renal disease and, 1951: July, 1041-1050 results of nephrectomy, 1951:

July, 1044

vasoconstrictor blocking drugs in,

1952: Jan., 135 venous, in congestive heart failure.

1952: Jan., 30 Hyperthermia, liver damage from,

1953: Sept., 1387

Hyperthyroidism, diagnosi Sept., 1306, Nov., 1734 diagnosis. radioiodine in, 1951; Sept., 1306; 1952: July, 981-989

hypercalcemia in, 1953: Nov., 1715-

1724

hypothrombinemia in, case report, 1951: March, 615-619

liver disease in, 1953: Sept., 1387 pre- and postoperative care in, 1953: May, 754, July, 1065

problem cases, 1951: Sept., 1313 surgery in, 1951: Sept., 1312 tests for, 1952: May, 739

treatment, 1951; Sept., 1305-1321; 1953; May, 695-713, July, 1059-1076

Hyperventilation syndrome, 1952: March, 357

Hypocortico-adrenalism, 1951: Sept.,

Hypoglycemia, clinical and experimental, 1953: Jan., 277-290

in hydrazine poisoning, 1953: Jan., 283

Hypogonadism, male, classification, 1951: Nov., 1746 ovarian, primary, 1952: Nov., 1734

pituitary, primary, 1952: Nov., 1734 Hypomagnesemia, symptoms and signs 1952: July, 1166

treatment, 1952: July, 1169 Hypometabolism, amenorrhea due to,

1952: Nov., 1734 ponatremia in congestive heart failure, 1952: March, 430 Hyponatremia

Hypoparathyroidism, 1952: May, 887 diagnosis, 1951: Nov., 1737

Hypoproteinemia, pre- and postoperative management, 1953: May, 755 Hypoprothrombinemia, 1951: Sept.,

1418 in hyperthyroidism, case report, 1951: March, 615-619

orthostatic, Hypotension, chronic, 1953: Sept., 1323

physiologic mechanisms and treatment, 1953: Sept., 1313-1339 postexertional, 1953: Sept., 1336 postural, 1953: Sept., 1323, 1336

renal, 1951: July, 974

Hypothrombinemia, 1952: July, 1062

Hypothyroidism, diagnosis, radioiodine in, 1952: July, 981-989 tests for, 1952: May, 739

Hypoxemia, effect on capillary perme-ability, 1952: Jan., 208

Hypoxia in poliomyelitis, 1953: March, 371

Hysterectomy in postmaturity abnormal uterine bleeding, 1952: May, 716

Hysteria, anxiety, 1951: Nov., 1795 conversion, 1951: Nov., 1795

ICTERIC index in jaundice, 1952: March,

Icterus. See Jaundice.

Id, as infant personality, 1952: Nov.,

versus ego, 1952: Nov., 1544

Idiocy, amaurotic infantile, heredity and, 1951: March, 523 Ileitis, regional, chronic, ACTH in, 1951: Sept., 1255-1265

Ileostomy, medical, in ulcerative col-itis, 1953: July, 1171

Illness, affecting child's behavior, 1953: March, 570 as cause of fatigue, 1952: March, 312

in premature infants, 1952: Nov., 1576

influence on normal posture development, 1952: Nov., 1537

effects in normal Immobilization, subjects, 1951: March, 546 osteoporosis due to, 1952: May, 860

Immunization procedures in private practice, 1952: Nov., **1599–1605** pactions, fecal, treatment, 19 Impactions,

Sept., 1456 Impotence and the male climacteric,

1951: Jan., 279-288

Inactivity, effects, in prolonged illness, and their prevention, 1953: May, 917

Indigestion. See Dyspepsia. Infancy, infectious hepatitis in, 1952: Nov., 1637-1647

iron deficiency anemia of, due to inadequate nutrition, 1952: Nov.,

posture development in, 1952: Nov., 1533

Infant(s), ery of, 1952: Nov., 1560 examination of, 1952: Nov., 1555 neurologic, 1952: Sept., 1404

feeding, advances in, 1952: Jan., 273-288

artificial, 1952: Nov., 1558 practical aspects, 1952: Nov., 1555-1560

first day of life, physician's responsibility, 1952: Nov., 1561-1570 hernias in, management of, 1952: Nov., 1767-1777

iron deficiency in, 1952: Nov., 1683-1691

Infant(s), large, birth of, significance, 1952: July, 1151-1155

newborn, deaths, prevention, 1951: May, 739-747

extrauterine respiration, 1952 .

Nov., 1563 immediate care of, 1952: Nov., 1563 inspection, 1952: Nov., 1564

laboratory 1952: examinations, Nov., 1568

observation of, 1952: Nov., 1568 physical examination, 1952: Nov., 1564

special problems of, 1952: Nov., 1569

noninfectious osseous lesions of. 1952: Nov., 1751-1765

personality, 1952: Nov. id as, 1952: Nov., 1543

premature, caloric requirements, 1952: Nov., 1574 causes of death in, 1951: May, 741

diagnosis of illness, 1952; Nov., 1576

environment of, control of, 1952: Nov., 1572

feeding, initial, 1952: Nov., 1574 technique, 1952: Nov., 1575 fluid requirements, 1952: Nov., 1574

management of, 1952: Nov., 1571-1578

nursing care of, 1952; Nov., 1573 nutrition of, 1952: Nov., 1573 protection from infection, 1952:

Nov., 1572 survival of, 1952: Nov., 1577 treatment of illness, 1952: Nov., 1576

vitamin requirements, 1952: Nov.,

prenatal factors, 1952: Nov., 1562 term, causes of death in, 1951: May,

Infection(s), accessible, 1952: Nov., 1607

accompanied or complicated by thrombocytopenias, 1952: Nov., 1699

acute, as starting point of emotional disorder, 1952: March, 468

debilitating, hypotension after, 1953: Sept., 1326

foci of, in arthritis, 1951: Nov., 1753 fulminating, acute, hypotension in, treatment, 1953: Sept., 1333 in children, choice of antibiotic, 1951:

Sept., 1508

in etiology of chronic nonspecific ulcerative colitis, 1953: Nov., 1778 inaccessible, 1952: Nov., 1607 protection of premature infant from,

1952: Nov., 1572 role in iron deficiency anemia, 1952: Nov., 1688

Infertility in women, diagnosis and treatment, 1951: May, 817-846

Injection treatment, of cervical root compression, 1953: March, 463 of hemorrhoids, 1953: Jan., 266

Insect bites, granulomatous reactions to, 1951: March, 467

Insemination, therapeutic, 1951: May, 838

Insomnia, 1952: March, 547 treatment, 1952: March, 550

electroconvulsive, 1952: March, 551 Insulin, allergy to, in diabetes, management, 1952: May, 783-790

hepatic function and, 1953: Jan., 115 in diabetes, 1951: Sept., 1528; 1953: May, 720, July, 1104

in diabetic acidosis and coma, 1952: May, 777

resistance to, in diabetes, manage-ment, 1952: May, 783-790

tolerance test of pituitary function, 1952: May, 752

Intervertebral disk, cervical, syndrome of, neurologic and roentgenologic aspects, 1953: March, 451-478

degeneration and protrusion, neck and shoulder pain due to, 1952: Sept., 1294

lumbar, rupture of, 1953: March, 479-502, 503-510

Intestine(s), normal flora, effect of antibiotics on, 1952: July, 1083 obstruction, medical management,

1952: March, 383 Intoxication, pathologie, 1951: Nov., 1789

Intrarenal function, tests, 1951: July, 949

Iodides in asthma, 1952: Sept., 1272; 1953: July, 1017

Iodine, in hyperthyroidism, 1951: Sept., 1308; 1953: May, 705

preparations in amebiasis, 1953: Nov., 1806

protein-found in blood, 1951: Nov., 1587

in serum in thyroid disease, 1951: Sept., 1306; 1952: May, 741; 1953: July, 1064

radioactive, effect on function of thyroid cancer, 1952: May, 652,

excretion, in diagnosis of hyperthyroidism, 1951: Sept., 1306 in carcinoma, 1951: Sept., 1377

of thyroid gland, 1951: Jan., 43 in hyperthyroidism, 1951: Jan., 41, Sept., 1310; 1952: May, 623-637; 1953: May, 702, 708, July,

1068 diagnosis, 1952: July, 981-989; 1953: July, 1062

results, 1952: May, 623-637 myocardial ischemia, Sept., 1291

Iodine, radioactive, in test of thyroid

function, 1952: May, 741 in thyroid, diseases, clinical application, 1951: Jan., 37-50

in treatment of metastatic thyroid carcinoma, 1952: May, 663-680 medical centers engaged in therapy with, 1952: May, 668, 669

Iodoacetate index in malignancy, 1951:

Nov., 1836 Ion exchange resins. See under Resins. Ipecac, in asthma, 1953: July, 1018

supraventricular tachycardia, 1952: Jan., 13

Iron, deficiency, anemia of. See under Anemia.

in infants and children, 1952: Nov., 1683-1691

metabolism, 1952: Nov., 1683 therapy, supplemental, in iron deficiency, 1952: Nov., 1689

uses, in anemia, 1953: July, 1197 Irradiation. See Radium and Roentgen. Irrigation of eye in chemical burns, 1952: Sept., 1215

Isolation procedures in tuberculosis in

children, 1952; Nov., 1620 Isoniazid, in pulmonary tuberculosis, method and results, 1953: May, 885-901

tuberculous meningitis, in March, 351

Isonicotinic acid, hydrazide, in tuberculosis, 1952: Sept., 1260

in tuberculous meningitis in children, 1952: Nov., 1622 Isotopes, radioactive, 1951: Nov., 1591 Isuprel, in asthma, 1952: Sept., 1271;

1953: July, 1017 in intermittent positive probreathing, 1951: Nov., 1703 pressure

Itching in acute dermatitis, treatment, 1952: Sept., 1440

Itrumil in hyperthyroidism, 1952: May, 619, 620; 1953; May, 706

JAUNDICE, 1951: Nov., classification, 1951: Nov., 1669

differential diagnosis, 1951: Nov., 1669; 1952: March, 393-403 diagnostic aids in, 1951: Nov.,

hepatic, differential diagnosis, 1951: Nov., 1670

test responses in, 1951: Nov., 1671, 1672

hepatitis with, attack rates in children of school age, 1952: Nov., 1638 in hepatitis, 1953: Jan., 127

laboratory tests, 1952: March, 397 obstructive, 1953: Jan., 174

after cholecystectomy, 1953: Jan., 178

posthepatic, differential diagnosis, 1951: Nov., 1671

Jaundice, prehepatic, differential diagnosis, 1951: Nov., 1669

with thyrotoxic storm, clinicopathologic conference, 1953: Nov., 1684 Joint, disease, degenerative, diagnosis, 1951: Nov., 1761

physical medicine in, 1952: Sept., 1487

involvement in arthritis, 1951: Nov., 1752, 1753, 1754

Jugular compression test in lumbar disk syndrome, 1953: March, 487

Kaposi's varicelliform eruption, 1951: March, 565

Kartagener's syndrome, 1952: July, 917 Kempner rice diet in hypertension, 1951: July, 1107

Keratitis, dendritic, 1951: March, 567 Keratoconjunctivitis, epidemic, antibiotics in, 1962: Sept., 1252

Keratoses, seborrheic, 1951: March,

senile, 1951: March, 425-431 Ketosis, diabetic, and diabetic coma,

treatment, 1952: May, 767-782 17-Ketosteroids, diagnostic significance 1952: May, 757-766 excretion, 1951: Nov., 1744

as test of testicular function, 1952:

May, 748 in ACTH and cortisone therapy,

1952: Jan., 235 in Addison's disease, 1952: May, 723 in adrenal cortex disease, 1952:

May, 743 in Addison's disease, 1952: May, 760 adrenogenital syndrome, 1952:

May, 762 in Cushing's syndrome, 1952: May, 764

in malignancy, 1951: Nov., 1833; 1952: May, 694 urinary, 1951: Nov., 1587

Kidney, agenesis, 1951: July, 990 amyloid disease, 1951: July, 963, 978 congenital, 1951: July,

987-1004 arteriolar disease, diffuse, with hy-

pertension, 1951: July, 966, 981 arteriosclerosis, senile, 1951: July,

artificial, in acute renal insufficiency, 1952: Sept., 1413

circulatory consequences of blood kinetic energy in, 1952: July, 967-

dehydration and, 1951: July, 974

diabetic complications involving, 1951: Nov., 1616

diseases, bilateral, classification, 1951: July, 959-976

diagnosis and treatment, urologic methods in, 1951: July, 1005-1009

Kidney, diseases, biliary disease and, 1951: Nov., 1690 cardiac manifestations, 1951: July, 1083-1093 eardiovascular, 1953: Nov., 1657-1668 diet in, importance, 1951: July, 1101-1111 salt depletion syndrome as complication of treatment, 1951: July, 1139-1156 chronie, 1951: July, 977 July, 1023-1039 ophthalmologic cystic, 1951: July, 972, 979, 999 diet in, importance, 1951: July, in children, 1951: July, 1069-1080 in pregnancy, 1951: May, 684 treatment, 1951: May, 696 magnesium metabolism in, 1952: July, 1159 polyeystic, 1951: July, 979, 999 pathologic aspect, 1951: July, 972 retinal manifestations, 1951: July, pre- and postoperative care in, 1953: May, 752 pulmonary edema in, 1951: July, 1089 symposium on, 1951: July, 941-1183 unilateral, 1953: Nov., 1665 hypertension and, 1951: July, 1041-1050; 1952: July, 1015 results of nephrectomy, 1951: July, 1044 during pregnancy, 1951: May, 716 dwarfed, 1951: July, 993 ectopic, 1951: July, 996 end stage, and hypertension, 1952: July, 1018 failure, acute, treatment, 1952: Sept., 1409 chronic, treatment, 1952: Sept., 1415 secondary, 1951: July, 973 function, impaired, therapeutic abortion for, 1951: May, 730 in normal and toxemic pregnant woman, 1951: May, 699-714 tests, 1951: Nov., 1711 application, 1951: July, 943-957 clinical, 1951: May, 708 in hypertension, 1952: Jan., 121 intrarenal, 1951: July, 949 fused, 1951: July, 994 glomerular lesions, primary, 1951:

July, 960

980

horseshoe, 1951: July, 994

hypotension, 1981: July, 974 in eclampsia, 1981: July, 964

in hyperparathyroidism, 1951: July,

in hypervitaminosis D, 1951: July, 981

in lupus erythematosus, disseminated, 1951: July, 963, 981 Kidney, in periarteritis nodosa, 1951: July, 965, 983 in subacute bacterial endocarditis, 1951: July, 983 in ulcerative colitis, 1951: July, 982 insufficiency, acute, 1951: July, 1160-1165 treatment, 1952: Sept., 1409 chronic, treatment, 1952: Sept., diagnosis, 1951: July, 944 ischemia, functional, 1951: July, 973 or lymphoblastomatous mutration, pathologic aspects, 1951: July, 972 leukemic lower nephron syndrome, 1951: July, 1160-1165 lymphosarcoma, 1951: July, 983 multiple myelomas, 1951: July, 979 of gout as clinical entity, 1952: July, 941-951 polycystic, with hyperparathyroidism and osteitis fibrosa cystica. clinicopathologic conference, 1952: March, 435-444 rotation, abnormal, 1951: July, 998 solitary, 1951: July, 991 tuberculosis, in pregnancy, 1951: May, 728 tubular lesions, 1951: July, 968 tumors, pregnancy and, 1951: May, 729vascular lesions, primary, July, 965 Kimmelstiel-Wilson's disease, 1951: July, 962 Korsakoff's psychosis, 1951: Nov., 1789 Kraurosis penis, 1951: March, 416-417 Kunkel's zinc sulfate turbidity reac-tion, 1952: March, 399 Kutrol in peptic ulcer, 1952: Sept., 1331 LABOR, induction of, 1952: Sept., 1473-1484 premature, in erythroblastosis, 1951: May, 62 management, in tuberculous woman, 1951: May, 651 uterine inertia at, 1951: May, 791-804 Laboratory, aids in dermatologic diagnosis, 1951: Nov., 1633 in diagnosis and treatment, 1951: Nov., 1579-1592 of allergic states, 1951: Nov., 1601 examinations of newborn infant, 1952: Nov., 1568 findings in liver disease, 1951: Nov., 1650 in rheumatic fever, 1952: Nov., 1650 office, purposes, limitations, set-up, tests and administration, 1953: Sept., 1525-1545

studies in diagnosis of diabetes, 1951:

Nov., 1608

Laennec's cirrhosis. See under Cirrhosis. Laminectomy in paraplegia, 1953: May,

Lanatoside C in congestive heart failure, 1951: Sept., 1336

Language, significance of, 1952: March, 449

Larvngotracheobronchitis, acute, 1952: Sept., 1279-1288

Lasègue test in lumbar disk syndrome, 1953: March, 487

Laurence-Moon-Bardet-Biedl syn-

drome, 1952: July, 916 L.E. test in dermatologic diagnosis, 1951: Nov., 1635

Lead, concentrations in urine, blood, tissues and scrapings, 1952: Nov.,

determination in paint scrapings, 1952: Nov., 1592, 1596

in urine, blood and tissues, 1952: Nov., 1595

poisoning in children, 1952: Nov., 1587-1597

Lederer type of hemolytic anemia, splenectomy for, 1953: Jan., 191 Leg ulcers, 1951: Nov., 1632

hypertensive-ischemic. March, 365

Legg-Perthes disease, 1953: Sept., 1433 Leptospirosis in differential diagnosis of infectious hepatitis, 1952: Nov.,

Letterer-Siwe disease, 1951: March, 450 Leukemia, acute, treatment, 1951: Jan., 102

and allied disorders, chemotherapy, 1953: Nov., 1755-1767

chronic, treatment, 1951: Jan., 96 diagnosis, 1953: Nov., 1747

in children, 1952: Nov., 1798 lymphatic, chronic, 1953: Nov., 1751 management, recent advances, 1953: May, 843-867

myelogenous, acute, 1953: Nov., 1748 aleukemic, acute, 1953: Nov., 1749 chronie, 1953: Nov., 1752

oddities in onset and course, 1953: Nov., 1747-1753

subacute, 1953: Nov., 1750

treatment, 1953: May, 843-867 current trends, 1951: Sept., 1381-1401

Leukocytes in urine, 1951: Nov., 1711 Leukoplakia, of glans penis, March, 413, 414

oral, diagnosis, 1951: Nov., 1644 Leukorrhea in general practice, diagnosis and treatment, 1952: Sept., 1459-1471

Levophed in pneumonia, 1953: July,

Lewisite burns of eye, treatment, 1952: Sept., 1219

Levdig cell tumors, precocious pseudopuberty due to, 1952: Nov., 1725

Libman-Sacks disease, kidney in, 1951: July, 981

Lichen, chronicus simplex disseminatus, 1952: July, 1128

planus of glans penis, 1951: March, 416

oral, diagnosis, 1951: Nov., 1645 erosive type, 1951: Nov., 1647 nonerosive type, 1961: Nov., 1646

sclerosus et atrophicus of glans penis, 1951: March, 416-417

vidal. antihistaminics March, 337

Lime burns of eye, treatment, 1952: Sept., 1218, 1219

Liniments in dermatoses, 1953: May,

Lipid(s), and atherosclerosis, relationship, 1952: Jan., 179 classification, 1951: March, 434

diseases as manifested in skin, 1951: March, 433-456

plasma, function, 1952: May, 865 Lipoidoses, liver in, 1953: Jan., 101 phosphatide, 1951: March, 450

Lipoidosis cutis et mucosae, 1951: March, 451

cholesterol-bearing, of Lipoproteins. plasma, 1952: Jan., 182

Lipotropic agents, in arterial occlusions, chronic, 1952: Jan., 151 in atherosclerosis, 1952: Jan., 193 in liver disease, 1951: Sept., 1451; 1953: July, 1144, Sept., 1390

Livedo reticularis, 1951: March, 364 Liver, biopsy, methods, 1951: Nov., 1662

needle, "blind," 1951: Nov., 1663 contraindications, 1951: Nov., 1664

histologie technique, 1951: Nov., 1666 differential diagnosis of jaun-

dice, 1951: Nov., 1673 indications, 1951: Nov., 1664 limitations, 1951: Nov., 1664

peritoneoscopic, 1951: Nov., 1663 surgical, direct, 1951: Nov., 1662 cirrhosis. See Cirrhosis.

disease, acute, causes and treatment, 1953: Sept., 1379-1391 cutaneous xanthoma in relation to,

1951: March, 441 diagnosis, 1951: Nov., 1649-1678 differential, tests used in, 1953:

Jan., 128 parenchymal, different nosis, 1951: Nov., 1673 differential diag-

severe, medical management, 1951: Sept., 1441-1455

treatment, 1953: July, 1139-1156 extract, in liver disease, 1953: July, 1145 uses, in anemias, 1953: July, 1198

Liver, fibrosis, diffuse, 1953: Jan., 89, 92 inflammation. See Hepatitis.

injury, establishment of presence of, 1951: Nov., 1651

evaluation of severity of, 1951: Nov., 1667

nature of, 1951: Nov., 1668

observation of phenomena in, 1953: Nov., 1640

palpable, incidence in infectious hepatitis, 1952: Nov., 1642

physiology and biochemistry, recent progress in, 1953: Jan., 109-124 tests, choice of laboratory, 1951: Nov., 1652

factors influencing, 1951: Nov.,

functional, 1951: Nov., 1651; 1953: Jan., 119

follow-up on normal infants and children, 1952: Nov., 1643 in determining course of hepati-

tis, 1953: Jan., 135 office, 1953: Sept., 1542

general principles, 1951: Nov., 1651 general selection, 1951: Nov., 1652 individual, 1951: Nov., 1653 purpose, 1951: Nov., 1651

Lockjaw. See Tetanus.

Lonalac, composition and recipes for

use, 1951: Jan., 89 Long-term illness, changing scene in, 1953: May, 631-642 rehabilitation in, 1953: May, 915-

symposium on, 1953: May, 629-941 Lotions in dermatoses, 1953: May, 800 Lumbar puncture, headache after, 1952: March, 324

in meningitis, 1953: March, 340 in neurological evaluation, 1953: March, 313

in rickettsial diseases, 1953: March, 403, 410

Lumbar subarachnoid-peritoneal shunt in hydrocephalus, 1952: Nov., 1748 Lung, abscess, anatomic and pathologic

features, 1951: Nov., 1696 in silicosis, 1953: Nov., 1734 actinomycosis, 1951: Sept., 1323

and heart apparatus, mechanical, improved, 1953: Nov., 1603-1624

bleb formation in silicosis, 1953: Nov., 1734

carcinoma, asthma and, 1952: March,

coccidioidomycosis, 1951: Sept., 1328 congestion, passive, anatomic and pathologic features, 1951: Nov.,

diseases, in aged, 1952: March, 580 pre- and postoperative care in, 1953: May, 752

fibrosis, chronic progressive, 1951: Jan., 169-173

Lung, fungus infections, 1951: Sept., 1323-1331

roentgenographic changes in silicosis, 1953: Nov., 1733

tuberculosis. See Tuberculosis. Lupus erythematosus, discoid, chronic,

treatment, new developments, 1951: March, 391-398 disseminated, 1952: July, 1111-1125; 1953: Nov., 1706

March, 399-409. acute, 1951: Sept., 1274

kidney in, 1951: July, 963, 981 retinal changes, 1951: July, 1035

subacute and chronic pulmonary disease in, 1951: Jan., 170

Lymphangioma, 1951: March, 309 Lymphatics, diseases, skin manifestations, 1951: March, 366

Lymphedema praecox, 1951: March, 367 Lymphoma, benign giant follicular,

treatment, 1951: Jan., 101 malignant. treatment, current trends, 1951: Sept., 1381-1401

management, 1951: Jan., 93-110 recent advances, 1953: May, 843-867

Lymphosarcoma, of kidney, 1951: July. 983

treatment, 1951: Jan., 101, 8 1381-1401; 1953: May, 843-867

Lysozome in etiology of chronic nonspecific ulcerative colitis, 1953: Nov., 1780

McCann, William Sharp, symposium in honor of, 1951: March, 481-619 Maclagan's' thymol turbidity

1952: March, 398 Macrocephaly, true, in differential di-

agnosis of hydrocephalus, 1952: Nov., 1744 Macrochylomicronemia. alimentary.

1952: Jan., 179 Macrosomia adiposa congenita, 1952:

July, 916 Magnesium, compounds in peptic ulcer,

1952: Sept., 1326 deficiency, tetany due to, 1952: May,

893 metabolism, clinical studies, 1952: July, 1157-1171

Magnesium sulfate in lead poisoning, 1952: Nov., 1593

Maico psychometer, 1952: Nov., 1792 Maladie de Roger, 1952: Nov., 1665

Malaria, treatment, 1953: May, 906 Malformations, congenital, March, 527

Malignancy, diagnosis of, biochemical methods, 1951: Nov., 1829-1840

in differential diagnosis of infectious hepatitis, 1952: Nov., 1644

Malnutrition in etiology of chronic nonspecific ulcerative colitis, 1953: Nov., 1780

Malpractice, civil, basic principles, with suggestions for preventing malpractice claims, 1953: Sept., 1565-1575

Malba fever. See Brucellosis.

Mandelanine in urinary tract infections, 1952; Sept., 1433

Manic-depressive psychosis, manic phase, 1953: March, 589

Marfan's syndrome, 1952: July, 914 Marsilid in tuberculosis, 1952: Sept., 1260

Massage, cardiac, in ventricular fibrillation, 1952: Jan., 18

prostatic, 1952: Sept., 1425 Measles, diuresis due to, in nephrosis, 1952: July, 934

German. See German measles.

immunization, 1952: Nov., 1603 Meats, strained, low salt, and recipes, 1951: Jan., 91

Mebaral in epilepsy, 1952; Sept., 1386, 1389; 1953; March, 324

Mecholyl in supraventricular tachycardia, 1952: Jan., 13

Meckel's diverticulum, 1953: Jan., 227-235

Mediastinum, tumor of, asthma and, 1952: March, 360

Medical status, general, in dermatologic diagnosis, 1951: Nov., 1628 Medical trends, thoughts on, 1953: Nov., 1827–1832

Medicine, ancient and modern, 1953: Nov., 1821

clinical, symposium on, 1953: Nov., 1595-1853

laboratory, relationship to clinical medicine, 1951: Nov., 1579 physical, in office treatment, 1952:

Sept., 1485-1493 psychologic aspects, symposium on,

1952: March, 445-592 psychosomatic, 1951: Nov., 1796 recent advances in, symposium on,

1952: July, **909–1185** Medulloblastoma in childhood, 1952: Nov., 1802

Meig's syndrome, 1952: July, 912

Melancholia, involutional, 1951: Nov., 1792

Membranes, rupture, for inducing labor, 1952; Sept., 1481

Menarche, 1952: Nov., 1733 Meningitis, in children, treatment,

1951: Sept., 1512 influenzal, 1951: Sept., 1513 purulent, acute, 1953: March, 329-

344 syphilitie, 1952: July, 1142

tuberculous, in children, 1952: Nov., 1620; 1953: March, 345-362

Meningitis, tuberculous, in children, adjuvant drugs in, 1952: Nov., 1621

duration of therapy, 1952: Nov., 1622

streptomycin therapy, 1952: Nov., 1621 supportive therapy, 1952: Nov.,

1623 Menometrorrhagia, due to hormonal abnormalities, 1962: May, 712

treatment, 1952: May, 713 in children, 1952: Nov., 1735

Menopause, 1951: May, 879-892; 1952: March, 515-525

endocrine manifestations, 1952. March, 516

osteoporosis after, 1952: May, 849 physical changes, 1952: March, 519 physiologic changes in, 1951: May, 880

psychologic manifestations, 1952: March, 517

Menorrhagia, 1951: May, 876

Menstruation, disorders of, due to hormonal abnormalities, diagnosis and treatment, 1952: May, 705-720 painful, treatment, 1951: May, 861-870

painful, treatment, 1951: May, 861-870 Mental and nervous diseases, symposium on, 1953: March, 295-607

Mental defect, hereditary aspects, 1951: March, 525

Mental deficiency in differential diagnosis of deafness in children, 1952: Nov., 1794

Mentality, apparent, evaluation as index of severity of hydrocephalus, 1952: Nov., 1741

Mephyton in hemorrhage from anticoagulants, 1953: July, 959

Mercaptomerin sodium as diuretic, 1952: July, 954 Mercuhydrin in angina decubitus, 1951:

Jan., 63-71 Mesantoin in epilepsy, 1952: Sept.,

1385, 1388; 1953; March, 324 Metabolism, abnormalities, in renal diagnosis, 1951; Nov. 1716

diagnosis, 1951: Nov., 1716 basal, as test of thyroid function, 1952: May, 739

in diagnosis of hyperthyroidism, 1952: July, 1064

in arthritis, 1951: Nov., 1755 in hyperthyroidism, 1951: Sept., 1306

testing in office, 1953: Sept., 1542 disorders, symposium on, 1952: May, 601-895

of iron, 1952: Nov., 1683

Methacholine. See Mecholyl.

Methyl-mercaptoimidazole in thyrotoxicosis, 1951: Sept., 1309

Methylphenylethylhydantoin. See Mesantoin. 5-Methyl, 5-phenylhydantoin in epilepsy, 1953: March, 326

Methyltestosterone, hepatitis due to, 1953; Sept., 1386

in abnormal uterine bleeding, 1952: May, 715

in amenorrhea, 1953: July, 1087

in dysmenorrhea, preovulatory, 1951: May, 864

Methylthiouracil in hyperthyroidism, 1952: May, 619, 620

Migraine. See Headache, migrainous. Milibis in amebiasis, 1953: Nov., 1806 Milliequivalent, computation, May, 904

Milligrams per cent, conversion to millimols or milliequivalents per liter.

1951: Nov., 1811

Milontin in epilepsy, 1953: March, 327 Mineral(s), deficits, effect on normal posture development, 1952: Nov.,

in infant nutrition, 1952: Jan., 283 replacement in chronic disease, preand postoperative, 1953: May, 758 Miscarriage, See Abortion.

Mitral valve, stenosis, evaluation of patients for commissurotomy in, by cardiac catheterization, 1952: July, 1040

syncope and dizziness in, 1953; Sept., 1318

uncomplicated, emotional manifestations, 1952: March, 474 MK-O2 in parkinsonism, 1953: Sept., 1515

Mole, hydatid, hormone assay, 1951:

Nov., 1833 Moloy's precision stereoscopic technique for estimating cephalopelvic disproportion, 1951: May, 781, 784 Monilia infections of vagina, treat-

ment, 1952: Sept., 1468

Moniliasis, pulmonary, 1953: Nov., 1737 and eryptococcal osteomyelitis in same patient, 1953: Nov., 1737-1746

Mononucleosis, infectious, 1953; Sept., 1382

in differential diagnosis of infectious hepatitis, 1952: Nov., 1644 Morphine, in congestive heart failure.

1952: March, 424

in myocardial infarction, acute, 1953: Sept., 1297

in obstetries, 1951: May, 808

in rheumatic fever, 1952: Nov., 1655 supraventricular tachycardia, 1952: Jan., 13

Mosenthal test, modified, in hypertension, 1952: Jan., 122

Mother, desire to breast-feed baby, 1952: Nov., 1557

inability to breast-feed baby, 1952: Nov., 1558

Mother, new, conference with, 1952: Nov., 1556

or mother figure, absence of, 1952: Nov., 1545

prospective, preparation for infant feeding, 1952: Nov., 1555

psychopathology in, 1952: Nov., 1546 reluctance to breast-feed baby, 1952; Nov., 1557

sensitized, induction of labor in, 1952: Sept., 1477

Mother-child relationship in first year, 1952: Nov., 1541-1550 role of pediatrician in, 1952:

Nov., 1548 sickness. treatment, 1952: Motion Sept., 1373-1380

Motor function, testing, in neurology, 1952: Sept., 1399

Motor system, examination, March, 305

Motor testing in cervical root compression, 1953: March, 458

in lumbar disk syndrome, 1953: March, 489 Mouth, diseases of, diagnosis, 1951:

Nov., 1637-1647 lesions in erythema multiforme, 1951:

March, 321 Movement, voluntary, anatomy and physiology of, 1951: Nov., 1767

6-MP. See Purinethol. Mucin in peptic ulcer, 1952: Sept., 1327 Mucous membrane lesions, distribu-

tion of, 1951: Nov., 1629 Mumps, immunization, 1952: Nov., 1604 Mumps encephalitis, 1952: Nov., 1627-1635

Murmurs, heart. See under Heart. Muscle, changes in arthritis, 1951: Nov., 1754

contraction, sustained, headache due to, 1953: July, 1261, 1267 relaxants in cervical root compres-

sion, 1953: March, 463 strength and power, testing, 1953:

March, 305 tone, testing, 1953; March, 306

weakness and atonia in early childhood, 1953; March, 556

atrophy, peroneal, 1953: Muscular March, 552

Muscular dystrophy, postmenopausal, 1953: March, 558

progressive, childhood type, 1953: March, 546

differential diagnosis, 1953: March, 545-563

facioscapulohumeral type, 1953: March, 550

Musculoskeletal disorders, physical medicine in, 1952: Sept., 1485

Mushroom poisoning, liver damage in, 1953: Sept., 1387

Mutations of genes, 1952: July, 912

Myasthenia gravis, 1953: March, 535-544

in children, 1953: March, 557 Myasthenic crisis, 1953: March, 541

Mycosis fungoides, treatment, Jan., 103; 1953: May, 844, 851

Myeleran in leukemia, granulocytic, 1953: Nov., 1760

Myelitis, infectious, 1951: Nov., 1774 Myelography, in cervical root compression, 1953: March, 473

lumbar disk syndrome, 1953: March, 494

Myeloma, multiple, diagnosis, 1951: Nov., 1835

diagnostic and therapeutic aspects, 1951: Jan., 189-226

kidney in, 1951: July, 979

treatment, 1951: Jan., 103, 217 plasma cell, treatment, 1953: May, 844, 847, 851, 858, 862

Myocardium, failure, 1952: Jan., 25, 27 hypertrophy, 1952: Jan., 24

infarction, diagnosis and treatment, 1952: Jan., 73

electrocardiogram in, 1953: Sept., 1346

treatment, 1953; Sept., 1292 injury, syncope in, treatment, 1953:

Sept., 1319 ischemia, general management, 1953;

Sept., 1284 Myopia, test for, 1952: Nov., 1520

Myositis, multiple. See Dermatomyosi-

Myotonia dystrophica, 1953: March, 551

Mysoline in epilepsy, 1953: March, 326 Myxedema, heart disease in, 1953; July, 977

NARCOLEPSY, 1952: March, 541 treatment, 1952: March, 545

Nausea, 1952: March, 373; 1953: Jan., 5 Neck, pain in, 1952: Sept., 1289-1307 Necrobiosis lipoidica (diabeticorum),

1951: March, 452 Negligence in medical practice, 1953: Sept., 1570, 1574

Neomycin, effect on normal fecal flora, 1952: July, 1089

in tuberculosis, 1952: Sept., 1260 Neostigmine in myasthenia gravis, 1953: March, 538

Necsynephrine, in intermittent positive pressure breathing, 1951: Nov., 1703

in pneumonia, 1953: July, 1056 Nephrectomy, for hypertensive renal disease, results, 1951: July, 1044 pregnancy after, 1951: May, 730

Nephritis, chronic, therapeutic dilemmas, 1952: March, 411-417 diffuse, chronic, 1951: July, 970

glomerular, acute, bedside management, 1953: July, 1129-1133

Nephritis, gout, 1951: July, 982

hemorrhagic, acute, in children, 1951: July, 1069

in children, types and treatment, 1951: July, 1069-1080

in multiple myeloma, 1951: Jan., 212 in pregnancy, 1951: May, 684, 697, July, 1051-1068

Nephrolithiasis in pregnancy, 1951: May, 725

Nephrosis, in children, 1951: July, 1073 in pregnancy, 1951: May, 697 lipoid, 1951: July, 984

retinal manifestations, 1951: July, 1033

upper and lower nephron, magnesium levels in, 1952: July, 1159, 1160 Nephrotic syndrome, 1952: July, 921-

939 bedside management, 1953: July, 1133-1137

in adults, differential diagnosis and treatment, 1953: May, 685-694

Nerve(s), cranial, examination, 1953: March, 310

testing, 1952: Sept., 1398

pathway pain, 1952: March, 489 Nervous system, central, manifesta-tions of allergic disorders,

1951: Nov., 1597 tumors of, in children, 1952:

Nov., 1801 rickettsial involvement. March, 395-422

Nervous tension, fatigue due to, 1952: March, 313

headache from, 1952: March, 325 Nervousness, and fatigue, clinical eval-

uation, 1953: Nov., 1785-1802 diagnosis and treatment, 1953: Nov.,

1785-1802 Neuralgia, head pain due to, 1952: March, 325

Neurasthenia, 1951: Nov., 1795

Neurectomy, presacral, in dysmenorrhea, 1951: May, 863

Neuritis, diabetic, PMLE in, 1952: Sept., 1366 multiple. See Polyneuritis.

peripheral, multiple, diagnosis and treatment, 1952: Sept., 1357-1372

Neuroblastomas in childhood, 1952: Nov., 1798

Neurodermatitis, generalized, 1952: July, 1127

Neurofibromatosis in infants and children, 1952: Nov., 1754

Neurohypophysis, disorders of, 1951: Nov., 1732.

functional tests, 1952: May, 753

Neurological examination, 1952: Sept.,

Neurological signs and symptoms and their interpretation, 1953: March, 297-313

Neurology, clinical method of comments and suggestions, 1952: Sept., 1393-1408

symposium on, 1953: March, 295-607 Neuromuscular disorders, physical medicine in, 1952: Sept., 1491

Neuron disease, motor, symptoms and sig., 1951: Nov., 1767 Neuropathies, diabetic, diagnosis, 1951:

Nov., 1618 Neurosis, compensation, headache

Neurosis, compensation, headache due to, 1951; Sept., 1491 types 1951; Nov. 1795

types, 1951: Nov., 1795 Neurosyphilis, 1952: July, 1141-1149 asymptomatic, 1952: July, 1142 congenital, 1952: July, 1145 degenerative forms, 1952: July, 1146 meningovascular, 1952: July, 1142 treatment, 1951: Jan., 147; 1952: July, 1147

Neurotic adaptation, causes, 1952: March, 307 Neurotic attacks, 1952: March, 565

Neurotic attacks, 1902: March, 300 Nevoxanthoendothelioma, 1951: March, 449

Naves, 1951: March, 301-313 blue, 1951: March, 312 epidermodermal, 1951: March, 311 glandular, 1951: March, 313 hairy, 1951: March, 310 intradermal or intracutaneous, 1951:

March, 312 intra-epithelial or intra-epidermal, 1951: March, 310 junction, 1951: March, 311

lymphatic, 1951: March, 309 mixed, 1951: March, 313 pigmented, 1951: March, 310 spider, 1951: March, 301 vascular, 1951: March, 301 warty, 1951: March, 310, 311

Nevus anemicus, 1951: March, 306 Nevus arraneus, 1951: March, 304 Nevus flammeus, 1951: March, 303 Nevus lymphangiomatodes, 1951 March, 309

Nevus sanguineux, 1951: March, 306 Nevus simplex, 1951: March, 303 Nevus vasculosus, 1951: March, 306 Newborn, See Infant(s), newborn.

New York plan for physically handicapped child, 1953: May, 935 Niemann-Pick's disease, 1951: March,

450 liver in, 1953: Jan., 101

Nitrate test in hypertension, 1952: Jan., 120

Nitrogen, deficit, effect on normal posture development, 1952: Nov., 1538

Nitrogen mustard, in anemia, hemolytic, acquired, 1951: Sept., 1431 in benign giant follicular lymphoma and lymphosarcoma, 1951: Jan., 101

in carcinoma, 1951: Sept., 1375

Nitrogen mustard, in Hodgkin's disease, 1951: Jan., 99, Sept., 1390; 1953: May, 854

in leukemia, 1951: Jan., 98, Sept., 1390; 1953: May, 854 and allied disorders, 1953: Nov., 1755

in lymphomas, 1951: Jan., 98, Sept., 1390; 1953: May, 854

in lymphosarcoma, 1953: May, 854 in multiple myeloma, 1951: Jan., 218

in mycosis fungoides, 1951: Jan., 103; 1953: May, 854

in nephrotic syndrome, 1952: July, 933

in polycythemia vera, 1951: Jan.,

in reticulum cell sarcoma, 1951: Jan., 101

Nitroglycerin in angina pectoris, 1953: Sept., 1284, 1289 Nodulation in silicosis, 1953: Nov., 1733

Nodules in arthritis, 1951: Nov., 1753, 1754 Nosebleeds as manifestation of rheu-

matic fever, 1952: Nov., 1650 NPH insulin in diabetes, 1953: May, 725, July, 1105

NPH-50 in diabetes, 1951: Sept., 1529 Nucleus pulposus, 1953: March, 480

Nursing care, skilled, for premature infant, 1952: Nov., 1573 Nutrition, inadequate, iron deficiency

anemia of infancy due to, 1952: Nov., 1686 infant, advances in, 1952: Jan., 273-

288 proper, of premature infant, 1952:

Nov., 1573 Nutritional deficiency, high cardiac output failure in, 1953; July, 975 Nydrazid in tuberculosis, 1952; Sept.,

1260

OATMEAL bath, 1953: May, 800

Obesity, 1951: Nov., 1747; 1952: March, 385-392 at menopause, 1952: March, 520

cause, 1951: March, 493 central role of appetite in, 1951: Sept., 1355

Sept., 1355 emotional aspects, 1951: March, 493– 499

heart disease and, 1951: Sept., 1351-1359

hereditary, 1951: July, 916 hypertension and, 1951: Sept., 1354

hypertension and, 1951: Sept., 1354 in pregnancy, influence of, 1951: May, 733-737

management, performance index as tool in, 1953: May, 733-746 pre- and postoperative care in, 1953: May, 749

psychologic factors in, 1952: March, 387 Obsessive-compulsive neurosis, 1951: Nov., 1795

Obstetrics, analgesia and anesthesia in. 1951: May, 805-815

Rh factor in, 1951: May, 749-770 symposium on, 1951: May, 629-906

Ocular-mucous membrane syndrome, 1951: March, 315-331 Oil clot retraction time in thrombo-

plastin activation, 1953: Nov., 1845 Ointments in dermatoses, 1953: May,

Old age, care in, 1952: March, 569-583 growing problem of, 1951: Jan., 289-293

Oliguria, water-chloride balance studies in, 1951: July, 1131

Ollier's disease in infants and children, 1952: Nov., 1752 Omphalocele, 1952: Nov., 1772

Operation in chronic disease, selection of, 1953: May, 747 Opiates, in inoperable cancer, 1951:

Sept., 1377 in obstetrics, 1951: May, 808

Optic atrophy, syphilitic, 1952: July, 1144

Orality, psychoanalytic concept, application to obesity, 1951: March, 495

Orchidopexy, age of election for, 1952: Nov., 1783

Orchiectomy in carcinoma of prostate gland, 1952: May, 696 Organic vs. functional disease, concept

of, 1952: March, 305-310 Orthopedics, pediatric, 1953: Sept.,

1427-1448 Osgood-Schlatter's disease, 1953: Sept., 1436

Osler's disease, 1951: March, 305 Osseous lesions, noninfectious, of infants and children, 1952: Nov., 1751-1765

Osteitis deformans, familial incidence, 1951: July, 1203-1208

Osteitis fibrosa cystica, 1952: July, 917, Nov., 1713

generalized, complicating polyeystic kidney, clinicopathologic conference, 1952: March, 435 444

Osteoarthritis, diagnosis, 1951: Nov.,

in aged, 1952: March, 581

physical medicine in, 1952: Sept., 1487 Osteochondrosis, 1953: Sept., 1436

coxae, 1953: Sept., 1433

Osteoma, osteoid, in infants and children, 1952: Nov., 1757

Osteomyelitis, cryptococcal, and pulmonary moniliasis in same patient, 1953: Nov., 1737-1746

of cervical spine, neck and shoulder pain due to, 1952: Sept., 1296

Osteoporosis, 1952: May, 847-863 due to immobilization, 1952: May, 860 postmenopausal, 1952: March, 519, May, 849

treatment, 1952: May, 852 Osteosarcoma in infants and children, 1952: Nov., 1758

Ouabain in congestive heart failure, 1951: Sept., 1335

Out-patient clinic, medical, diagnosis in, 1951: Nov., 1799-1805

Ovarian agenesis, 1951: March, 514 Ovary, disorders of, 1951: Nov., 1742 urinary hormone values in, 1951: Nov., 1745

functional tests, 1952: May, 749 tumors, causing precocious pseudopuberty, 1952: Nov., 1721

uterine hemorrhage due to, 1953: Sept., 1503 virilizing, 1952: Nov., 1721

Overeating, emotional factors in, 1951: March, 486

Overhydration, 1951: July, 1121 water-chloride balance studies in, 1951: July, 1133

Oxalate tetany, 1952: May, 892 Oxazolidine-2,4-diones in e epilepsy,

1952: Sept., 1385, 1388 Oxygen, for premature infant, 1952:

Nov., 1572 saturation, arterial, peripheral, in congenital heart disease, 1952: Nov., 1663

relationship to cyanosis, 1951: July, 1185-1202

therapy, in acute pulmonary edema, 1953: July, 959 in asthma, 1952: Sept., 1273 in congestive heart failure, 1951:

Sept., 1345; 1952: March, 424 in liver disease, 1951: Sept., 1453 in pneumonia, 1953: July, 1055

in rheumatic fever, 1952: Nov., 1655 Oxytetracycline in amebiasis, 1953: Nov., 1806

Oxytocics in uterine inertia, 1951: May, 797

Oxyuriasis, treatment, 1953: May, 909

Paget's disease of bone, familial incidence, 1951: July, 1203-1208 Pain, 1952: March, 485-500

abdominal, as manifestation of rheumatic fever, 1952: Nov., 1650 cutaneous, 1952: March, 486

deep, 1952: March, 487 diagnosis, 1952: March, 496

epigastrie, 1952: March, 368-371 in acute pancreatitis, 1953: Jan.,

wrongly attributed to heart, 1952: March, 507

in arthritis, 1951: Nov., 1752 in cancer, control of, 1953: May, 875 Pain, in cervical disk syndrome, 1953: March, 456, 460 in diagnosis, 1953: March, 299 in lower back, 1953: Sept., 1449-1460 in multiple myeloma, 1951: Jan., 192

in paraplegia, control of, 1953: May, 927 lower level, higher-level modifica-

tions of, 1952: March, 492 lumbar, in intervertebral disk syndrome, 1953: March, 484, 508 neck and shoulder, syndromes of,

1952: Sept., 1289-1307 nerve pathway, 1952: March, 489

neuritic, mistaken for heart pain, 1952: March, 504

phantom limb, 1952: March, 491 radicular, 1953: March, 299 referred, 1952: March, 488

response, tests for, in lumbar disk syndrome, 1953: March, 487

sciatic, in lumbar disk syndrome, 1953: March, 485 symbolic, 1952: March, 495

thoracie, 1952: March, 339-341 in heart diseases, 1951: Nov. management, 1952: March, 340

treatment, 1952: March, 498 wrongfully attributed to heart, 1952: March, 501-513

Paint scrapings, lead determination in, 1952: Nov., 1592, 1596

Palpitation in heart diseases, 1951: Nov., 1723

Palsy. See also Paralysis. cerebral, 1953: Sept., 1445

Pancreas, a Jan., 191 atherogenesis and, 1952:

carcinoma of, 1951: Nov., 1687 Pancreatitis, acute, importance of early diagnosis and conservative treat-

ment, 1953: Jan., 199 biliary disease and, 1951: Nov., 1689 chronic recurrent, treatment, 1952: March, 384

Panhypopituitarism, 1951: March, 510 diagnosis, 1951: Nov., 1732

Panparnit parnit in parkinsonism, March, 530, Sept., 1514 1953:

Panthenol in chronic discoid lupus erythematosus, 1951: March, 395 Papanicolaou method for diagnosis of

uterine cancer, 1951: May, 855 Papanicolaou smears, 1953; Sept., 1543 Papanicolaou's technique in carcinoma of prostate, 1952: May, 693

Papaverine in arterial occulsions, 1952: Jan., 143, 149

Papillae, anal, hypertrophied, excision of, 1952: Sept., 1455

Papillitis, anal, 1953: Jan., 270 Para-aminobenzoic acid, in dermatomyositis, 1953: Nov., 1710

in lupus erythematosus disseminatus, 1953: Nov., 1710

Para-aminobenzoic acid, in rickettsial infections, 1953: March, 409

in Rocky Mountain spotted fever, 1951: May, 918

Para-aminosalicylic acid, in meningitis. tuberculous, in children, 1952: Nov., 1622

in tuberculosis, 1951: Jan., 163; 1952: Sept., 1257

in children, 1952: Nov., 1624 resistance, 1951: Jan., 163

Paracentesis, in congestive heart fail-ure, 1952: March, 430 pericardial, 1953; Nov., 1642

Paradione in epilepsy, 1952: Sept., 1385, 1388; 1953; March, 326

Paralysis, cerebral, 1953: Sept., 1445 infantile. See Poliomyelitis.

Paralysis agitans, 1951: Sept., 1476; 1953: March, 523-533, Sept., 1511-1523

Paranoia, alcoholic, 1951: Nov., 1789 paranoid conditions and, 1951: Nov., 1792

Paraplegic, rehabilitation of, 1953:

May, 920 Parasitic diseases, commoner, treatment, 1953: May, 903-913

Parasympathomimetic drugs in supratachycardia, ventricular. 1952: Jan., 13

Parathyroids, disorders of, 1951: Nov... 1736

functional tests, 1952: May, 755 Parentage, question of, 1951: March,

528 Parent-child relationships, 1953:

March, 566 Parenteral feeding in liver disease, 1951: Sept., 1443

Paresis, general, 1951: Nov., 1786; 1952: July, 1142 Parkinsonism, 1953: March, **523-533**,

Sept., 1511-1523

drugs used in, effects, 1953: Sept., 1513 side reactions. management,

1953: Sept., 1520 treatment, 1953: March, 528, Sept.,

1511-1523 Parkinson's disease, physical medicine in, 1952: Sept., 1493

treatment, principles of, 1951: Sept., 1475-1484

Parsidol in parkinsonism, 1953: Sept., 1514

Pastes in dermatoses, 1953: May, 802 Patch test, Vollmer, 1952: Nov., 1522 Patient, as total organism,

March, 305 his conception of his disease, 1952: March, 472

pregnant, isosensitized, management of, 1951: May, 749-770

the physician and disease, 1953: Nov., 1833-1841

Patient-doctor relationship, 1952: Jan., 289-296, March, 308, 469, 585-592 Pediacoumeter, 1952: Nov., 1792

Pediatric health examination, 1952: Nov., 1515-1523

Pediatric orthopedies, 1953: Sept., 1427-1448

Pediatrician, role in mother-child relationship, 1952: Nov., 1548 during first year, 1952: Nov.,

1549 Pediatrics, newer antibiotics in, 1951: Sept., 1504-1522

psychotherapy in, 1951: Sept., 1495-1506

symposium on, 1952: Nov., 1513-1806 Peep show method of hearing tests, 1952: Nov., 1792

Peliosis rheumatica, 1952: Nov., 1707 Pelvimetry, radiographic, 1951: May,

> precision stereoscopic technique, 1951: May, 781, 784

Thoms technique, 1951: May, 779 Pelvis, obstetrical evaluation, with special reference to roentgenology, 1951: May, 771-790

Penicillin, administration, 1952: Jan., 258, 259

practical aspects, 1951: Jan., 23-36 by inhalation, 1951: Jan., 32

caronamide or benemid with, 1951: Jan., 32

combinations with other antibiotics. results, 1951: March, 535-544 cost, 1951: Jan., 34

dosages, 1951: Jan., 23; 1952: Jan., 258, 259

effect on normal fecal flora, 1952: July, 1086

in asthma, aerosol, 1953: July, 1018 bronchiectasis, prophylactic, 1953: Sept., 1354

in colitis, ulcerative, chronic, 1951: Jan., 262

in congestive heart failure, 1952: March, 430

in endocarditis, bacterial, subacute, 1951: Jan., 30

in gonorrhea, 1951: Jan., 30

in gonorrheal vaginitis, acute, 1952: Nov., 1731

infections, Nov., 1611 inaccessible, in 1952:

in infectious diseases, 1951: Jan., 31 in intermittent positive pressure breathing, 1951: Nov., 1704

in meningitis, 1951: Jan., 31: 1953: March, 338

in children, 1951: Sept., 1514, 1515, 1516 intrathecal, 1953: Sept., 1363-1378

meningococcal, 1951: Jan., 31, Sept., 1514

penumococcal, 1951: Jan., 31, Sept., 1575

Penicillin, in neurosyphilis, 1952: July, 1147

in pediatric practice, 1952: Nov., 1608

in pneumonia, 1951: Jan., 27; 1953: July, 1055

in pulmonary diseases, 1951: Nov., 1703

in respiratory infections, 1951: Jan.,

in rheumatic fever, 1952: Nov., 1655 prophylaetic, 1952: Jan., 218, 219 in rheumatic heart disease, prophylactic, 1951: Jan., 30

in Rocky Mountain spotted fever, 1951: May, 921

in spinal cord injuries, 1951: Nov.,

in staphylococcal infections, 1953: Sept., 1468

in syphilis, 1951: Jan., 32, 143-152 in pregnancy, 1951: May, 631-646 in tabes dorsalis, 1951: Nov., 1778

urinary tract infections, 1952: Sept., 1432, 1433

indications, 1951: Jan., 23, 24 instillations in pediatric practice,

1952: Nov., 1610 oral use, 1951: Jan., 32

in children, 1951: Sept., 1512; 1952: Nov., 1609

pediatric practice, potassium, in 1952: Nov., 1609

procaine, in pediatric practice, 1952: Nov., 1609

suboptimal dosage, 1952: Nov., 1610

reactions, 1951: Jan., 32

resistance of staphylococci to, 1953: Sept., 1463

sensitivity ranges, 1951: March, 536 study, method, 1951: Jan., 24

sodium, in inaccessible infections, 1952: Nov., 1611 in pediatric practice, 1952: Nov.,

1609 topical use, 1951: March, 345

Penis, glans, atrophic lesions, 1951:

March, 411-418 Pepper, O. H. Perry, symposium in honor of, 1953: Nov., 1595-1853

Peptic ulcer, 1952: Sept., 1339 alkalosis in, 1953: Jan., 40

antisecretory drugs in, 1952: Sept., 1328

cancer and, 1953: Jan., 67 complications, management, 1952: Sept., 1337; 1953: Jan., 35

diet in, 1952; Sept., 1332 emotional factors, treatment, 1952:

Sept., 1334 epigastric pain in, 1952: March, 370 hemorrhage from, massive, 1953:

Jan., 20 treatment, 1953: Jan., 36 intractable, 1952: Sept., 1337 Peptic ulcer, large, not demonstrable by x-ray, 1952: July, 1099-1110 management, 1953: Jan., 33-40 medical, 1952: March, 379, Sept., 1323-1340

of Meckel's diverticulum, 1953: Jan., 229

perforated, treatment, 1953: Jan., 39 pyloric obstruction in, 1952: Sept.,

treatment, 1953: Jan., 35 Percussion test in lumbar disk syn-drome, 1953: March, 487

Performance index as therapeutic tool in obesity, 1953: May, **733-746** Perforation of gallbladder, 1951: Nov.

Periarteritis nodosa, 1951: Sept., 1277; 1953: May, 778, Nov., 1629 kidney in, 1951: July, 965, 983 retinal changes, 1951: July, 1035

skin manifestations, 1951: March, 365

Periarticular conditions, physical medicine in, 1952: Sept., 1490 Pericardial tap in rheumatic fever,

1952: Nov., 1656 Pericarditis, nonspecific, acute, and differentiation from acute cardiac infarction, 1953: Nov., 1639

tuberculous, surgery in, 1953: Nov.,

with effusion, 1953: Nov., 1642 Pericardium, disease of, observations on, 1953: Nov., 1639-1646

scar, diagnostic features, 1953: Nov., 1643

surgical features, 1953: Nov., 1644 Periodontal disease, 1951: Nov., 1637 Periosteal reaction in differential diagnosis of infantile cortical hyperostosis, 1952: Nov., 1765

Perirenal infections, 1952: Sept., 1429 Perirenal insufflation in adrenal cortex disease, 1952: May, 747

Peroneal muscular atrophy, 1953:

March, 553 Pertussis. See Whooping Cough. Pes adductus, 1953: Sept., 1436 Pes planus, 1953: Sept., 1438

Petit mal seizures, 1953: March, 316, 325 Phantom limb pain, 1952: March, 491 Phenacemide. See *Phenurone*.

Phenacetin in rheumatoid arthritis, 1953: July, 1238

Phenobarbital, in epilepsy, 1952: Sept., 1386, 1389; 1953: March, 322 in hypertension, 1952: July, 1020

in rheumatic fever, 1952: Nov., 1654 Phenol turbidity in liver injury, 1951: Nov., 1661

Phenolsulfonphthalein, exerction, 1951: Nov., 1713

test in hypertension, 1952: Jan., 122 in toxemias of pregnancy, 1951: May, 708

Phenurone, in epilepsy, 1952: Sept., 1386, 1389; 1953: March, 324

liver damage from, 1953: Sept., 1386 Phenylbutazone in rheumatoid arthritis, 1953: May, 819

Pheochromocytoma, 1951: Sept., 1299 diagnosis, 1951: Nov., 1741

hypertension associated with, 1952: July, 1016

tests for, in hypertension, 1952: Jan., 123, May, 754 Phlebothrombosis, 1953: July, 1113-

1118 Phlebotomy in congestive heart failure,

1952: March, 432 Phoria, test for, 1952: Nov., 1520

Phosphatase, acid, in carcinoma of prostate, 1952: May, 694

in malignancy, 1951: Nov., 1829 alkaline, in liver injury, 1951: Nov., 1659

in malignancy, 1951: Nov., 1831 in parathyroid disease, 1952: May, 755

in carcinoma of prostate, serum, 1951: Nov., 1830 in diagnosis of malignancy, 1951:

Nov., 1829 in liver disease, 1953: Jan., 119

Phosphorus, liver damage from, 1953: Sept., 1387

metabolism, in renal disease, 1951: Nov., 1719

radioactive, in benign giant follicular lymphoma and lymphosarcoma, 1951: Jan, 101

in carcinoma, 1951: Sept., 1377 in leukemia, 1951: Jan., 96, Sept., 1386; 1953: May, 852

in lymphomas, 1953: May, 852 in multiple myeloma, 1951: Jan., 218

in polycythemia vera, 1951: Jan., 103

in reticulum cell sarcoma, 1951: Jan., 101

serum in parathyroid disease, 1952: May, 755

Photometry, flame, 1951: Nov., 1589 Physical activity, restriction of, in treatment of tuberculosis in chil-

dren, 1952: Nov., 1620 examination, Physical in allergie states, 1951: Nov., 1600

in arthritis, 1951: Nov., 1753 in congenital heart disease, 1952: Nov., 1660

in liver disease, 1951: Nov., 1649 in medical out-patient clinic, 1951: Nov., 1803

of newborn infant, 1952: Nov., 1564 Physician, and his patient, 1952: Jan., 289-296, March, 308, 469, 585-592

deportment assumed by, March, 586

importance, 1953: Nov., 1822

Physician, obligations, on assuming professional care, 1953: Sept., 1566 placebo and, 1953: Nov., 1821-1826 psychologic effect of patients on, 1952: March, 585-592

qualities in, affecting acceptance by patient, 1952: March, 587 responsibility for acts of others, 1953:

Sept., 1569 the patient, and disease, 1953: Nov., 1833-1841

Physician-patient relationship, establishment and termination, 1953: Sept., 1567

Physiology, of psychotherapy, 1952: March, 447-456

of respiration, 1951: Nov., 1699 Physiotherapy, in cerebral hemorrhage and thrombosis, 1952: Jan., 170

in chronic vascular occlusions, 1952: Jan., 148

in functional disorders, 1953: Nov., 1800

in parkinsonism, 1953: Sept., 1517 in Parkinson's disease, 1951: Sept., 1481

Pigmentary disorder, progressive, 1951: March, 457

Pitocin, in uterine inertia, 1951: May, 797

intravenous, to induce labor, 1952: Sept., 1481

Pituitary, anterior lobe, disorders of, 1951: Nov., 1727

diagnostic criteria, 1951: Nov., 1733

basophilism, 1951: Sept., 1290 extracts in infertility in women, 1961: May. 837

function, tests, 1952: May, 751, 753 posterior lobe, disorders of, 1951: Nov., 1732

therapy in hypertension, 1952: Jan., 136

Placebo(s), and the physician, 1953: Nov., 1821-1826

in treatment of functional disorders, 1953: Nov., 1799

pharmacologic action, 1953: Nov., 1825

therapy, 1953: Nov., 1823

Placenta praevia, induction of labor in, 1952: Sept., 1473

Plasma, accelerator factor deficiency as cause of bleeding, 1951: Jan., 272 fractions, in hemophilia, 1951: Sept.,

in Ac globulin deficiency, 1953: Nov., 1851

intravenous, in nephrotic syndrome, 1952: July, 932

Plasma acetone, test, 1953: Sept., 1540 Plasma cell myeloma, treatment, 1953: May, 844, 847, 851, 858, 862

Plasma C/P ratios, 1952: Jan., 180

Plasma hypervolemia in congestive heart failure, 1952: Jan., 31 Plasma proteins in multiple myeloma

1951: Jan., 210

Platelet count, adhesive, 1953: Nov., 1847

in thromboplastin activation, 1953: Nov., 1845

Pleiotropism of genes, 1952: July, 912 Pleura, lesions, in silicosis, 1953: Nov., 1734

Plummer-Vinson syndrome, 1952: July, 912

PMLE (pregnant mammalian liver extract) in diabetic neuritides, 1952: Sept., 1366

Pneumoconiosis, 1953: Nov., 1725 in industry, 1953: Nov., 1735

Pneumonia, atypical, primary, in childdren, treatment, 1951: Sept., 1519 diagnosis, 1953: July, 1052

Friedländer's, 1953: July, 1047 influenzal, 1953: July, 1045

management, current problems, 1953: July, 1035-1057

pneumococcal, in children, treat-ment, 1951: Sept., 1519 recurrent, 1953: July, 1044 streptococcal, 1953: July, 1043

tuberculous, 1953: July, 1049, 1051 Pneumonolysis, extrapleural, in tuberculosis 1952: Sept., 1264

in tuberculosis. Pneumoperitoneum 1952: Sept., 1261

Pneumothorax, artificial, in tubercu-losis, 1952: Sept., 1260 Poisoning, lead. See Lead poisoning.

Poliomyelitis, 1951: Jan., 175-188; 1953: March, 363-372 anterior, acute, 1951: Nov., 1774

bulbar, 1951: Jan., 186; 1953: March, 368

circulatory center involvement, 1953: March, 370

encephalitic form, 1953: March, 371 paralytic, following injection of vaceines and toxoids, 1952: Nov., 1604 respirator in, 1951: Jan., 185

respiratory center involvement, 1953: March, 370

spinal type, 1953: March, 365 spinobulbar type, 1953: March, 370 Polycystic disease, congenital, 1952:

915 Polycythemia, treatment, 1951: Jan., 103

Polycythemia vera, treatment, 1953; May, 844, 851, 852, 854

Polymyxin, dosage, 1952: Jan., 259 effect on normal fecal flora, 1952: July, 1089

in shigellosis, 1952: July, 1097 Polyneuritic syndromes, diagnosis and treatment 1952: Sept., 1357-1372

Polyostotic fibrous dysplasia with precocious puberty, 1952: Nov., 1713

Polyposis, complicating ulcerative colitis, 1953: July, 1164

intestinal, hereditary, with oral pigmentation, 1952: July, 913

Polyps, gastric, cancer and, 1953: Jan.,

of anus, fibrous, excision of, 1952: Sept., 1455

of rectum, benign, removal of, 1952: Sept., 1436 office treatment, 1953: Jan., 270

in children, 1953: Jan., 275 Porphyria, acute, autonomic blocking agents in, 1952: Sept., 1367

Port-wine mark, 1951: March, 303 Postcholecystectomy syndrome, 1953:

Jan., 169-179 Postcoital test in infertility, 1951: May, 821

Postmaturity, induction of labor in, 1952: Sept., 1478

Postoperative care in chronic illness, 1953: May, 747-765

Posture, changes in growing child, 1952: Nov., 1533-1540

correction, 1952: Nov., 1539

defects, physical medicine in, 1952: Sept., 1485

development, pattern of, 1952: Nov., 1533

mechanics of, 1952: Nov., 1534 normal, factors influencing, Nov., 1537 1952:

prevention of deformities, 1952:

Nov., 1539 Postural drainage in bronchiectasis,

1953: Sept., 1354 Potassium, analysis, 1951: May, 903 clinical aspects, 1951: May, 901

concentration in renal disease, 1951: Nov., 1718 deficit in nephrotic syndrome, 1952:

July, 930 in congestive heart failure, 1953:

July, 983 in diabetic acidosis and coma, 1952:

May, 780 pathologie physiology, 1951: May, 893-906

replacement, 1953: May, 759

serum concentration, 1951: Nov., 1827

relation to volume of body water, 1951: Nov., 1818

Potassium chloride in premature contractions, 1952: Jan., 11 Potassium penicillin. See under Peni-

cillin Potassium permanganate bath, 1953:

May, 800 Potassium thiocyanate in hypertension, 1952: July, 1021

Preanesthetic drugs. approximate dosages in children, 1952: Nov., Precocity, developmental, 1952: Nov., 1715 incomplete (partial), 1952: Nov.,

1726 Pre-eclampsia, 1951: May, 681, 682 induction of labor in, 1952: Sept.,

1476 kidney function in, 1951: May, 699-714

treatment, 1951: May, 688

Pregnancy, advisability in tuberculosis, 1951: May, 652

antithyroid drugs in, 1951: Sept., 1320 biliary disease and, 1951: Nov., 1689 circulatory changes in, 1951: May, 667

diabetes and, 1951: May, 659-665; 1953: July, 1110

induction of labor in, 1952: Sept.,

management, 1953: Sept., 1481-1496

eclampsia in, 1951: May, 681 management, 1951: May, 693 glomerulonephritis in, 1951: July,

1051-1068 heart disease and, management, 1951: May, 667-676

hematuria during, 1951: May, 724 hypertensive disease of, vascular, 1951: May, 682

treatment, 1951: May, 686 hyperthyroidism in, 1953: July, 1065 antithyroid drugs in, 1952: May,

radioiodine in, 1952: May, 635 interruption, in tuberculosis, 1951: May, 653

in urological complications, 1951: May, 730

isosensitization. in. management, 1951: May, 749-770

kidney disease in, 1951: May, 684 treatment, 1951: May, 696 obesity in, influence of, 1951: May,

733-737 pre-eclampsia in, 1951: May, 681, 682

treatment, 1951: May, 688 tuberculosis in, 1951: pulmonary May, 647-657

pyelonephritis of, 1951: May, 715 syncope due to decubitus position in, 1953: Sept., 1323

syphilis in, treatment, 1951: 148, May, 631-646

tests, 1951: Nov., 1588 toxemias of, 1951: May, 677-698 fluids and electrolytes in, 1951:

May, 899

hypertensive, 1951: Nov., 1716 kidney function in, 1951: May, 699-714

urological complications, management, 1951: May, 715-731 water and electrolyte solutions in, 1951: May, 893-906

Pregnanediol in urine, 1951: Nov., 1588 Pregnenetriolone in rheumatoid arthritis, effects, 1951: Jan., 19, 20 Premarin, in amenorrhea, 1953: July,

in menometrorrhagia, 1952: Nov.,

1735
Premature infant. See under Infant(s).
Prematurity as cause of death, 1951:

May, 739 Premenstrual tension, 1952: May, 719 Preoperative care in chronic illness, 1953: May, 747-765

Pressure breathing, positive, intermittent, 1951: Nov., 1703

Pressure sores in paraplegia, 1953: May, 925
Presention of abronic illness 1953:

Prevention of chronic illness, 1953: May, 636

Priscoline, hypotension due to, 1953: Sept., 1332

Procaine amide, in paroxysmal ventricular tachycardia, 1952: Jan., 17; 1953: July, 962

in premature contractions, 1952: Jan., 13

in ventricular fibrillation, 1952: Jan., 18

Procaine pencillin. See under Penicillin.

Proctitis, ulcerative, recurrent, 1951: Jan., 243

Proctologic diagnosis and office procedures, 1952: Sept., 1445-1457 Proctologic examination, 1952: Sept.,

1447; 1953: Jan., 262 Proctology, office, 1953: **261–275** pediatric, 1953: Jan., 274

Proctoscopy, 1953: Jan., 264 Progesterone, in abnormal uterine bleeding, 1952: May 714, 715

in amenorrhea, 1952: May, 709; 1953: July, 1087

in pregnancy with diabetes, 1953: Sept., 1485

in functional uterine bleeding, 1951: May, 876

in infertility in women, 1951: May, 837

in rheumatoid arthritis, effects, 1951: Jan., 17, 20

Prolonged illness, symposium on, 1953: May, 629-941

Proluton in infertility in women, 1951: May, 838

Promizole, in pulmonary tuberculosis in children, 1952: Nov., 1624 in tuberculous meningitis, 1953:

March, 351 in children, 1952: Nov., 1612

Pronestyl. See Procaine amide. Propylthiouracil, in hypertension, 1952; July, 1021

in hyperthyroidism, 1951: Sept., 1309; 1952: May, 619, 620

Propylthiouracil, in myocardial ischemia, 1953; Sept., 1291 Prostate, carcinoma, 1952; May, **689**–

adrenalectomy in, 1952: May, 699 estrogen therapy, 1952: May, 695 orchiectomy in, 1952: May, 696 prostatectomy in, 1952: May, 697

prostatectomy in, 1952: May, 697, 698

hormonal therapy after, 1952: May, 698 radiotherapy in, 1952: May, 699

disease of, in aged, 1952: March, 581 pre- and postoperative care in, 1953: May, 753 massage, 1952: Sept., 1425

Prostatectomy in carcinoma of prostate, 1952: May, 697, 698

Prostatitis, 1952: Sept., 1423, 1424 Prostatovesiculitis, acute, 1952: Sept., 1424

Prostigmin in paroxysmal auricular tachycardia, 1953: July, 965 Protamine, in lymphomas, 1951: Jan.,

106 sulfate in hyperheparinemia, 1953:

Nov., 1851 zinc insulin in diabetes, 1951: Sept., 1528: 1953: May, 721, 723, July, 1105 Protein, Benee-Jones, in multiple

myeloma, 1951: Jan., 211, Nov., 1834 in infant feeding, 1952: Jan., 275

plasma, in multiple myeloma, 1951: Jan., 210

substitutes, in nephrotic syndrome, 1952: July, 932 therapy, in hepatitis, 1953: Jan., 139

pre- and postoperative, 1953: May, 755 Protein hydrolysates in peptic ulcer,

1952: Sept., 1326 Protein-bound iodine in blood, 1951:

Nov., 1587 Proteinosis, lipoid, 1951: March, 451

Proteinuria, in renal diagnosis, 1951: Nov., 1709 postural, 1951: July, 1017-1022

Proteus agglutination reaction in Rocky Mountain spotted fever, 1951: May, 914

Prothrombin, activity in liver injury, 1951: Nov., 1668

consumption in thromboplastin activation, 1953: Nov., 1845

conversion factors, deficiency of, bleeding due to, 1952: July, 1064 deficiency, treatment, 1951: Jan., 271 level, maintenance in anticoagulant

therapy, 1952; Jan., 113 test, one-stage, 1953; Nov., 1846 time in jaundice, 1952; March, 399 in liver injury, 1951; Nov., 1658

Pruritus, anogenital, 1953: May, 789 chronic, generalized, 1953: May, 785, 787 Pruritus, in aged, 1952: March, 579 atopic dermatitis, treatment. 1952: July, 1135 Pruritus ani, office treatment, 1953: Jan., 272 Pseudo-appendicitis, 1953: Jan., 14 Pseudoglioma in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581 Pseudohemophilia, 1952: July, 1054 Pseudohermaphroditism, female, 1952: Nov., 1717 Pseudohypoparathyroidism, 1952: May, 889 diagnosis, 1951: Nov., 1737 Pseudopuberty, and precocious puberty, 1952: Nov., 1711-1728 due to Leydig cell tumors and teratoma. 1952: Nov., 1725 heterosexual, in boys, 1952: Nov., 1723 in girls, 1952: Nov., 1717 isosexual, in girls, 1952: Nov., 1721 Nov., 1721 tumors causing, 1952: Pseudo-ulcer, 1953: Jan., 14 Psyche and soma, interaction of, 1952: ehiatrie diagnosis, 1951: Nov., 1781-1797 Psychiatric Psychiatric diseases. classification. 1951: Nov., 1783 etiology, 1951: Nov., 1782 Psychiatric examination, mental stage, 1951: Nov., 1786 physical stage, 1951: Nov., 1785 Psychiatric manifestations of cerebral damage in essential hypertension, 1951: Jan., 133-142 Psychiatric patient, neurological ex-amination of, 1962: Sept., 1401 Psychiatry and neurology, symposium on, 1953: March, 295-607 Psychic equivalents, 1953: March, 316, 322 Psychogalvanometer in hearing tests, 1952: Nov., 1792 Psychologic effect of patient on doctor, 1952: March, 585-592 Psychoneuroses, 1951: Nov., 1794 definition, 1951: Nov., 1783 treatment, 1951: Nov., 179 1796types, 1951: Nov., 1795 Psychometer, Maico, 1952: Nov., 1792 Psychopathology in mother, 1952:

Nov., 1546

Psychoses, common,

symptoms, 1953: March, 584

definition, 1951: Nov., 1784

manic-depressive, 1951: Nov., 1790

manic phase, 1953: March, 589

Nov., 1790 Korsakoff's, 1951: Nov., 1789

definition, 1951: Nov., 1783 functional, 1953: March, 584, 585, 588

diagnosis and treatment, 1951:

characteristic

Psychoses, organic, 1951: Nov., 1786; 1953: March, 584, 585, 586 definition, 1951: Nov., 1784 psychogevic, 1951: Nov., 1790 senile, 1951: Nov., 1787 toxic, 1951: Nov., 1789 acute, 1953: March, 583, 584, 585 definition, 1951: Nov., 1784 treatment, 1991; Nov., 1784 types, 1981; Nov., 1786 Psychotherapy, in alcoholism, 1953; March, 599 in colitis, ulcerative, 1951: Jan., 254; 1953: July, 1169 in dermatitis, 1953: July, 1184 atopic, 1952: July, 1136 in dysmenorrhea, 1951: May, 862 in hypertension, 1952: July, 1019; 1953: July, 1003 in hyperthyroidism, 1953: May, 696 in infertility, 1951: May, 833 in insomnia, 1952: March, 550 in lymphomas, 1951: Jan., 108 in medical care of children, 1951: Sept., 1495-1506 in menopause, 1951: May, 887 in obesity, 1951: March, 493 in painful states, 1952: March, 499 in parkinsonism, 1953: Sept., 1518 in Parkinson's disease, 1951: Sept., 1480 in peptic ulcer, 1953: Jan., 33 in psychotic episodes, acute, 1953: March, 591 physiology of, 1952: March, 447-456 Psychotic episodes, acute, diagnosis and treatment, 1953: March, 579-Pteroylglutamic acid. See Folic acid. Pubertal ertal development, 1952: Nov., 1712 precocious, Puberty, delayed, 1951: March, 513 onset of, 1952: Nov., 1711 precocious, 1951: March, 505 and pseudopuberty, 1952: Nov., 1711-1728 constitutional, 1952: Nov., 1714 17-ketosteroids in, 1952: May, 762 polyostotic fibrous dysplasia with, 1952: Nov., 1713 esulting from organic lesions, 1952: Nov., 1713 resulting true, 1952: Nov., 1713 uterine bleeding at, 1953: Sept., 1499 Pulmonary. See also Lung. circulation, cardiac catheterization in study of, 1952: July, 1035 chronic, anau-in features, diseases, anatomic and pathologic Nov., 1695 diagnosis and treatment, 1951: Nov., 1695-1706 respiratory difficulties in, 1951: Nov., 1723 roentgenograms in diagnosis of,

1951: Nov., 1698

Pulmonary diseases, pre- and postoperative care in, 1953: May, 752

stenosis, cardiac catheterization in, 1952: July, 1045 congenital, with intact ventricular

septum, 1952: Jan., 49 roentgenology in, 1952: Jan., 66 tuberculosis. See *Tuberculosis*.

ventilation, 1951: Nov., 1700 Pulmonic stenosis, pure, 1952: Nov., 1669

Pulsus paradoxus, 1953: Nov., 1641 Punch biopsy. See under Biopsy. Purinethol in leukemia, 1953: Nov.,

1764 Purpura, 1951: March, 367

allergie, 1952: Nov., 1707 anaphylactoid, 1952: Nov., 1707

senile, 1952: July, 1053 thrombocytopenic, 1951: Sept., 1416; 1952: Nov., 1698

clinical forms, 1952: Nov., 1699 congenital forms, 1952: Nov., 1698 idiopathic, 1952: July, 1056, Nov., 1701

pathogenesis and treatment, 1953: Sept., 1395-1407 treatment, 1951: Jan., 267

secondary or symptomatic, 1952: July, 1057

splenectomy for, 1953; Jan., 191 thrombotic, 1952; July, 1058 Purpura annularis telangiectodes,

1951: March, 457 Purpura haemorrhagica, treatment,

Purpura haemorrhagica, treatment, 1951: Jan., 267 Purpuric diseases, pigmentary, of

Purpuric diseases, pigmentary, of lower extremity, 1951: March, 457– 462

Pyelogram, intravenous, in hypertension, 1952: Jan., 123

Pyelonephritis, 1952: Sept., 1413, 1428 chronic, in pregnancy, 1951: May, 725 pathologic aspects, 1951: July, 971

intrapartum, 1951: May, 720 of pregnancy, 1951: May, 715

postpartum, 1951: May, 721 retinal manifestations, 1951: July, 1033

treatment, 1952: Sept., 1415 Pylorus, obstruction, in peptic ulcer, 1952: Sept., 1338

treatment, 1953: Jan., 35 Pyrazinamide in tuberculosis, 1952: Sept., 1260

Pyribenzamine, structural formula, 1951: March, 334

Pyrogen(s), hypotension due to, 1953; Sept., 1333

(Pyromen) in malignant hypertension, 1951: Jan., 125

Pyrosis, 1952: March, 371

wrongly attributed to heart, 1952: March, 507 Q FEVER, nervous system involvement, 1953: March, 395-422

Queyrat's erythroplasia, 1951: March, 413, 414

Quick's prothrombin test, 1953: Nov., 1846

Quinacrin in amebiasis, 1953: Nov., 1807

Quinidine, administration, for reversion, 1952: July, 1027 in atrioventricular heart block.

in atrioventricular heart block, 1952: Jan., 19 in auricular fibrillation, 1952: Jan.,

16, July, 1026; 1953: July, 978 in auricular flutter 1952: Jan., 15, July, 1027

in paroxysmal supraventricular tachycardia, 1952: Jan., 13, July, 1027

in paroxysmal ventricular tachycardia, 1952: Jan., 17, July, 1027; 1953: July, 962

1953: July, 962 in premature contractions, 1952: Jan., 11, July, 1027

in ventricular fibrillation, 1952: Jan., 19, July, 1027

therapeutic use, 1952: July, 1025-1034 Quininium exchange indicator compound for determining gastric acidity, 1951: March, 593-602

R-46 in leukemia and allied disorders, 1953: Nov., 1760

Rabellon in parkinsonism, 1953: Sept., 1514

Rabies, 1953: March, 375, 380, 385 treatment, 1953: March, 390

Radiation, ionizing, bleeding due to, 1951: Sept., 1421

syndrome, 1952: Jan., 264 Radioiodine. See *Iodine*, radioactive. Radiologic examination in diagnosis of liver disease, 1951: Nov., 1677

Radiomimetic agents in leukemia and allied disorders, 1953: Nov., 1755 Radiophosphorus. See Phosphorus,

radioactive.
Radiotherapy in carcinoma of prostate, 1952: May, 699

Radium, in postmaturity abnormal uterine bleeding, 1952: May, 716 treatment of angioma, 1951: March,

308 of inoperable carcinoma, 1951: Sept., 1366

Raspberry mark, 1951: March, 306 Rauwolfia in hypertension, 1953: Sept.,

Raynaud's disease, 1951: March, 366 Raynaud's syndrome, 1952: Jan., 156 Reaction, inflammatory, delayed, 1953:

Nov., 1626 whealing, immediate, 1953: Nov., 1626

Reagents for office laboratory, 1953: Sept., 1530 Rectum, abscesses, incision of, 1952: Sept., 1455

examination, 1952: Sept., 1447 impactions, treatment, 1952: Sept., 1456

polyps, benign, removal of, 1952: Sept., 1456

office treatment, 1953: Jan., 270 in children, 1953; Jan., 275

prolapse, in children, 1953: Jan., 274 Recumbency, effects, management, 1951: March, 545-562

Reflex(es), in cervical root compression, 1953: March, 459

lumbar disk syndrome, 1953: in March, 491

testing, 1953: March, 309

in neurology, 1952: Sept., 1399 Reflex therapy, conditioned, in alcohol-ism, 1953; March, 600

Regitine test of adrenal medulla func-

tion, 1952: May, 754 Regurgitation, 1952: March, 375; 1953: Jan., 4

Rehabilitation, in chronic disease, 1953: May, 638, 915-932 in rheumatoid arthritis, 1953: May,

815 of handicapped, place of official agency in, 1953: May, 933-941

of paraplegie, 1953: May, 920 Reiter's disease, 1951: March, 326 Renal. See also Kidney.

diagnosis, principles of, 1951: Nov., 1707-1720

Rendu-Osler-Weber's disease, 1951: March, 305

Renin-antirenin therapy in hypertension, 1952: Jan., 135

Research, avenues of, in chronic disease, 1953: May, 640

Resection surgery in tuberculosis, 1952: Sept., 1264

Resins, cation exchange, in congestive heart failure, 1951; Sept., 1344; 1952: March, 432; 1953: May, 651

in edema, 1952: July, 958

in liver disease, 1953: July, 1148 in peptic ulcer, 1952: Sept., 1327 use, magnesium levels following, 1952: July, 1165

Respiration, extrauterine, in newborn infant, 1952: Nov., 1563

physiology of, 1951: Nov., 1699 Respirator in poliomyelitis, 1951: Jan., 185; 1953: March, 366

Respiratory difficulties in heart dis-

eases, 1951: Nov., 1722 Respiratory infection, hemolytic streptococcal, prevention, 1952: Jan.,

in children, treatment, 1951; Sept.,

Respiratory tract manifestations of allergic disorders, 1951: Nov., 1594 Rest, in arthritis, rheumatoid, 1953: July, 1240

in dermatitis, acute, 1952; Sept., 1440 in heart failure, congestive, 1952: March, 422

in hypertension, arterial, 1953: Nov., 1650

in hyperthyroidism, 1953: May, 698 in tuberculosis, 1952: Sept., 1256 Restraints in acute psychoses, 1953:

March, 581 Resuscitation, cardiac, 1953: July, 968 Reticulocyte count, 1953: Sept., 1538

Reticulo-endothelial diseases, liver in, 1953: Jan., 101

Reticuloendotheliosis, 1951: March,

in differential diagnosis of bone cysts, 1952: Nov., 1756 nonlipid, 1951: March, 450

Reticulogranuloma, benign. March, 469

Reticulum cell sarcoma, treatment, 1951: Jan., 101

Retina, lesions of, in renal disease, 1951: July, 1023-1039

Retinal dysplasia in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581

Retinitis pigmentosa, heredity in, 1951: March, 525

Retinoblastoma, hereditary aspects, 1951: March, 530

in childhood, 1952: Nov., 1802 in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581

Retinopathy of prematurity, Nov., 1579

Retrolental fibroplasia, 1952: Nov., 1579-1585

Retroversion of uterus, sterility and, 1951: May, 820, 835

Rh factor in obstetrics, 1951: May, 749-770

Rheumatic fever, chronic pulmonary disease in, 1951: Jan., 170 convalescent care, 1952: Nov., 1657 course, 1952: Nov., 1653 diagnosis, 1951: Nov., 1759; 1952:

Nov., 1649

diet in, 1952: Jan., 225 management, 1952: Nov., 1653 manifestations, 1952: Nov., 1649

major, 1952: Nov., 1651 minor, 1952: Nov., 1649 nature of, 1953: July, 1215

prevention of recurrences, 1952: Nov., 1657

prophylaxis, 1952: Jan., 217, 218 rebound reactions, 1953: July, 1232 recognition and management, 1952: Nov., 1649-1658

subelinical, 1952: Jan., 224 treatment, 1952: Jan., 219; 1953:

July, 1215-1234 symptomatic, 1952; Nov., 1653 Rheumatic heart disease, development, 1953: July, 1215

disability in, causes, 1953: May, 668

in pregnancy, management, 1951: May, 671

Rheumatic subject, care of, 1952: Jan., 217-228

Rheumatism, palindromic, diagnosis, 1951: Nov., 1759

psychogenie, diagnosis, 1951: Nov., 1762

Rhinitis, allergic, perennial, 1953: May, 770

vasomotor, 1953: May, 770 Riboflavin in infant nutrition, 1952: Jan., 280

Rice diet in hypertension, 1951: July,

1107; 1952; Jan., 127, 135 Rickets, refractory, in infants and children, 1952; Nov., 1761 renal, 1951; July, 1077

Rickettsial agglutination test in Rocky Mountain spotted fever, 1951: May, 915

Rickettsial infections, diagnosis, 1953: March, 401

prevention, 1953: March, 419 treatment, 1953: March, 406

Rickettsialpox, nervous system involvement, 1953: March, 395-422 Rimifon in tuberculosis, 1952: Sept.,

1260 Rings, vascular, 1952: Nov., 1665 Robinson-Power-Kepler test in Addi-

son's disease, 1952: May, 723, 745 Rocky Mountain spotted fever, 1951: May, **907-930**

nervous system involvement, 1953: March, 395-422

ticks, 1951: May, 908 removal from body, 1951: May, 927

Roentgen diagnosis, of Addison's disease, 1952: May, 722, 747

ease, 1952: May, 722, 747 of bronchiectasis, 1953; July, 1027 of carcinoma of stomach, 1953: Jan., 74

of cervical root compression, 1953; March, 470

of chronic subdural hematoma, 1953: March, 447

of congenital malformations of heart, 1952: Jan., 53

of hypothyroidism, 1952: May, 743 of large gastric ulcers, failures in, 1952: July, 1099-1110

of lumbar disk syndrome, 1953: March, 492

of multiple myeloma, 1951: Jan., 196

of parathyroid disease, 1952: May, 755

of silicosis, 1953: Nov., 1725-1736 of ulcerative colitis, 1951: Jan., 249 Roentgen examination, in arthritis, 1951: Nov., 1755

in backache, 1953: July, 1209 Roentgen findings after isoniazid in pulmonary tuberculosis, 1953: May, 888

Roentgen pelvimetry, 1951: May, 778 Roentgen stimulation in infertility in women, 1951: May, 838

Roentgen treatment, of amenorrhea, 1952: May, 711; 1953: July, 1092 of benign giant follicular lymphoma and lymphosarcoma,

1951: Jan., 101 of cervical root compression, 1953:

March, 468 of Cushing's disease, 1951: Sept., 1292

of Hodgkin's disease, 1951: Jan., 99; 1953: May, 844

of hyperthyroidism, 1951: Sept., 1312

of inoperable carcinoma, 1951: Sept., 1366

of leukemia, 1951: Sept., 1385; 1953: May, 844 of lymphosarcoma, 1953: May, 844

of malignant lymphomas, 1951: Sept., 1385; 1953: May, 844 of multiple myeloma, 1951: Jan.,

of mycosis fungoides, 1951: Jan.,

of polycythemia vera, 1951: Jan.

of rheumatoid arthritis, 1953: May, 817

of skin diseases, 1953: July, 1181 Roentgenography, in diagnosis of congenital heart disease, 1952: Nov., 1660

of newborn infant, 1952: Nov., 1568 of skull in hydrocephalus, 1952: Nov., 1742

Roniacol in chronic arterial occlusions, 1962: Jan., 150

Root syndromes, cervical. See Cervical root compression.

Rubella, immunization, 1952: Nov., 1604

Rubeola. See Measles.

Rubin test, 1951: May, 827 Rupture of membranes for inducing

labor, 1952: Sept., 1481 Rutin, effect on capillary permeability, 1952: Jan., 211

Salazopyrin in ulcerative colitis, 1953: July, 1170

Salicylates, in liver disease, 1953: July, 1144

in rheumatic fever, 1952: Jan., 223, Nov., 1654; 1953: July, 1218 prophylaxis, 1952: Jan., 218

in rheumatoid arthritis, 1953: July, 1237 Salicylates, toxicity, 1953: July, 1221 Salmonella infections in children, treatment, 1951: Sept., 1517

Salpingohysterography, 1951: May, 828 Salt(s), alkaline, in nephrotic syn-drome, 1953; July, 1137

depletion, in heart disease therapy, 1952: Jan., 111, March, 430 recognition and management, 1951:

Sept., 1533-1542

syndrome, 1952: July, 962; 1953: July, 983 as complication of treatment of

cardiorenal disease, 1951: July, 1139-1156

foods containing, 1951: Jan., 82 foods low in, 1951: Jan., 83

hormone deficiency, androgen-pro-ducing adrenocortical hyperplasia associated with, 1952: Nov., 1725

restriction in Addison's disease, diagnostic, 1952: May, 722, 746 in cardiovascular renal disease, 1951: July, 1109

in heart failure, 1951: Sept., 1347; 1953: May, 648

in hypertension, 1952: Jan., 127, 136; 1953; July, 1007

handicaps of, 1953: May, 671 in Laennec's cirrhosis, 1951: Jan.,

in liver disease, 1951: Sept., 1448; 1953: Jan., 137, July, 1147 in nephrotic syndrome, 1952: July,

929 in obesity with heart disease, 1951: Sept., 1356

premenstrual tension, 1952: in May, 719

menus providing, 1951: Jan., 86 tolerance test in Addison's disease, 1952: May, 746

Sarcoidosis, 1953: May, 829-841 Sarcoma, osteogenic, 1952: Nov., 1803 in childhood,

reticulum cell, treatment, 1951: Jan., current trends, 1951: Sept.,

1381 Scalenus anticus syndrome, 1952: Sept.,

1298

Scalp examination, 1952: Nov., 1522 Scatter charts, use of, 1951: Nov., 1585 Schamberg's disease, 1951: March, 457 Schiller's iodine test in cancer diagnosis, 1951: May, 857

Schistosomiasis, of liver, 1953: Jan., 103 treatment, 1953: May, 911

Schizophrenia, 1951: Nov., 1793; 1953: March, 584, 589

Schonlein-Henoch's syndrome, 1952: Nov., 1707

School, effect on normal posture development, 1952: Nov., 1538 problems in children, 1953: March, 568

Schüller-Christian disease, 1952: Nov., 1756

Sciatica, neurological aspects, 1953: March, 479-502, 503-510

Scintigrams, 1952: July, 987 Scleredema adultorum, 1951: Sept., 1270

Scleroderma, 1951: Sept., 1271; 1953: Nov., 1701

chronic pulmonary disease in, 1951: Jan., 171

of glans penis, 1951: March, 415 Sclerosis, amyotrophic lateral, diagnosis, 1951: Nov., 1772

manifestations, emotional 1952: March, 479

endocardial, 1952: Nov., 1666 multiple, 1951: Nov., 1779

onset and duration, 1953: March, 511-521

physical medicine in, 1952; Sept., 1492

posterolateral, diagnosis, 1951: Nov., 1776

Scoliosis, 1953; Sept., 1443 Scopolamine, in motion sickness, 1952:

Sept., 1378, 1379 in obstetrics, 1951: May, 808, 809

in parkinsonism, 1953: Sept., 1512 Screening, in detection of chronic dis-

ease, 1953: May, 637 tests, 1952: Nov., 1518

Scrub typhus, nervous system involvement, 1953: March, 395-422

Scurvy, 1952: July, 1055 in differential diagnosis of infantile cortical hyperostosis, 1952: Nov., 1765

Seasickness, treatment, 1952: Sept., 1373-1380

Sedatives in asthma, 1953: July, 1017 in hyperthyroidism, 1953: May, 698 in insomnia, 1952: March, 551 in liver disease, 1951: Sept., 1454

in peptic ulcer, 1952: Sept., 1336 in psychosis, acute, 1953: March, 581 in rheumatic fever, 1952: Nov., 1654

testing pain with, 1952: March, 497 Sedimentation rate, age and, relationship, 1951: July, 1209-1211

in ACTH and cortisone therapy, 1952: Jan., 235

in congenital heart disease, 1952: Nov., 1662

in rheumatic fever, 1952: Nov.,

Semen examination, 1951: May, 821 Sensation, anatomy and physiology of, 1951: Nov., 1768

disturbances of, 1953: March, 299 Sensitivity testing, use and abuse, 1953: Sept., 1465

Sensory function, testing, in neurology, 1952: Sept., 1400

Sensory testing, 1953: March, 301 in cervical root compression, 1953: March, 459

in lumbar disk syndrome, 1953: March, 490

Septal defects, roentgenology in, 1952: Jan., 66

Serum, acid phosphatase in carcinoma of prostate, 1951: Nov., 1830 albumin. See under Albumin.

alkaline phosphatase in liver disease, 1953: Jan., 119

anion concentration 1951: Nov., 1826

bilirubin in liver injury, 1951: Nov., 1653, 1668

carbon dioxide concentration. See under Carbon Dioxide.

chloride concentration. See under Chloride(s).

choline esterase in liver disease, 1953: Jan., 120

concentrations of electrolytes, clinical interpretation, 1951: Nov., 1807–1828

immune, in Rocky Mountain spotted fever, 1951: May, 918

phosphatases in diagnosis of malignancy, 1951: Nov., 1829

placental, in treatment of rheumatoid arthritis, 1953: May, 805-814 method of obtaining, 1953: May, 806

potassium concentration, 1951: Nov., 1827

in Addison's disease, 1952: May, 722

relation to volume of body water, 1951: Nov., 1818

protein partition in liver injury, 1951: Nov., 1658

sex hormone values in, 1951: Nov., 1743 sodium concentration, 1951: Nov.,

1817 in Addison's disease, 1952: May,

722 relation to volume of body water,

1951: Nov., 1816 studies in diagnosis of liver disease, 1951: Nov., 1675

1951: Nov., 1675 test in tuberculosis, 1951: March, 603-614

therapy in ulcerative colitis, chronic, 1951: Jan., 251

values, standard, 1951: Nov., 1813 Sex hormones, and growth, 1951:

March, 501-518 in pregnancy with diabetes, 1953: Sept., 1485

values in urine and serum, 1951: Nov., 1743

Shock, cardiogenic, treatment, 1953: Sept., 1320

in acute coronary thrombosis, treatment, 1953: July, 955, Sept., 1298 Shock, surgical, liver in, 1953: Jan., 110 traumatic or hemorrhagic, hypotension in, 1953: Sept., 1335

Shoulder, frozen, physical medicine in, 1952: Sept., 1490 pain syndromes, 1952: Sept., 1289-

Sighing wrongly attributed to heart, 1952: March, 510

Sigmoidoscopy, 1952: Sept., 1449; 1953: Jan., 264

Silicosis, classification, 1953: Nov., 1730 diagnosis, criteria for, 1953: Nov., 1720

differential, 1953: Nov., 1735 roentgen, 1953: Nov., 1725-1736 in industry, 1953: Nov., 1735 pathogenesis, 1953: Nov., 1726 roentgenographic changes 1953

roentgenographic changes, 1953: Nov., 1732 simple. 1953: Nov., 1730

simple, 1953: Nov., 1730 with infection, 1953: Nov., 1732 Sinus disease, chronic, complicating asthma, 1953: May, 780

Sippy powders in peptic ulcer, 1952: Sept., 1326

SKF-1637 in parkinsonism, 1953: Sept., 1515

Skin, abnormalities in arthritis, 1951: Nov., 1753 care, in occlusive disease of arteries,

1951: March, 359 diseases, classification, 1951: Nov., 1621

in aged, 1952: March, 578 symposium on, 1951: March, 299-

treatment, 1953: July, 1175-7790 eosinophilic granuloma, 1951: March, 463-479

grafts in burns, 1953: July, 1126 herpes simplex infection, 1951: March, 565

lesions, adequate description in diagnosis of, 1951: Nov., 1626 distribution, 1951: Nov., 1629

manifestations of allergic disorders, 1951: Nov., 1596 of lipid diseases, 1951: March, 433-

of peripheral vascular diseases, 1951: March, 355-371

resistance technique, galvanic, 1952: Nov., 1792

signs and internal disease, 1951: Nov., 1630

tags, anal, excision of, 1952: Sept., 1451 tests, diagnosis of allergic states,

1951: Nov., 1601 in drug allergy, 1953: Sept., 1413

tuberculin, 1952: Nov., 1522 Skull, roentgenogram, in hydrocephalus, 1952: Nov., 1742

Sleep, disturbances, 1952: March, 539-555

"Small laboratory disease," 1953: Jan., 15

Smallpox vaccination, 1952: Nov., 1603 Smear, blood, 1953; Sept., 1538

Papanicolaou, 1953: Sept., 1543 vaginal, 1952: May, 750

Social factors in prolongation of illness, 1952: March, 306

Social measures in painful states, 1952: March, 500

Sodium, See also Salt.

carboxymethyl-cellulose in peptic ulcer, 1952; Sept., 1327 chloride, in Addison's disease, 1952;

May. 726

in urine, office test, 1953: Sept.

citrate in lead poisoning, 1952: Nov., 1592, 1593

in of mercurial depletion. use diureties, 1952: Sept., 1342 recognition and management, 1951:

Sept., 1533-1542

nitrite, hypotension due to, 1953: Sept., 1332

para-aminobenzoate in chronic discoid lupus erythematosus, 1951: March, 395

penicillin. See under Penicillin.

salicylate in rheumatic fever, 1953: July, 1221

concentration, 1951: Nov., serum 1817 relation to volume of body water,

1951: Nov., 1816 Solutions, basic concepts, 1951: Nov.,

1808 Soma and psyche, interaction of, 1952:

Nov., 1544 Somatic illness in children, psycho-

therapy in, 1951: Sept., 1496 Southey's tubes, use, in edema of nephrotic syndrome, 1952: July, 931 Spasm, anal, 1953: Jan., 270

cerebral, 1952: Jan., 162

Specimens, collection, preservation and transportation, 1953: Sept., 1543 Spectrophotometry, 1951: Nov., 1588

Speech, development, normal, 1952: Nov., 1790

screening test, 1952: Nov., 1521 Sperm count, 1952: May, 748

Spherocytosis, hereditary, 1951: March, 572

vs. acquired, 1951: Sept., 1426 Sphingomyelinosis, reticular and

histiocytic, 1951: March, 450 Spinal canal, tumors of, neck and shoulder pain due to, 1952: Sept., 1294

Spinal cord, disease, diagnosis, 1951: Nov., 1765-1779

injuries, 1951: Nov., 1775 tumors, 1951: Nov., 1778

Spinal fluid examination in neurosyphilis, 1952: July, 1146

Spinal puncture. See Lumbar puncture. Spine, cervical, neck and shoulder pain in, 1952: Sept., 1296

examination, in low back pain, 1953: Sept., 1451

lesions, pain from, mistaken for heart pain, 1952: March, 504

Splanchnicectomy, surgical, hypoten-sion after, 1953: Sept., 1325

Spleen, anatomy and physiology, 1953: Jan., 181, 182

diseases, 1953: Jan., 181-198 splenectomy in, indications and contraindications, 1953: Jan., 187 rupture in primary amyloidosis, 1951: Nov., 1841-1847

Splenectomy, hematologic indications, 1953: July, 1201

in hemolytic anemia, 1951: March, 580

acquired, 1951: Sept., 1426 in thrombocytopenic purpura, 1951:

Sept., 1416; 1953; Sept., 1404 idiopathic, 1951: Jan., 267 indications and contraindications,

1953: Jan., 187, 189, 191 physiologie basis, 1953: Jan., 185

Splenomegaly, congestive, 1953: Jan., 186

hemorrhagic tendency, 1952: Nov., 1709

primary idiopathie, 1951: March, 451 Splint, Denis-Browne, 1953; Sept., 1428 Spondylitis, rheumatoid, diagnosis, 1951: Nov., 1758

Spotted fever, rickettsial, pervous sysinvolvement, 1953: March tem 395-422

Sprue, nontropical, complicated by generalized amyloidosis, July, 1173-1185

Sputum, blood in, 1952: March, 337 Staphylococcal infections, treatment, 1953: Sept., 1461-1479

Staphylococci, penicillin-resistant, 1953; Sept., 1463

Starch bath, 1953: May, 800 Stasis eczema, 1951: March, 362, 363 Stasis ulcer, 1951: March, 363

Stature, shortness of, familial, 1951: March, 517

Status asthmaticus, treatment, 1951: Sept., 1555; 1952; Sept., 1273; 1953; July, 1014

Status degenerativus, 1952: July, 918 Steam inhalations in asthma, 1953: July, 1017

Steatorrhea, amyloid disease associated with, 1952: July, 1173

Stellate ganglion block in cerebrovascular accidents, 1952: Jan., 169; 1953: March, 432

Stenosis, pulmonary. See Pulmonary stenosis.

Stereovectorcardiography, 1952: Jan., 106

Sterility. See Infertility.

Sternal puncture in multiple myeloma, 1951: Jan., 202

Steroids, in breast metastasis therapy, 1951: Jan., 51-61

in rheumatoid arthritis, summary of experiences at a large clinic, 1951: Jan., 3-22

Stevens-Johnson disease, 1951: March, 322

Stilbamidine in multiple myeloma, 1951: Jan., 218

Stilbestrol. See Diethylstilbestrol.

Stillbirths, repeat, management, 1951: May, 768

Still's disease, diagnosis, 1951: Nov., 1758

Stockings, elastic, in prevention of thromboembolism, 1952: Sept., 1313 Stokes-Adams syndrome, 1952: July, 912

Stoke's syndrome in Hodgkin's disease, treatment, 1953: May, 847

Stomach, carcinoma of, diagnosis, failure of x-ray and gastroscopy in, 1952: July, 1106

diagnostic and therapeutic considerations, 1953: Jan., 63-85

dilatation, gastric hemorrhage initiated by, 1953: Jan., 25

functional disease, 1953: Jan., 3-16 hemorrhage from, massive, diagnosis, 1953: Jan., 28

treatment, 1953: Jan., 17-32 secretion, effects of ACTH and cortisone on, 1952: July, 1079 tumors, miscellaneous, 1953: Jan., 81

ulcer. See Peptic ulcer.

Stomatitis, aphthous, 1951: March, 564 recurrent, 1951: Nov., 1643 herpetic, diagnosis, 1951: Nov., 1643

Stool examination, 1952: Nov., 1522 in liver disease, 1951: Nov., 1675 office procedures, 1953: Sept., 1541 Strabismus, test for, 1952: Nov., 1520

Strain, low back, 1953; Sept., 1449-1460 Stramonium in parkinsonism, 1953; March, 529, Sept., 1512

Strawberry mark, 1951: March, 306
Streptococcal infection, respiratory, prevention, 1952: Jan., 217

Streptokinase and streptodornase in staphylococcal infections, 1953: Sept., 1474

Streptomycin, administration and dose, 1952: Jan., 259, 260 combination with other antibiotics,

results, 1951: March, 535-544 dosage in children, 1951: Sept., 1512

dosage in children, 1951: Sept., 1512 effect on normal fecal flora, 1952: July, 1086

in colitis, ulcerative, chronic, 1951: Jan., 259, 263

in meningitis, in children. 1951: Sept., 1514, 1515, 1516 Streptomycin, in meningitis, influenzal, 1951: Sept., 1514; 1953: March, 339 intrathecal, 1953: Sept., 1363-1378 tuberculous, 1951: Sept., 1515; 1953: March, 351

in children, 1952: Nov., 1621 in pediatric practice, 1952: Nov., 1612 in Rocky Mountain spotted fever, 1951: May, 921

in salmonellosis, 1952: July, 1094 in shigellosis, 1952: July, 1096

in staphyloceal infections, 1951 Sept., 1519; 1953: Sept., 1469

in tuberculosis, 1951: Jan., 155; 1952: Sept., 1257

indications, 1951: Jan., 160 miliary, in children, 1952: Nov.,

pulmonary, in children, 1952: Nov., 1624

in urinary tract infections, 1952: Sept., 1432, 1433

resistance, 1951: Jan., 157

sensitivity of organisms to, method for determining, 1951: Jan., 158 ranges, 1951: March, 537 toxicity, 1951: Jan., 159

Stress, psychological, headache due to, 1951: Sept., 1491

Stricture of common bile duct, 1951:

Nov., 1686
"Stroke," 1952: Jan., 159-175
emergency treatment, 1953: July, 968
little, unrecognized, abdominal disstress due to, 1953: Jan., 16

Strongyloidiasis, treatment, 1953: May, 911

Study plan in medical out-patient clinic, 1951: Nov., 1804

Subaortic stenosis, 1952: Nov., 1665 Suffering, 1952: March, **485-500**

Sugar, consumption, increase in, 1953: Jan., 278

in blood. See Blood, sugar.

in urine, tests, 1953: July, 1098, Sept., 1532

Suicidal patients, management, 1953: March, 582

Sulfadiazine, in hemolytic streptoccal respiratory infection, prophylactic, 1952: Jan., 218

in meningitis, 1953: March, 336 in children, 1951: Sept., 1514, 1515, 1516

in shigellosis. 1952: July, 1096

in urinary tract infections, 1951: Sept., 1516; 1952: Sept., 1433

Sulfaguanidine in chronic ulcerative colitis, 1951: Jan., 258, 259

Sulfamerazine, in meningitis, 1953: March, 336

in prevention of recurrence of rheumatic fever, 1952: Nov., 1658

Sulfate, protamine, in hyperheparinemia, 1953; Nov., 1851 Sulfathiazole in meningitis, 1953: March, 336

Sulfonamides. See also the individual drugs.

dosage, in children, 1951: Sept., 1512 effect on normal fecal flora, 1952: July, 1085

in appendicitis, 1953: Jan., 224

in bronchiectasis, prophylactic, 1953: Sept., 1354

in colitis, ulcerative, chronic, 1951: Jan., 251, 259; 1953: Jan., 252, July, 1170

in conjunctivitis, inclusion, 1952: Sept., 1243

in lymphogranuloma venereum, 1952: Sept., 1242

in meningitis, 1953: March, 336

in poliomyelitis, 1952: Sept., 1251 in psittacosis, 1952: Sept., 1244 in trachoma, 1952: Sept., 1243

in viral diseases, 1952: Sept., 1239-

liver damage from, 1953: Sept., 1386 Sulkowitch reagent, 1952: May, 755 Suppositories, vaginal, in leukorrhea,

1952: Sept., 1463 Supraspinatus tendinitis with and without rupture or calcification 1952: Sept., 1300

Surgery, arrhythmia during, 1952: Jan., 4

in aged, 1952: March, 582

in pericarditis, tuberculous, 1953: Nov., 1645

Sympathectomy, for angina pectoris, 1952: Jan., 88

for arterial occlusions, acute, 1952: Jan., 143

chronic, 1952: Jan., 151 for hypertension, 1952: Jan., 127, 137, July, 1023: 1953: July, 1005

arterial, 1953: Nov., 1652 malignant, 1951: Jan., 124 for thrombophlebitis, 1952: Sept.,

1319 Sympathoblastoma, 1951: Sept., 1301 Sympathogonioma, 1951: Sept., 1301 Symptoms, basis of, 1952: March, 451

symposium on, 1952: March, 303-444 Syncope, 1952: March, 326-330 causes, and treatment, 1953: July

causes and treatment, 1953: July, 967, Sept., 1313-1339 post-tussive, 1953: Sept., 1321

reflex, 1952: March, 326, 563 tussive, 1952: March, 328

vasodepressor, 1953: Sept., 1327 Syndromes, clinical, nature of, 1952:

July, 911-920 Synergism and antagonism, antibiotic,

1952: Nov., 1613 Synovial fluid examination in arthritis, 1951: Nov., 1755

Synovitis, toxic, of hip, 1953: Sept., 1433 Syphilis, cardiovascular, treatment, 1951: Jan., 147

congenital, treatment, 1951: Jan., 148 early, treatment schedule, 1951: Jan., 146

in differential diagnosis, of infantile cortical hyperostosis, 1952: Nov., 1765

of infectious hepatitis, 1952: Nov., 1645

in pregnancy, treatment, 1951: Jan., 148, May, 631-646 of nervous system, 1952: July, 1141-

1149 serologic tests for, in arthritis, 1951:

Nov., 1755 treatment, modern trends, 1951: Jan., 143-152

Syringomyelia, 1951: Nov., 1770

Tabes dorsalis, 1951: Nov., 1777; 1952: July, 1144

Tachycardia, auricular, paroxysmal, 1953: Nov., 1630 treatment, 1953: July, 964

paroxysmal, congestive failure in, 1953: July, 978 hypotension in, treatment, 1953:

hypotension in, treatment, 1953: Sept., 1315

supraventricular, treatment, 1952: Jan., 12

ventricular, 1952: Jan., 9, 17 treatment, 1953: July, 962 sinus, 1952: Jan., 6, 17

Taeniasis, treatment, 1953: May, 912 Tagathen, structural formula, 1951: March, 334

Tamponade, cardiac, treatment, 1953: Sept., 1317

Tannic acid, liver damage from, 1953: Sept., 1386

Sept., 1386 Tapazole in hyperthyroidism, 1952: May, 619, 621; 1953: May, 706, July, 1067

Tar baths, 1953: May, 800 Taussig-Bing syndrome, 1952: Nov.,

Taussig-Bing syndrome, 1952: Nov. 1668 Telangiectasia, 1951: March, 304

congenital, 1951: March, 305 hemorrhagic, hereditary, 1951:

March, 305, 1952: July, 1053 Telangiectasis nuchae, 1951: March, 303

TEM. See Triethylene melamine. Temperatures, body, basal. See Body

temperatures. environmental, for premature infant, 1952: Nov., 1572

Tendinitis of shoulder, 1952: Sept., 1300 physical medicine in, 1952: Sept., 1490

Tension, and gratification, 1952: Nov., 1542 physical manifestations, 1952:

March, 458 signs, objective, 1953: Nov., 1789 Teratomas, precocious pseudopuberty due to, 1952: Nov., 1725 Terramycin, dosages, 1952: Jan., 259

in children, 1951: Sept., 1511 effect on normal fecal flora, 1952: July, 1087

general characteristics, 1951: March, 343

in amebiasis, 1952: July, 1091

in amebic dysentery, 1953: May, 905 in dermatology, 1951: March, 341-354 in infectious hepatitis in children,

1952: Nov., 1645

in intermittent positive pressure breathing, 1951: Nov., 1704 in meningitis, 1953: March, 338

in pediatric practice, 1952: Nov., 1612 in respiratory tract infections, 1951: Nov., 1703

in rickettsial infections, 1953: March, 407

prophylactic, 1953: March, 420 in salmonellosis, 1952: July, 1095 in staphylococcal infections, 1953:

Sept., 1470 in urinary tract infections, 1952: Sept., 1433

in vaginitis, nonspecific, 1952: Nov., 1731

topical use, 1951: March, 346

Test(s), diagnostic, on sick patients, 1951: Nov., 1582

for developmental appraisal of children, 1952: Nov., 1526

for office laboratory, 1953; Sept., 1527 Testicle. See Testis.

Testicular androgen production, estimation, 1951: Jan., 282

Testicular deficiency, diagnosis, 1951: Jan., 283

Testis, biopsy, 1952: May, 749 disorders of, 1951: Nov., 1743 embryology, 1952: Nov., 1780 functional tests, 1952: May, 748 nonpalpable, 1952: Nov., 1781 retracted, 1952: Nov., 1781 tumors of bormone assay, 18

tumors of, hormone assay, 1951: Nov., 1832

undescended, 1952: Nov., 1781 choice of operation, 1952: Nov., 1784

differential diagnosis and management, 1952: Nov., 1779-1785 evaluation of patient, 1952: Nov., 1780

Testosterone, in amenorrhea, 1953: July, 1087

in arthritis, rheumatoid, effects, 1951: Jan., 20

Jan., 20 in carcinoma of breast, 1951: Jan., 52; 1952: May, 681, 682

complications, 1951: Jan., 53 in dysmenorrhea, preovulatory, 1951: May, 864

in hyperthyroidism, 1953: May, 700 in menometrorrhagia, 1952: Nov., 1735 Testosterone, in osteoporosis, postmenopausal, 1952: May, 853 physiologic role in male, 1951: Jan., 281

Tetanus, immunization, active, 1952: Nov., 1599

dosage schedule, 1952: Nov., 1601 passive, 1952: Nov., 1602

toxoid, booster or recall injections, 1952: Nov., 1602 Tetany, biochemical and clinical con-

siderations, 1952: May, 875-893 hypocalcemic, 1952: May, 880 infantile, 1952: May, 882 low magnesium, 1952: May, 893 neonatal, 1952: May, 893 normocalcemic, 1952: May, 891

Tetrachlorethylene in hookworm, 1953: May, 908

Tetraethylammonium, hypotension due to, 1953: Sept., 1330 in peptic ulcer, 1952: Sept., 1329

test in hypertension, 1952: May, 754 Tetralogy of Fallot, 1952: Jan., 45, 57, Nov., 1667

roentgenology in, 1952: Jan., 57 Thalamic syndrome, pain in, 1952: March, 491

Thenylene, structural formula, 1951: March, 334

Thephorin, in parkinsonism, 1953: Sept., 1515

structural formula, 1951: March, 334 Thiamine in infant nutrition, 1952: Jan., 280

Thiantoin in epilepsy, 1952: Sept., 1385, 1389

Thibierge-Weissenbach's syndrome, 1952: July, 912 Thioarsenite in amebiasis, 1953: Nov.,

1806 Thiomerin, as diuretic, 1952: July, 954 in congestive heart disease, 1951:

Sept., 1339, 1341 Thiosemicarbazones, in meningitis, tuberculous, in children, 1952: Nov., 1622

in tuberculosis, 1951: Jan., 165; 1952: Sept., 1260

Thiouracil, effect on function of thyroid cancer, 1952: May, 658

in hyperthyroidism, 1953: May, 706 Thomas heel, 1953: Sept., 1438 Thoms technic of roentgen pelvimetry,

1951: May, 779 Thoracentesis in rheumatic fever, 1952:

Nov., 1656 Thoracoplasty for tuberculosis, 1952:

Sept., 1263 Thorax, circumference in first five years of life, 1952: Nov., 1740

pain in, 1952: March, 339-341

in heart diseases, 1951: Nov., 1721 Thrombin and fibrin activation test, 1953: Nov., 1846 Thromboangiitis obliterans, 1952; Jan., 147, 148; 1953; Nov., 1636 skin changes in, 1951; March, 358

Thrombocytopenia, accompanying or complicating infection, 1952: Nov., 1699

complicating infiltrative lesions in marrow, 1952: Nov., 1701 idiopathic, 1952: Nov., 1701

pathogenesis and treatment, 1953: Sept., 1395-1407

secondary to drugs or allergens, 1952: Nov., 1699

splenectomy for, 1953; Jan., 191 Thromboembolism, diagnosis, 1952;

Sept., 1316 in congestive heart failure, 1953;

July, 986 prophylaxis and medical treatment,

1952: Sept., 1309–1321 Thrombopenia, bleeding disorders associated with, 1952: July, 1056

Thrombophlebitis, 1953: July, 1113-1118

skin manifestations, 1951: March, 360 Thromboplastin, activation test, 1953: Nov., 1845

generation test, 1953: Nov., 1848 Thrombosis, arterial, acute, 1952: Jan., 142, 145

cerebral, 1952: Jan., 163, 169; 1953: March, 427

coronary, acute, emergencies in, management, 1953: July, 955 prevention, 1952: July, 991-999 with infarction, pitfalls in, 1952: Jan., 113

of splenic vein, splenectomy for, 1953: Jan., 189

venous, chronic recurring, anticoagulant therapy, long-term, 1953; May, 660

diagnosis, 1952: Sept., 1316 pathogenesis, 1952: Sept., 1310 prevention, 1952: Sept., 1313 treatment, 1952: Sept., 1317

Thrombus, ball-valve, 1953; Sept., 1319 Thymectomy in myasthenia gravis, 1953; March, 540

Thymol, tests of liver injury, 1951: Nov., 1657

turbidity test of Maclagan, 1952: March, 398 Thymoma, asthma and, 1952: March,

360 Thyroid extract in nephrotic syndrome,

1953: July, 1136 Thyroid gland, adenoma, physiologic

concepts, 1952: May, 640, 641 adenocarcinoma, physiologic concepts, 1952: May, 648

carcinoma, metastatic, radioiodine in treatment, 1952: May, 663-680

physiologic concepts, 1952: May, 648 Thyroid gland, disorders of, 1951: Nov., 1734

diagnosis, radioiodine in, 1952: July, 981-989

radioactive iodine in, clinical application, 1951: Jan., 37-50 functional tests, 1952: May, 739;

1953: July, 1062 physiology, 1953: July, 1060

tumors, physiologic concepts, as revealed with newer tools of study, 1952: May, 639-662

hormone, atherogenesis and, 1952: Jan., 191

storm, treatment, 1953: July, 1071 with jaundice, clinicopathologic conference, 1953: Nov., 1684

Thyroid therapy, in amenorrhea, 1952: May, 709; 1953: July, 1086 in infertility in women, 1951: May, 836

Thyroidectomy, in hyperthyroidism, 1953: May, 711

total effect on function of metastatic thyroid cancer, 1952: May, 654, 667

Thyrotoxicosis. See Hyperthyroidism. Thyrotropin in diagnosis of hypothyroidism, 1952: May, 742

Thyroxine, hepatic function and, 1953: Jan., 114

Tibione in tuberculosis, 1952: Sept., 1260

Tick fever. See also Rocky Mountain spotted fever.

Colorado, 1951: March, **587-592** Tissues, lead determination in, 1952: Nov., 1592, 1595

Tobacco in myocardial ischemia, 1953: Sept., 1288

Tocopherols, mixed in chronic discoid lupus erythematosus, 1952: March, 395

"Toeing-in," 1953: Sept., 1437 Tolserol in parkinsonism, 1953: Sept.,

Toluidine blue in lymphomas, 1951: Jan., 106

Tongue, black, 1951: Nov., 1640
 coated, 1951: Nov., 1641
 diseases of, 1951: Nov., 1639
 fissured, 1951: Nov., 1639

geographic, 1951: Nov., 1640 Tonics in treatment of functional disorders, 1953; Nov., 1799

Torkildsen's procedure in hydrocephalus, 1952; Nov., 1747

Torticollis, congenital, 1953: Sept., 1441
Tourniquet, for pulmonary edema in rheumatic fever, 1952: Nov., 1656
test of capillary permeability, 1953:

Nov., 1847 Toxemias of pregnancy. See under Pregnancy.

Toxoids, paralytic poliomyelitis following injection of, 1952: Nov., 1604 Trachea, roentgenographic changes in silicosis, 1953: Nov., 1732 Tracheal suction in cardiac emergen-

cies, 1953: July, 961

Tracheobronchitis, anatomic and pathologic features, 1951: Nov., 1696 symptoms and physical signs, 1951:

Nov., 1698

Tracheotomy in bulbar poliomyelitis, 1953: March, 369 Traction in cervical root compression,

1953: March, 463 Transfusions, during operation, 1953:

May, 760 exchange, in erythroblastosis fetalis, 1951: May, 765; 1953: March, 613

in anemia, hemolytic, 1951: March, 580

acquired, 1951: Sept., 1427

in hemophilia, 1951: Jan., 270, Sept., 1413

in hypothrombinemia, 1951: Sept., 1418

in liver disease, 1951: Sept., 1452

in lymphomas, 1951: Jan., 105 in rheumatic fever, 1952: Nov., 1655 in thrombocytopenic purpura, 1953:

Sept., 1402 preoperative, 1953: May, 759

Transposition of great vessels, 1952: Nov., 1668

Trauma to immature female genitalia, 1952: Nov., 1732

Treatment, effect of, in diagnosis of allergic states, 1951: Nov., 1603 laboratory aids in, 1951: Nov., 1579-

methods, symposium on, 1951: Sept., 1229-1560; 1952: Sept., 1201-1493; 1953: Sept., 1283-1523

of chronic pulmonary diseases, 1951; Nov., 1701

Tremor in parkinsonism, 1953: March, 524

Trench foot, 1952: Jan., 156

Trephination, diagnostic, in chronic subdural hematoma, 1953; March, 447

Trichinosis, treatment, 1953: May, 911
Trichomonas vaginalis vaginitis, treatment, 1952: Sept., 1466

Trichomoniasis, treatment, 1953; May,

Trichuriasis, treatment, 1953: May, 911 Tricuspid valve, atresia, 1952: Jan., 48, 59, Nov., 1668

roentgenology in, 1952; Jan., 59 stenosis, 1952; Nov., 1668

Tridione in epilepsy, 1952: Sept., 1385, 1388; 1953: March, 325

Triethylene melamine, in Hodgkin's disease, 1953: May, 857

1758

in leukemias, 1951: Sept., 1392; 1953: May, 857 and allied disorders, 1953: Nov., Triethylene melamine, in leukemias, granulocytic, chronic, 1953: Nov., 1759

lymphocytie, ehronie, 1953: Nov., 1759

in lymphomas, 1951: Sept., 1392; 1953: May, 857

in lymphosarcoma, 1953: May, 657, Nov., 1758

Trimethadione. See Tridione.

Trimeton, structural formula, 1951: March, 334

Trinitrotoluene, liver damage from, 1953: Sept., 1387

Tromexan, as anticoagulant, 1953: May, 664

in myocardial infarction, acute, 1953: Sept., 1295

prevention, 1952: Jan., 83 Truncus arteriosus, 1952: Nov., 1670

Truncus arteriosus, 1952: Nov., 1670 Truncus communis persistans, roentgenology in, 1952: Jan., 59

Tsutsugamushi fever, nervous system involvement, 1953; March, 395-422

Tubal insufflation, 1951: May, 827 in sterility, 1951: May, 836

Tubal patency, tests for, 1951: May, 826

Tube diets in liver disease, 1951: Sept., 1447 Tuberculin, in tuberculous meningitis

with block, 1953: March, 359 skin testing, 1952: Nov., 1522 Tuberculosis, asthma and, 1952: March,

358 chemotherapy, 1951: Jan., 149-167; 1952: Sept., 1257

collapse therapy, 1952: Sept., 1260 meningeal, in children, 1953: March, 345-362

treatment, 1952: Nov., 1619-1626 miliary, in children, treatment, 1952: Nov., 1619-1626

of hip, 1953: Sept., 1432

of spleen, splenectomy in, 1953; Jan., 195

pulmonary, bronchiectasis with, 1953; Sept., 1357

in children, treatment, 1952: Nov., 1619-1626

in pregnant women, 1951: May, 647-657

isoniazid in, method and results, 1953: May, 885-901

pathogenesis, 1951; May, 649 treatment, 1952; Sept., 1253-1267 renal, in pregnancy, 1951; May, 728

resection surgery in, 1952: Sept., 1264 serological test, 1951: March, 603-614 streptomycin-para-aminosalicylic acid (combined) regimen, 1952:

Sept., 1257
Tumor, giant cell, in different diagnosis of bone cysts, 1952; Nov., 1756 intrathoracic, neck and shoulder pain due to, 1952; Sept., 1305

1914 Tumor, of adrenal cortex, 1951: Sept., of adrenal medulla, 1951: Sept., 1299 of biliary tract, 1953: Jan., 166 of bone in childhood, 1952: Nov., 1803 of central nervous system in childhood, 1952: Nov., 1801 of kidney, pregnancy and, 1951: May, of soft tissues in childhood, 1952: Nov., 1803 of spinal canal, neck and shoulder pain due to, 1952: Sept., 1294 of thyroid gland, physiologic concepts, 1952: May, 639-662 testicular, hormone assay, 1951: Nov., 1832 Wilms', in childhood, 1952: Nov., 1799 Tunica vasculosa lentis, 1952: Nov., 1581 Turbidity tests in jaundice, 1952: March, 398 2614(1-n-propyl-3-ethyl-6-aminouracil) as diuretic, 1952: July, 954 Typhoid fever in children, treatment,

1951: Sept., 1517 Typhus fever, nervous system involvement, 1953: March, 395-422

Tzanck test in dermatologic diagnosis, 1951: Nov., 1635

laboratory, economic aspects, 1951: Nov., 1583 in arthritis, 1951: Nov., 1754 selection of, 1951: Nov., 1580

meal in diagnosis of diabetes, 1951: Nov., 1609 of endocrine function, 1952: May,

739-756 patch, Vollmer, 1952: Nov., 1522 screening, 1952: Nov., 1518

skin, in drug allergy, 1953: Sept., 1413 tuberculin, 1952: Nov., 1522 special, in diabetes, 1951: Nov., 1609

U-0382 in parkinsonism, 1953: Sept., 1515

Ulcer, duodenal. See Duodenal ulcer and Peptic ulcer

gastric. See Peptic ulcer. gastrojejunal, 1953: Jan., 40 of leg, 1951: Nov., 1632 peptic. See Peptic ulcer stasis, 1951: March, 363 Ultramicroanalysis, 1951: Nov., 1589

Urea, as diuretic, 1952: July, 933; 1953: May, 691, July, 985, 1136 clearance, 1951: Nov., 1712

in toxemias of pregnancy, 1951: May, 709, 710 test in hypertension, 1952: Jan.,

121 Uremia, cardiac manifestations, 1951: July, 1085

in renal disease, 1951: Nov., 1717 reversible, treatment, 1952: Sept., 1409-1419

Ureter, during pregnancy, 1951: May ectopic, 1952: Nov., 1732

transplanted, pregnancy and, 1951: May, 729

Urethane, in leukemia, 1951: Jan., 98, Sept., 1394; 1953; May, 858 and allied disorders, 1953: Nov., 1760

in multiple myeloma, 1951: Jan., 219 in mycosis fungoides, 1951: Jan., 103 Urethritis, in female, 1952: Sept., 1427 in male, 1952: Sept., 1422

Uric acid clearance in toxemias of pregnancy, 1951: May, 716

Uric acid-creatine ratio in ACTH and cortisone therapy, 1952: Jan., 235 Urinalysis, in arthritis, 1951: Nov., 1754

routine, in renal diagnosis, 1951: Nov., 1708

anomalies, pregnancy Urinary tract, and, 1951: May, 729 infections, in children, treatment,

1951: Sept., 1516 management, 1952: Sept., 1421-1433

manifestations of allergic disorders, 1951: Nov., 1597 Urine, bilirubin in liver injury, 1951:

Nov., 1654

easts in, 1951: Nov., 1710 concentration and dilution test, in hypertension, 1952: Jan., 122

test in toxemias of pregnancy, 1951: May, 708 cultures, 1951: Nov., 1711 examination, in renal diagnosis,

1951: Nov., 1708 microscopie, 1951: Nov., 1710 office procedures, 1953: Sept., 1531 incontinence in pregnancy, 1951:

May, 723 lead concentration in lead poisoning. 1952: Nov., 1592, 1595

maximal concentrating power, 1951: Nov., 1712

pregnanediol in, 1951: Nov., 1588 retention, from incarcerated uterus, 1951: May, 722

postpartum, 1951: May, 724 sex hormone values in, 1951: Nov., 1743

specific gravity, 1951: Nov., 1708 studies in diagnosis of liver disease, 1951: Nov., 1675

sugar in, tests for, 1953: July, 1098, Sept., 1532 urobilinogen in liver injury, 1951:

Nov., 1654 Urobilinogen, in urine in jaundice, 1952: March, 401

in liver injury, 1951: Nov., 1654 Urogastrone in peptic ulcer, 1952: Sept., 1331

Urologic complications of pregnancy, management, 1951: May, 715

Urologic methods in diagnosis and treatment of bilateral renal disease, 1951: July, 1005

Urticaria, chronic, 1953: May, 790
 treatment, 1953: May, 793
 treatment, 1951: Sept., 1557

Uterine index, 1951: May, 820 inertia, labor and, 1951: May, 791–804 Uterotubal insufflation, 1951: May, 827

Uterus, bleeding from, abnormal endocrine therapy, 1952: May, 712 course and management, 1953: Sept., 1497-1509

functional, 1953: Sept., 1506 management and treatment, 1951: May, 871-877

carcinoma, bleeding in, 1953: Sept., 1505

early stages, diagnosis, 1951: May, 841-859

conditions in, leukorrhea due to, 1952: Sept., 1469

incarcerated, in pregnancy, 1951: May, 723

retroversion, sterility and, 1951: May, 820, 835

Vaccination, against rickettsial infections, 1953: March, 419

procedures, encephalitis associated with, 1952: Nov., 1627-1635 smallpox, 1952: Nov., 1603

Vaccines, in prevention of Rocky Mountain spotted fever, 1951: May, 924

paralytic poliomyelitis following injection of, 1952: Nov., 1604 Vagal stimulation, syncope due to,

1953: Sept., 1313 Vagina, foreign bodies in, leukorrhea

due to, 1952: Sept., 1468 smear of, 1952: May, 750 in cancer diagnosis, 1951: May, 855

suppositories in leukorrhea, 1952: Sept., 1463

Vaginitis, caused by foreign body, 1952: Nov., 1732 fungus and yeast, treatment, 1952:

Sept., 1468 gonorrheal, acute, 1952: Nov., 1731

gonorrheal, acute, 1952: Nov., 1731 nonspecific, 1952: Nov., 1731 streptococcal, hemolytic, 1952: Nov.,

streptococcal, hemolytic, 1952: Nov., 1731 Trichomonas, vaginalis, treatment

Trichomonas vaginalis, treatment, 1952: Sept., 1466 Van der Hoeve's syndrome, 1952: July, 913

Vaponefrin in intermittent positive pressure breathing, 1951: Nov., 1703

Varicella. See Chickenpox.

Variola. See Smallpox. Vascular disease, cerebral, syncope in, 1953: Sept., 1327

hypertensive, in pregnancy, 1951: May, 682 Vascular disease, hypertensive, treatment, 1951: May, 686 peripheral, cutaneous manifesta-

tions, 1951: March, 355-371 diagnosis and management, 1952: Jan., 141-158

Vascular lesions, intracranial, acute, diagnosis and management, 1953: March, 423-435

Vascular rings, 1952: Nov., 1665 Vasoconstrictor blocking drugs in hy-

pertension, 1952: Jan., 135 Vasodepressor syncope, 1953: Sept., 1327

Vasodilator agents, hypotension due to, 1953: Sept., 1332

Vasospasm in cerebrovascular accidents, 1951: Sept., 1457-1474

Veins, cervical, observation of phenomena in, 1953: Nov., 1640

March, 360

overdistension following sudden death, 1953: Nov., 1669-1673 post-thrombotic, 1951: May, 897, 899

pulmonary, transposed, cardiac catheterization in, 1952: July, 1044 splenic, thrombosis, splenectomy for, 1953: Jan., 189

Venae cavae, occlusion, complete, heart not opened, 1953: Nov., 1611 right atrium widely open, 1953: Nov., 1616

right ventricle widely open, 1953: Nov., 1619

Venesection, hypotension following, 1953: Sept., 1335

in congestive heart failure, 1951; Sept., 1349

Venous congestion, syncope due to, 1953: Sept., 1335

Venous insufficiency, chronic, skin manifestations, 1951: March, 360 Venous return, anomalous, 1952: Nov., 1670

Ventilation, pulmonary, 1951: Nov., 1700

Ventricle, single, 1952: Nov., 1669 Ventricular fibrillation, treatment, 1952: Jan., 18

Ventricular septal defect, 1952: Nov., 1665 cardiac catheterization in, 1952:

July, 1044 Ventricular tachycardia, paroxysmal,

1952: Jan., 9, 17; 1953: July, 962 Ventriculoperitoneal shunt in hydro-

cephalus, 1952: Nov., 1748 Ventriculostomy, third, in hydrocephalus, 1952: Nov., 1747

Veratrum, preparations in arterial hypertension, 1953: Nov., 1651

viride, hypotension due to, 1953: Sept., 1332

in hypertension, 1952: July, 1021; 1953: Sept., 1305

Veriloid in malignant hypertension, 1951: Jan., 125 Verruca, seborrheic, 1951: March, 311

Vertigo, 1952: March, 330

Vesiculitis, 1952: Sept., 1423 chronic, 1952; Sept., 1426

Vincent's gingivostomatitis, diagnosis, 1951: Nov., 1638

Vinobel in parkinsonism, 1953: Sept., 1513

Vioform in amebiasis, 1953: Nov., 1807 Virilism, adrenal, 17-ketosteroids in, 1952: May, 762

Virus. encephalomyelitides, 1953 -March, 373-393

herpes simplex, oral manifestations,

1951: Nov., 1642 therapy in lymphomas and leuke-mias, 1953: May, 864

Vision, screening test, 1952: Nov., 1520 Vitamin(s), deficiencies, pre- and postoperative management, 1953: May.

761 in infant nutrition, 1952: Jan., 277-283

requirements of premature infant, 1952: Nov., 1576

therapy, in asthma, 1953: July, 1016 in chronic discoid lupus erythematosus, 1951: March, 395

in liver disease, 1951; Sept., 1450; 1953: July, 1142, Sept., 1390

Vitamin B₁₂, in allergic disorders, 1952: Sept., 1234

in anemias, 1953: July, 1198 megaloblastic, 1952: Sept., 1232 pernicious, 1952: Sept., 1230

in dermatologic disorders, 1952: Sept., 1234

in hematologic disorders, 1952: Sept., 1230 in medicine, 1952: Sept., 1223-1237

in neurologic disorders, 1952: Sept., 1235

nutritional disorders, 1952: in Sept., 1235 metabolism of, 1952; Sept., 1225

Vitamin C. See Ascorbic acid. Vitamin D deprivation, tetany due to,

1952: May, 880 Vitamin K, in hypoprothrombinemia,

1952: July, 1063 following Dicumarol therapy. 1953: May, 762

in hypothromoinemia, 1951: Sept., 1419

in liver disease, 1953: July, 1143 Vitamin K1 in bleeding from coumarin therapy, 1953; Sept., 1296

Vitreous, hyperplastic, persistent, in differential diagnosis of retrolental fibroplasia, 1952: Nov., 1581

Vollmer patch test, 1952: Nov., 1522 Volumes per cent, conversion to millimols or milliequivalents per liter, 1951: Nov., 1811

Vomiting, 1952: March, 374 functional types, 1953: Jan., 5 persistent, massive gastric hemorrhage from, 1953: Jan., 27 Vulvovaginitis, 1952: Nov., 1731

WARFARIN as anticoagulant, May, 665

Water, and electrolyte balance, in pregnancy, 1951: May, 893-906

and salt retention in renal disease, 1951: Nov., 1718 disturbances, prevention, 1951: July,

1139 intoxication, 1951: July, 1122

water-chloride balance studies in, 1951: July, 1134

metabolism, physiologic considerations, 1952: May, 829-846

tolerance test for Addison's disease, 1952: May, 723, 745 Water-chloride balance, renal aspects

in patients with water-electrolyte problems, 1951: July, 1129-1143 technique, clinical use of, 1951:

Waterhouse-Friderichsen syndrome. 1951: Sept., 1286; 1953: March, 333 Weakness in emotional disorders, 1952: March, 461

Weight, combining, relation to atomic weight, 1951: Nov., 1810

gain or loss, amenorrhea and, 1953: July, 1093

reduction in myocardial ischemia, 1953: Sept., 1285 Weil-Felix reaction in Rocky Mountain

spotted fever, 1951: May, 914 Whooping cough, immunization, ac-

tive, 1952: Nov., 1599 dosage schedule, 1952: Nov.,

passive, 1952: Nov., 1602 vaccine, booster or recall injections, 1952: Nov., 1602

Wilms' tumor in childhood, 1952: Nov., 1799 Wilson's disease, liver in, 1953: Jan.,

Work capacity of the cardiac, 1953: May, 667-684

Wounds, of glans penis, 1951: March,

XANTHELASMA palpetrarum, 1951: March, 445, 446

Xanthine diuretics, in congestive heart failure, 1951: Sept., 1343 myocardial ischemia,

Sept., 1290 cutaneous, in relation to diseases of

liver, 1951: March, 441 definition, 1951: March, 434

juvenile, 1951: March, 448, 449 Xanthoma cell, pathogenesis, 1951; March, 435

Xanthoma diabeticorum, 1951: March, 448

disseminatum, 1951: March, 448 eruptivum, 1951: March, 448 planum palpebrarum, 1951: March, 446

tuberosum, 1951: March, 440, 441, 443, 447

Xanthomatoses, Bürger-Grütz, 1951: March, 451

classification, 1951: March, 438, 439 diagnosis, 1951: March, 444 Xanthomatoses, hereditary aspects, 1951: March, 443 treatment, 1951: March, 445

X-ray. See Roentgen.

Yeast infections of vagina, treatment, 1952: Sept., 1468

Zinc sulfate turbidity reaction of Kunkel, 1952: March, 399 Zinc turbidity in liver injury, 1951:

Nov., 1660